

Oregon Water Resources Department

Water Right Services Division

Water Right Application G-17879 in the)
name of Silvies Valley Ranch Water Co.) PROPOSED FINAL ORDER
LLC)

Summary: The Department proposes to issue an order approving Application G-17879, as amended, and a permit consistent with the attached draft permit.

Prior to the issuance of a permit, if it is issued the Department must receive the following:

- The outstanding mitigation fee in the amount of \$575.00.

Please include the application number on any documents submitted, including a check made out to the Oregon Water Resource Department.

Authority

The application is being processed in accordance with Oregon Revised Statute (ORS) 537.615 through 537.628, and 390.826, and Oregon Administrative Rule (OAR) Chapter 690, Divisions 5, 8, 9, 33, 300, 310, 400, 410, and Malheur Lake Basin Program OAR 690-512. These statutes and rules can be viewed on the Oregon Water Resources website: <http://www.oregon.gov/owrd/pages/law/index.aspx>

The Department's main page is <http://www.oregon.gov/OWRD/pages/index.aspx>

The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525 if:

- a) The proposed use is allowed in the applicable basin program established pursuant to ORS 536.300 and 536.340 or given a preference under ORS 536.310(12);
- b) Water is available;
- c) The proposed use will not injure other water rights; and
- d) The proposed use complies with the rules of the Commission. ORS 537.621(2); OAR 690-310-0150(2)(b)

All four criteria must be met for a proposed use to be presumed to ensure the preservation of the public welfare, safety and health. When the criteria are met and the presumption is established the Department must further evaluate the proposed use, any comments received information available in its files or received from other interested agencies and any other available information to determine whether the presumption is overcome. OAR 690-310-0140

If the Department determines that the presumption is established and not overcome, the Department shall issue a proposed final order recommending issuance of the permit subject to any appropriate modifications or conditions.

FINDINGS OF FACT

Application History

1. On June 19, 2014, Silvies Valley Ranch Water Co. LLC filed a complete application for the following water use:
 - Amount of Water: 3.9 cubic feet per second (CFS)
 - Use of Water: quasi-municipal use
 - County: Grant County
 - Location: within Sections 14, 15, 22, 23, 26, 27, 33, 34, 35, and 36, Township 17 South, Range 31 East, W.M., and Sections 29, 30, and 31, Township 17 South, Range 32 East, W.M.
 - Source of Water: Well 1 (GRAN 51009/L99644) in Fisk Gulch Basin, and Well 2 and Well 3 in Silvies River Basin
2. On November 14, 2014, the Department mailed the applicant notice of its Initial Review, determining that "**...the appropriation of 3.9 CFS of water from Well 1 (GRAN 51009/L99644) in Fisk Gulch Basin and Wells 2 and 3 in Silvies River Basin for year-round quasi-municipal use is not allowable, and it appears unlikely that you will be issued a permit...**" The applicant did not notify the Department to stop processing the application within 14 days of that date.
3. On November 25, 2014, the Department gave public notice of the application in its weekly notice. The public notice included a request for comments, and information for interested persons about obtaining future notices and a copy of the Proposed Final Order. No written comments were received within 30 days.
4. On April 13, 2016, the Water Resources Commission revised the applicable Basin Program (OAR 690-512). The new rules allow permits to be issued if they are consistent with the conditions and limitations of the rules. The applicant has indicated that they wish for their application to be subject to the revised rules in order to use the provisions that may allow their application to be approved.

Presumption Criteria (a) Consistency with Basin Program

5. The proposed use is allowed under the Malheur Lake Basin Program (OAR 690-512). ORS 537.621(3)(b); OAR 690-310-0150(2)(b)

Presumption Criteria (b) Water Availability

6. An assessment of groundwater availability has been completed by the Groundwater/Hydrology section. A copy of this assessment is in the file. Groundwater will likely be available within the capacity of the resource, and if properly conditioned (and if authorized), the proposed use of groundwater will avoid injury to existing groundwater rights. ORS 537.621(3)(c); OAR 690-310-0150(2)(c)
7. The finding of the potential for substantial interference requires that surface water availability be considered. The Water Availability Reporting System report on the amount of water available in the surface water affected is in the file and can be viewed on the Department's website. The report shows that water is available (at an 80 percent exceedance probability) from November 1 through April 30 of each year. OAR 690-410-0070(1) and OAR 690-400-0010(11)(a)(A)
8. On February 15, 2016, the applicant's agent proposed to cancel 132.0 acres of existing surface water irrigation rights as mitigation for the proposed use under Application G-17879. The Department

determined that the proposed partial cancellation will provide sufficient mitigation to offset pumping impacts on Fisk Gulch, Silvies River, and unnamed springs.

Presumption Criteria (c) Injury Determination

9. The proposed use will not injure other water rights. ORS 537.621(3)(d); OAR 690-310-0150(2)(e)

Presumption Criteria (d) Whether the use complies with rules of the Commission

10. Documentation has been submitted from the relevant land-use planning jurisdiction that indicates the proposed use is allowed outright. ORS 537.621(3)(b); OAR 690-310-0150(2)(b)
11. The proposed groundwater use is not within a designated critical groundwater area. ORS 537.620(4)(a), 537.621(3)(a); OAR 690-310-0150(2)(a)
12. The Department has determined that the proposed groundwater use will have the potential for substantial interference with surface water, namely Fisk Gulch, Silvies River, and unnamed springs. The Division 9 (Ground Water Interference with Surface Water) review is in the file and can be viewed on the Department's website. ORS 537.621(3)(b); OAR 690-009-0040(4).
13. The proposed use complies with rules of the Water Resources Commission not otherwise described above.

Determination of Presumption that a proposed groundwater use will ensure the preservation of the public welfare, safety and health

Based on the review of the presumption criteria (a)-(d) above, the presumption has been established. ORS 537.621(3)(g); OAR 690-310-0150(2)(g)

Further evaluation of the proposed use

14. No comments were received by the close of the comment period. OAR 690-310-0140(3).
15. Information available in Department files, received from other interested agencies, and other available information does not provide a preponderance of evidence that the proposed use would not ensure the preservation of the public welfare, safety, and health under ORS 537.525. OAR 690-310-0140(3)

Other Criteria and Requirements

16. The proposed use is not located within or above a Scenic Waterway, as designated under ORS 390.826. 537.620(4)(a), 537.621(3)(a); OAR 690-310-0150(2)(a)
17. In accordance with Division 33 (Additional Public Interest Standards for New Appropriations) an interagency team reviewed the proposed use for potential adverse impacts on sensitive, threatened and endangered fish populations. This team consisted of representatives from the Oregon Departments of Water Resources (WRD), Environmental Quality (DEQ), Fish and Wildlife (ODFW), and Agriculture. WRD and ODFW representatives included both technical and field staff. The interagency team did not recommend that any additional conditions of use be imposed on this application. OAR 690-033-0330
18. The amount requested, 3.9 CFS, is necessary for the proposed use. ORS 537.621(3)(c); OAR 690-310-0150(2)(b)

19. The applicant proposed to apply water when needed and use the most efficient method of water application. These measures are adequate at this time. OAR 690-310-0150(2)(j)
20. Prior to the issuance of a permit, if it is issued, the Department must receive the following:
 - The outstanding mitigation fees in the amount of \$575.00.

CONCLUSIONS OF LAW

1. The proposed use would ensure the preservation of the public welfare, safety and health as described in ORS 537.525.

When issuing permits, ORS 537.628(1) authorizes the Department to include limitations and conditions which have been determined necessary to protect the public welfare, safety, and health. The attached draft permit is conditioned accordingly.

PROPOSED ORDER

The Department recommends approval of Application G-17879, as amended, and issuance of a permit consistent with the attached draft permit.

DATED December 26, 2017



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

Protests

Under the provisions of ORS 537.153(7) (for surface water) or ORS 537.621(8) (for groundwater), you can protest this Proposed Final Order. Protests must be received in the Water Resources Department no later than **Friday, February 9, 2018**. Protests must be in writing, and must include the following:

- Your name, address, and telephone number;
- A description of your interest in the Proposed Final Order, and, if you claim to represent the public interest, a precise statement of the public interest represented;
- A detailed description of how the action proposed in the Proposed Final Order would impair or be detrimental to your interest;
- A detailed description of how the Proposed Final Order is in error or deficient, and how to correct the alleged error or deficiency;
- Any citation of legal authority to support your protest, if known;
- To affect the department's determination that the proposed use in this application will, or will not, ensure the preservation of the public welfare, safety and health as described in ORS 537.525, ORS 537.621(2)(b) requires that a protest demonstrate, by a preponderance of evidence any of the following: (a) One or more of the criteria for establishing the presumption are, or are not, satisfied; or (b) The specific aspect of the public welfare, safety and health under ORS 537.525 that would be impaired or detrimentally affected, and specifically how the identified aspect of the public welfare, safety and health under ORS 537.525 would be impaired or be adversely affected;
- If you are the applicant, the protest fee of \$410 required by ORS 536.050; and
- If you are not the applicant, the protest fee of \$810 required by ORS 536.050 and proof of service of the protest upon the applicant.
- If you are the applicant, a statement of whether or not you are requesting a contested case hearing.

Requests for Standing

Under the provisions of ORS 537.153(7) (for surface water) or ORS 537.621(8) (for groundwater), persons other than the applicant who support a Proposed Final Order can request standing for purposes of participating in any contested case proceeding on the Proposed Final Order or for judicial review of a Final Order.

Requests for standing must be received in the Water Resources Department no later than **Friday, February 9, 2018**. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the Proposed Final Order as issued;
- A detailed statement of how the requester would be harmed if the Proposed Final Order is modified; and
- A standing fee of \$230. If a hearing is scheduled, an additional fee of \$580 must be submitted along with a petition for party status.

After the protest period has ended, the Director will either issue a Final Order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been submitted and either:

- upon review of the issues, the director finds that there are significant disputes related to the proposed use of water, or
- the applicant requests a contested case hearing within 30 days after the close of the protest period.

If you do not request a hearing within 30 days after the close of the protest period, or if you withdraw a request for a hearing, notify the Department or the administrative law judge that you will not appear or fail to appear at a scheduled hearing, the Director may issue a Final Order by default. If the Director issues a Final Order by default, the Department designates the relevant portions of its files on this matter, including all materials that you have submitted relating to this matter, as the record for purpose of proving a prima facie case upon default.

You may be represented by an attorney at the hearing. Legal aid organizations may be able to assist a party with limited financial resources. Generally, partnerships, corporations, associations, governmental subdivisions or public or private organizations are represented by an attorney. However, consistent with OAR 690-002-0020 and OAR 137-003-0555, an agency representative may represent a partnership, corporation, association, governmental subdivision or public or private organization if the Department determines that appearance of a person by an authorized representative will not hinder the orderly and timely development of the record in this case.

Notice Regarding Service Members: Active duty service members have a right to stay proceedings under the federal Service Members Civil Relief Act. 50 U.S.C. App. §§501-597b. You may contact the Oregon State Bar or the Oregon Military Department for more information. The toll-free telephone number for the Oregon State Bar is: 1 (800) 452-8260. The toll-free telephone number of the Oregon Military Department is: 1 (800) 452-7500. The Internet address for the United States Armed Forces Legal Assistance Legal Services Locator website is: <http://legalassistance.law.af.mil>

This document was prepared by Kim French. If you have any questions about any of the statements contained in this document I can be reached at 503-986-0816 or Kim.R.French@oregon.gov.

If you have questions about how to file a protest or a request for standing, please refer to the respective sections in this Proposed Final Order entitled "Protests" and "Requests for Standing". If you have previously filed a protest and want to know its status, please contact Patricia McCarty at 503-986-0820.

If you have other questions about the Department or any of its programs please contact our Customer Service Group at 503-986-0801. Address all other correspondence to:

Water Rights Section, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266, Fax: 503-986-0901.

STATE OF OREGON

COUNTY OF GRANT

DRAFT PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS DRAFT PERMIT IS HEREBY ISSUED TO

SILVIES VALLEY RANCH WATER CO. LLC
 40000 EAST COWBOY LANE
 SENECA OR 97873

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17879

SOURCE OF WATER: WELL 1 (GRAN 51009/L99644) IN FISK GULCH BASIN, AND WELL 2 AND WELL 3 IN SILVIES RIVER BASIN

PURPOSE OR USE: QUASI-MUNICIPAL USE

MAXIMUM RATE: 3.9 CUBIC FEET PER SECOND

PERIOD OF USE: JANUARY 1 THROUGH DECEMBER 31

DATE OF PRIORITY: JUNE 19, 2014

WELL LOCATIONS:

	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
WELL 1 (GRAN 51009/L99644)	17 S	31 E	WM	27	NW SW	1346 FEET NORTH AND 274 FEET EAST FROM SW CORNER, SECTION 27
WELL 2	17 S	31 E	WM	27	SW SE	820 FEET NORTH AND 1940 FEET WEST FROM SE CORNER, SECTION 27
WELL 3	17 S	31 E	WM	22	SE NE	2255 FEET SOUTH AND 335 FEET WEST FROM NE CORNER, SECTION 22

THE PLACE OF USE IS LOCATED AS FOLLOWS:

Twp	Rng	Mer	Sec	Q-Q
17 S	31 E	WM	14	SW NW
17 S	31 E	WM	14	NE SW
17 S	31 E	WM	14	NW SW
17 S	31 E	WM	14	SW SW
17 S	31 E	WM	14	SE SW
17 S	31 E	WM	14	SW SE
17 S	31 E	WM	14	SE SE
17 S	31 E	WM	15	NE SE

Twp	Rng	Mer	Sec	Q-Q
17 S	31 E	WM	15	SE SE
17 S	31 E	WM	22	NE NE
17 S	31 E	WM	22	SE NE
17 S	31 E	WM	22	SE SW
17 S	31 E	WM	22	NE SE
17 S	31 E	WM	22	NW SE
17 S	31 E	WM	22	SW SE
17 S	31 E	WM	22	SE SE

Twp	Rng	Mer	Sec	Q-Q
17 S	31 E	WM	23	NE NE
17 S	31 E	WM	23	NW NE
17 S	31 E	WM	23	SW NE
17 S	31 E	WM	23	SE NE
17 S	31 E	WM	23	NE NW
17 S	31 E	WM	23	NW NW
17 S	31 E	WM	23	SW NW
17 S	31 E	WM	23	SE NW
17 S	31 E	WM	23	NE SW
17 S	31 E	WM	23	NW SW
17 S	31 E	WM	23	SW SW
17 S	31 E	WM	23	SE SW
17 S	31 E	WM	23	NE SE
17 S	31 E	WM	23	NW SE
17 S	31 E	WM	23	SW SE
17 S	31 E	WM	23	SE SE
17 S	31 E	WM	26	NE NE
17 S	31 E	WM	26	NW NE
17 S	31 E	WM	26	SW NE
17 S	31 E	WM	26	SE NE
17 S	31 E	WM	26	NE NW
17 S	31 E	WM	26	NW NW
17 S	31 E	WM	26	SW NW
17 S	31 E	WM	26	SE NW
17 S	31 E	WM	26	NE SW
17 S	31 E	WM	26	NW SW
17 S	31 E	WM	26	SW SW
17 S	31 E	WM	26	SE SW
17 S	31 E	WM	26	NE SE
17 S	31 E	WM	26	NW SE
17 S	31 E	WM	26	SW SE
17 S	31 E	WM	26	SE SE
17 S	31 E	WM	27	NE NE
17 S	31 E	WM	27	NW NE
17 S	31 E	WM	27	SW NE
17 S	31 E	WM	27	SE NE
17 S	31 E	WM	27	NE NW
17 S	31 E	WM	27	SW NW
17 S	31 E	WM	27	SE NW
17 S	31 E	WM	27	NE SW
17 S	31 E	WM	27	NW SW
17 S	31 E	WM	27	SW SW
17 S	31 E	WM	27	SE SW
17 S	31 E	WM	27	NE SE
17 S	31 E	WM	27	NW SE
17 S	31 E	WM	27	SW SE

Twp	Rng	Mer	Sec	Q-Q
17 S	31 E	WM	27	SE SE
17 S	31 E	WM	33	NE SW
17 S	31 E	WM	33	NE SE
17 S	31 E	WM	33	NW SE
17 S	31 E	WM	33	SW SE
17 S	31 E	WM	33	SE SE
17 S	31 E	WM	34	NE NE
17 S	31 E	WM	34	NW NE
17 S	31 E	WM	34	SW NE
17 S	31 E	WM	34	SE NE
17 S	31 E	WM	34	NE NW
17 S	31 E	WM	34	NW NW
17 S	31 E	WM	34	SW NW
17 S	31 E	WM	34	SE NW
17 S	31 E	WM	34	NE SW
17 S	31 E	WM	34	NW SW
17 S	31 E	WM	34	SW SW
17 S	31 E	WM	34	SE SW
17 S	31 E	WM	34	NE SE
17 S	31 E	WM	34	NW SE
17 S	31 E	WM	34	SW SE
17 S	31 E	WM	34	SE SE
17 S	31 E	WM	35	NE NE
17 S	31 E	WM	35	NW NE
17 S	31 E	WM	35	SW NE
17 S	31 E	WM	35	SE NE
17 S	31 E	WM	35	NE NW
17 S	31 E	WM	35	NW NW
17 S	31 E	WM	35	SW NW
17 S	31 E	WM	35	SE NW
17 S	31 E	WM	35	NE SW
17 S	31 E	WM	35	NW SW
17 S	31 E	WM	35	SW SW
17 S	31 E	WM	35	SE SW
17 S	31 E	WM	35	NE SE
17 S	31 E	WM	35	NW SE
17 S	31 E	WM	35	SW SE
17 S	31 E	WM	35	SE SE
17 S	31 E	WM	36	NE NE
17 S	31 E	WM	36	NW NE
17 S	31 E	WM	36	SW NE
17 S	31 E	WM	36	SE NE
17 S	31 E	WM	36	NE NW
17 S	31 E	WM	36	NW NW
17 S	31 E	WM	36	SW NW
17 S	31 E	WM	36	SE NW

Twp	Rng	Mer	Sec	Q-Q
17 S	31 E	WM	36	NE SW
17 S	31 E	WM	36	NW SW
17 S	31 E	WM	36	SW SW
17 S	31 E	WM	36	SE SW
17 S	31 E	WM	36	NE SE
17 S	31 E	WM	36	NW SE
17 S	31 E	WM	36	SW SE
17 S	31 E	WM	36	SE SE
17 S	32 E	WM	29	NW NW
17 S	32 E	WM	29	SW NW
17 S	32 E	WM	29	SE NW
17 S	32 E	WM	29	NE SW
17 S	32 E	WM	29	NW SW
17 S	32 E	WM	29	SW SW
17 S	32 E	WM	29	SE SW
17 S	32 E	WM	30	SE SE

Twp	Rng	Mer	Sec	Q-Q
17 S	32 E	WM	31	NE NE
17 S	32 E	WM	31	NW NE
17 S	32 E	WM	31	SW NE
17 S	32 E	WM	31	SE NE
17 S	32 E	WM	31	NE NW
17 S	32 E	WM	31	NW NW
17 S	32 E	WM	31	SW NW
17 S	32 E	WM	31	SE NW
17 S	32 E	WM	31	NE SW
17 S	32 E	WM	31	NW SW
17 S	32 E	WM	31	SW SW
17 S	32 E	WM	31	SE SW
17 S	32 E	WM	31	NE SE
17 S	32 E	WM	31	NW SE
17 S	32 E	WM	31	SW SE
17 S	32 E	WM	31	SE SE

Measurement Devices, and Recording/Reporting of Annual Water Use Conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the device in good working order.
- B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The permittee shall keep a complete record of the volume of water used each month, and shall submit an annual report which includes the recorded water-use measurements to the Department annually, or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Annual Measurement Condition:

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall report an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

Dedicated Measuring Tube Condition:

Wells with pumps shall be equipped with a minimum 3/4-inch diameter, unobstructed, dedicated measuring tube pursuant to figure 200-5 in OAR 690-200. If a pump has been installed prior to the issuance of this permit, and if static water levels and pumping levels can be measured using an electrical tape, then the installation of the measuring tube can be delayed until such time that water levels cannot be measured or the pump is repaired or replaced.

Well Identification Tag Condition:

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to

the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

Well Construction Condition:

Wells to be used for new allocations shall meet current Oregon well construction standards, and shall be constructed to have continuous casing and continuous seal from land surface or above to a depth to be determined in consultation with a Department Groundwater Section hydrogeologist in Salem and with the Department's Well Construction and Compliance staff in Salem.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with surface water or a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed and maintained in accordance with the General Standards for the Construction and Maintenance of Water Supply Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water-level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan; the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Construction of the well shall begin within five years of the date of permit issuance. The deadline to begin construction may not be extended. This permit is subject to cancellation proceedings if the begin construction deadline is missed.

Complete application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued

DRAFT - THIS IS NOT A PERMIT

Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department