

Groundwater Application Review Summary Form

Application # G- 18445

GW Reviewer M. Thoma Date Review Completed: 04-02-18

Summary of GW Availability and Injury Review:

[] Groundwater for the proposed use is either over appropriated, will not likely be available in the amounts requested without injury to prior water rights, OR will not likely be available within the capacity of the groundwater resource per Section B of the attached review form.

Summary of Potential for Substantial Interference Review:

There is the potential for substantial interference per Section C of the attached review form.

Summary of Well Construction Assessment:

[] The well does not appear to meet current well construction standards per Section D of the attached review form. Route through Well Construction and Compliance Section.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations and for conditions that may be necessary for a permit (if one is issued).

PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO: Water Rights Section Date 04/02/2017
 FROM: Groundwater Section Michael Thoma
 Reviewer's Name
 SUBJECT: Application G- 18445 Supersedes review of _____
 Date of Review(s)

PUBLIC INTEREST PRESUMPTION; GROUNDWATER

OAR 690-310-130 (1) *The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525.* Department staff review groundwater applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. **This review is based upon available information and agency policies in place at the time of evaluation.**

A. GENERAL INFORMATION: Applicant's Name: Sam Heath / Mountain Top Crop County: Josephine

A1. Applicant(s) seek(s) 0.02* cfs from 1 well(s) in the Rogue Basin,
Illinois River subbasin

A2. Proposed use Nursery (3.3 acres) Seasonality: Year-round

A3. Well and aquifer data (**attach and number logs for existing wells; mark proposed wells as such under logid**):

Well	Logid	Applicant's Well #	Proposed Aquifer*	Proposed Rate(cfs)	Location (T/R-S QQ-Q)	Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36
1	JOSE 56633	1	Bedrock	0.02	37S/08W-35 NESW	686'S, 633'W of ctr of Sxn 35
2						
3						

* Alluvium, CRB, Bedrock

Well	Well Elev ft msl	First Water ft bls	SWL ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type
1	1510	127	133**	08-19-2005	280	0-40	+2-98	0-280	260-280	3.5		

Use data from application for proposed wells.

A4. **Comments:** *The application does not list a specific rate for the POA so the rate for this review was estimated from the acreage (3.3 acres) multiplied by the duty for nursery operations (5 AF/acre/year).

**The well log reports water level of 133 ft below land surface but the majority of other wells in the area report water levels around 50 ft. BLS

A5. **Provisions of the** Rogue Basin rules relative to the development, classification and/or management of groundwater hydraulically connected to surface water **are**, or **are not**, activated by this application. (Not all basin rules contain such provisions.)

Comments: _____

A6. **Well(s) #** _____, _____, _____, _____, _____, tap(s) an aquifer limited by an administrative restriction. Name of administrative area: _____

Comments: _____

B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

B1. **Based upon available data**, I have determined that groundwater* for the proposed use:

- a. is over appropriated, is not over appropriated, or **cannot be determined to be** over appropriated during any period of the proposed use. * This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
- b. **will not** or **will** likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
- c. **will not** or **will** likely to be available within the capacity of the groundwater resource; or
- d. **will, if properly conditioned**, avoid injury to existing groundwater rights or to the groundwater resource:
 - i. The permit should contain condition #(s) 7C (7-yr SWL); Medium Water-use Reporting; 7J (Scenic) ;
 - ii. The permit should be conditioned as indicated in item 2 below.
 - iii. The permit should contain special condition(s) as indicated in item 3 below;

- B2. a. **Condition** to allow groundwater production from no deeper than _____ ft. below land surface;
- b. **Condition** to allow groundwater production from no shallower than _____ ft. below land surface;
- c. **Condition** to allow groundwater production only from the _____ groundwater reservoir between approximately _____ ft. and _____ ft. below land surface;
- d. **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section.

Describe injury –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): _____

B3. **Groundwater availability remarks:** There are no water-level data in the vicinity of the applicant’s proposed POA so groundwater over-appropriation cannot be determined. There are also no groundwater POAs within one mile of the proposed POA so injury is unlikely. However, water use reporting and SWL conditions are recommended.

C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040 (1):** Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Bedrock of Galice Fm.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>

Basis for aquifer confinement evaluation: Groundwater in the Galice Formation primarily exists within interconnected fractures and bedding plains which locally would produce confined aquifer conditions (e.g., well-by-well analysis) but fractures likely continue to the surface and a continuous, aerially-extensive confining layer does not exist. The presence of weathered saprolite layer and alluvial deposits overlying the bedrock would also contribute to local confinement but are not widespread or continuous.

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected?			Potential for Subst. Interfer. Assumed?	
						YES	NO	ASSUMED	YES	NO
1	1	Anderson Cr	1460	1430-1440	1440	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
1	2	Clear Cr	1460	1450-1490	1580	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Basis for aquifer hydraulic connection evaluation: Groundwater elevations are coincident with surface water elevations

Water Availability Basin the well(s) are located within: Clear Cr > Deer Cr – At Mouth (ID# 70995)

C3a. **690-09-040 (4):** Evaluation of stream impacts for each well that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	1	<input type="checkbox"/>	<input type="checkbox"/>	IS70995A	0.34	<input checked="" type="checkbox"/>	0.26	<input checked="" type="checkbox"/>	< 25%	<input checked="" type="checkbox"/>
1	2	<input type="checkbox"/>	<input type="checkbox"/>	IS70995A	0.34	<input checked="" type="checkbox"/>	0.26	<input checked="" type="checkbox"/>	< 25%	<input checked="" type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>

Comments: Interference @ 30 days was estimated using the Hunt (2003) analytical model and aquifer parameter values appropriate for the local geology; model results are attached

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

	SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
		<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>

Comments: _____

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

NO STREAMS > 1 MILE WERE EVALUATE

Non-Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
(A) = Total Interf.													
(B) = 80 % Nat. Q													
(C) = 1 % Nat. Q													
(D) = (A) > (C)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
(E) = (A / B) x 100		%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

Basis for impact evaluation: _____

C4b. **690-09-040 (5) (b)** The potential to impair or detrimentally affect the public interest is to be determined by the Water Rights Section.

- C5. **If properly conditioned**, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water:
- i. The permit should contain condition #(s) _____;
 - ii. The permit should contain special condition(s) as indicated in "Remarks" below;

C6. **SW / GW Remarks and Conditions:** The proposed POA would be producing from an aquifer that has been found to be hydraulically connection to surface water. The proposed rate is greater than 1% of both the 80%-exceedance natural flows and the pertinent instream right so PSI is assumed under OAR 690-009. However, estimated interference is far less than the requirement of 25% after 30 days. If the proposed rate were reduced to < 0.0026 cfs (1680 gal/day) than PSI would no longer be assumed.

References Used:

Contreras, T. A. 2005. *Using Magnetotellurics to Characterize Aquifers in the Illinois Valley, Southwest Oregon*. MS Thesis, University of Oregon.

Hunt, B. 2003. *Unsteady Stream Depletion when Pumping from a Semiconfined Aquifer*. Journal of Hydrologic Engineering. Vol 8(1), pp 12-19

Oregon Department of Geology and Mineral Industries, *Geologic Map of Oregon*. <http://www.oregongeology.org/geologicmap/>

OWRD Well Log Database – Accessed 4/2/2018.

Ramp, L. and Peterson, N. 2004. *Geologic Map of Josephine County, Oregon*. Oregon Dept. of Geol. and Mineral Industries, OFR O-04-13.

D. WELL CONSTRUCTION, OAR 690-200

D1. Well #: _____ Logid: _____

D2. **THE WELL does not appear to meet current well construction standards based upon:**

- a. review of the well log;
- b. field inspection by _____;
- c. report of CWRE _____;
- d. other: (specify) _____

D3. **THE WELL construction deficiency or other comment is described as follows:** _____

D4. **Route to the Well Construction and Compliance Section for a review of existing well construction.**

Water Availability Tables

Water Availability Analysis

Detailed Reports

CLEAR CR > DEER CR - AT MOUTH
ROGUE BASIN

Water Availability as of 4/2/2018

Watershed ID #: 70995 ([Map](#))

Date: 4/2/2018

Exceedance Level: 80% ▾

Time 12:23 PM

Water Availability Calculation

Consumptive Uses and Storages

Instream Flow Requirements

Reservations

Water Rights

Watershed Characteristics


Water Availability Calculation

Monthly Streamflow in Cubic Feet per Second
Annual Volume at 50% Exceedance in Acre-Feet

Month	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirement	Net Water Available
JAN	17.10	0.10	17.00	0.00	35.90	-18.90
FEB	26.00	0.13	25.90	0.00	51.00	-25.10
MAR	20.70	0.10	20.60	0.00	36.40	-15.80
APR	15.50	0.18	15.30	0.00	27.30	-12.00
MAY	7.32	0.25	7.07	0.00	12.10	-5.03
JUN	2.01	0.34	1.67	0.00	4.13	-2.46
JUL	0.71	0.44	0.27	0.00	1.25	-0.98
AUG	0.36	0.37	-0.01	0.00	0.61	-0.62
SEP	0.26	0.26	0.00	0.00	0.34	-0.34
OCT	0.31	0.11	0.20	0.00	0.52	-0.32
NOV	1.01	0.06	0.95	0.00	5.27	-4.32
DEC	8.49	0.09	8.40	0.00	27.80	-19.40
ANN	12,100.00	147.00	12,000.00	0.00	12,100.00	0.00

Download Data ([Text - Formatted](#), [Text - Tab Delimited](#), [Excel](#))

Well Location Map



Stream-Depletion Model Results


Application type:	G
Application number:	18445
Well number:	1
Stream Number:	1
Pumping rate (cfs):	0.02
Pumping duration (days):	365

Parameter	Symbol	Scenario 1	Scenario 2	Scenario 3	Units
Distance from well to stream	a	1440	1440	1440	ft
Aquifer transmissivity	T	50	50	50	ft ² /day
Aquifer storativity	S	0.0001	0.0001	0.0001	-
Aquitard vertical hydraulic conductivity	Kva	0.01	0.01	0.01	ft/day
Aquitard saturated thickness	ba	5	10	20	ft
Aquitard thickness below stream	babs	5	5	5	ft
Aquitard specific yield	Sya	0.1	0.1	0.1	-
Stream width	ws	20	20	20	ft

Stream depletion for Scenario 2:

Days	30	60	90	120	150	180	210	240	270	300	330	360
Depletion (%)	0	0	0	0	0	0	0	1	1	1	1	1
Depletion (cfs)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Hunt (2003) transient stream depletion model



Well Log Statistics from T37S/R08W-35

