## **Groundwater Application Review Summary Form**

Application # G- 18480  GW Reviewer Jen Woody Date Review Completed: 4-4-2018
Summary of GW Availability and Injury Review:
[ ] Groundwater for the proposed use is either over appropriated, will not likely be available in the amounts requested without injury to prior water rights, OR will not likely be available within the capacity of the groundwater resource per Section B of the attached review form.
Summary of Potential for Substantial Interference Review:
[ ] There is the potential for substantial interference per Section C of the attached review form.
Summary of Well Construction Assessment:
[ ] The well does not appear to meet current well construction standards per Section D of the attached review form. Route through Well Construction and Compliance Section.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations and for conditions that may be necessary for a permit (if one is issued).

## WATER RESOURCES DEPARTMENT -4 .20/3 **MEMO** Application G- 18480 TO: GW: J. Woody (Reviewer's Name) FROM: **SUBJECT: Scenic Waterway Interference Evaluation** YES The source of appropriation is within or above a Scenic Waterway NO YES Use the Scenic Waterway condition (Condition 7J) NO Per ORS 390.835, the Groundwater Section is able to calculate ground water interference with surface water that contributes to a Scenic Waterway. The calculated interference is distributed below. Per ORS 390.835, the Groundwater Section is **unable** to calculate ground water interference with surface water that contributes to a scenic waterway; therefore, the Department is unable to find that there is a preponderance of evidence that the proposed use will measurably reduce the surface water flows

#### DISTRIBUTION OF INTERFERENCE

Calculate the percentage of consumptive use by month and fill in the table below. If interference cannot be calculated, per criteria in 390.835, do not fill in the table but check the "unable" option above, thus informing Water Rights that the Department is unable to make a Preponderance of Evidence finding.

necessary to maintain the free-flowing character of a scenic waterway.

Exercise of this permit is calculated to reduce monthly flows in \_\_\_\_\_\_ Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	1 1										

### PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO:		Water	r Rights S	ection				Date	e	1/4/20	<u>18</u>		
FROM	:	Groun	ndwater S	ection		Jen W							
SUBJE	CT:	Appli	cation G-	18480			ewer's Name persedes 1	review of _n/a	1 -		Date of Rev	view(s)	
OAR 69 welfare, to determ the press	90-310-1 safety armine who umption	30 (1) 7 and healt ether the criteria.	The Depart th as descr e presumpt	ibed in ORS ion is establi ew is based	resume that 537.525. D shed. OAR upon avail	t a propose epartment 690-310- able infor	ed grounds staff revie 140 allows mation ar	water use will ever groundwate sthe proposed agency policandscape and	r applicatuse be mo	ions unodified ace at	nder OAl or condi <b>the time</b>	R 690-31 tioned to of evalu	0-140 meet aation.
				Co	ounty:					_			
A1.	Applica			022_ cfs fror				Willamette					_ Basin,
A2.	Propose	ed use _	Irri	gation		Seas	sonality: _	year-round					
A3.	Well an	d aquif			mber logs f			nark proposed					
Well 1	Logic		Applicant Well #	Propos	ed Aquifer*	Prop Rate	(cfs)	Location (T/R-S QQ- 18S/5W-1 NE <sup>1</sup> /	-Q)		ion, mete ' N, 1200'		
2													
3 4													
5 * Alluvii	ım, CRB,	Bedrock											
Well	Well Elev	First Water	SWI	SWL Date	Well Depth	Seal Interval	Casing Intervals		Perfora Or Scr	eens	Well Yield	Draw Down	Test Type
1	ft msl 430	ft bls	12	03/14/1983	(ft) 100	(ft) 0-18	(ft) 0-100	(ft) n/a	(ft) 80-10		(gpm) 30	(ft) 43	pump
Use data	from app	lication	for proposed	d wells.									
A4.					provided on	the applic	eation. Esti	mated location	from ma	p for r	eview pu	rposes.	
A5. 🛚	manage (Not all	ment of basin r ents: <u>69</u>	ules contai 0-502-240	nter hydraulio In such provi	cally conne sions.)	cted to sur	face water	rules relative t are, or confined alluv	are not	, activa	ated by th	is applic	ation.
A6. 🗌	Name o	of admir	istrative a	rea:				tap(s) an aquif			administ	rative res	striction.

Version: 04/20/2015

Date: 04/04/2018

## B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

B1.	Bas	sed upon available data, I have determined that groundwater* for the proposed use:
	a.	is over appropriated, is <b>not</b> over appropriated, or is <b>cannot</b> be <b>determined to be</b> over appropriated during any period of the proposed use. * This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
	b.	will not or will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
	c.	$\square$ will not or $\square$ will likely to be available within the capacity of the groundwater resource; or
	d.	will, if properly conditioned, avoid injury to existing groundwater rights or to the groundwater resource:  i.
B2.	a.	Condition to allow groundwater production from no deeper than ft. below land surface;
	b.	Condition to allow groundwater production from no shallower than ft. below land surface;
	c.	Condition to allow groundwater production only from the groundwater reservoir between approximately ft. and ft. below land surface;
	d.	<ul> <li>Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section.</li> <li>Describe injury —as related to water availability—that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):</li> </ul>
В3.	The are in n low surr one limitunk	subject site is characterized by volcaniclastic sedimentary rocks and tuffs of the Fisher Formation (Madin, 2006), which part of the Basement Confining Hydrogeologic Unit as defined by Conlon et al. (2005). The bedrock is weathered to clay nany paces, and overlain by less than 40 feet of alluvial sand and clay. The Basement Confining Unit is characterized by permeability and low well yields. As shown in Figure 4, the median yield reported on well logs for the four sections ounding the proposed POA is 17 gpm (gallons per minute). There are no groundwater level time series data on file within mile of the proposed POA from which to determine over-appropriation (see Figure 3). Groundwater development is ted to exempt uses within a mile of the proposed POA, but the exact locations of exempt wells relative to LANE 17834 is nown. Given the sparse groundwater level data, groundwater level measurement and reporting conditions are summended.

3

#### C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Bedrock aquifer	$\boxtimes$	

Basis for aquifer confinement evaluation:	The well log reports the static water level is tens of feet above the first water
bearing zone, indicating the aquifer is more c	confined than unconfined at this location.

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than 1/4 mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydrau Conne YES NO	Potentia Subst. Int Assum YES	terfer. ed? <b>NO</b>
1	1	Coyote Creek	418	380	5750	$\boxtimes$		$\boxtimes$

Basis for aquifer hydraulic connection evaluation: The well is sealed from 0-18 feet below land surface, leaving it open to
access water from 19-100 feet below land surface. Groundwater elevation at the subject well is above nearby surface water and
likely discharges to provide base flow to nearby perennial stream reaches. Hydraulic connection is evaluated at the nearest
river reach.

Water Availability Basin the well(s) are located within: Watershed ID #: 114, LONG TOM R > WILLAMETTE R - AB **MOUTH** 

C3a. 690-09-040 (4): Evaluation of stream impacts for each well that has been determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked \( \subseteq \text{box indicates the well is assumed to have the potential to cause} \) PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
Comments: I	Hydraulic connection	n is identified	d at greater that	an one mile	from the sub	ject well		

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-Distributed	Wells											
Well SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
Distributed Well	c							-	-			
Well SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS									,			
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
	%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS												
Interference CFS												
(A) = Total Interf.												
(B) = 80 % Nat. Q												
(C) = 1 % Nat. Q												
(D) = (A) > (C)	1	V	√ ×	7	- V	- V	V	V	- V	V	/	- V
$(E) = (A / B) \times 100$	%	%	%	%	%	%	%	%	%	%	%	%

Page

5

	assumptions of the widely accepted techniques for determining stream depletion (e.g., Hunt 1999, 20
690-09-040 (5) (b) Rights Section.	The potential to impair or detrimentally affect the public interest is to be determined by the V
under this permit ca	<b>ioned</b> , the surface water source(s) can be adequately protected from interference, and/or groundwater and be regulated if it is found to substantially interfere with surface water: rmit should contain condition #(s)
	rmit should contain special condition(s) as indicated in "Remarks" below;
2	
2	
^	
^	
eferences Used:	
onlon, T.D., Wozniak,	K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, K.K., and Hinkle, S.R., 2005, y of the Willamette Basin, Oregon: U.S. Geological Survey Scientific Investigations Report 2005-51
round-water hydrology	K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, K.K., and Hinkle, S.R., 2005, y of the Willamette Basin, Oregon: U.S. Geological Survey Scientific Investigations Report 2005-51.
onlon, T.D., Wozniak, round-water hydrology unt, B., 1999, Unstead	y of the Willamette Basin, Oregon: U.S. Geological Survey Scientific Investigations Report 2005-51  ly stream depletion from ground water pumping: Ground Water, v. 37, no. 1, p. 98-102.  ly stream depletion when pumping from semiconfined aquifer: Journal of Hydrologic Engineering,
onlon, T.D., Wozniak, round-water hydrology unt, B., 1999, Unstead unt, B., 2003, Unstead unuary/February, 2003.	y of the Willamette Basin, Oregon: U.S. Geological Survey Scientific Investigations Report 2005-516 by stream depletion from ground water pumping: Ground Water, v. 37, no. 1, p. 98-102.  By stream depletion when pumping from semiconfined aquifer: Journal of Hydrologic Engineering.
onlon, T.D., Wozniak, round-water hydrology unt, B., 1999, Unstead unt, B., 2003, Unstead unuary/February, 2003.  [adin, I.P. and Murray, ounty, Oregon: Oregon	y of the Willamette Basin, Oregon: U.S. Geological Survey Scientific Investigations Report 2005-51  by stream depletion from ground water pumping: Ground Water, v. 37, no. 1, p. 98-102.  by stream depletion when pumping from semiconfined aquifer: Journal of Hydrologic Engineering,  C. R.B., 2006, Preliminary Geologic Map of the Eugene East and Eugene West 7.5' Quadrangles, Land

6

D. WELL CONSTRUCTION, OAR 690-20	D. V	WELL	CONSTRUCTION,	OAR 690-200
----------------------------------	------	------	---------------	-------------

D1.	Well #:N	<b>'A</b>	Logid:	
D2.	<ul><li>a. review</li><li>b. field inst</li><li>c. report of</li></ul>	of the well log; spection by f CWRE	current well construction standa	
D3.	THE WELL co	nstruction deficiency o	r other comment is described as	follows:
D4.	Route to the W	ell Construction and C	ompliance Section for a review of	of existing well construction.

Application G-18480 Date: 04/04/2018 Page 7

Water Availability Tables

## Water Availability Analysis

# **Detailed Reports**

# LONG TOM R > WILLAMETTE R - AB MOUTH WILLAMETTE BASIN

Water Availability as of 4/3/2018

Watershed ID #: 114 (Map) Exceedance Level:80%

Date: 4/3/2018 Time: 9:36 AM

# **Water Availability Calculation**


Monthly Streamflow in Cubic Feet per Second Annual Volume at 50% Exceedance in Acre-Feet

Month	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirement	Net Water Available
JAN	568.00	150.00	418.00	0.00	0.00	418.00
FEB	697.00	389.00	308.00	0.00	0.00	308.00
MAR	596.00	556.00	40.20	0.00	0.00	40.20
APR	373.00	250.00	123.00	0.00	0.00	123.00
MAY	215.00	64.60	150.00	0.00	0.00	150.00
JUN	105.00	30.10	74.90	0.00	0.00	74.90
JUL	50.60	47.30	3.28	0.00	0.00	3.28
AUG	35.40	38.40	-2.97	0.00	0.00	-2.97
SEP	32.10	22.10	10.00	0.00	0.00	10.00
OCT	35.30	6.49	28.80	0.00	0.00	28.80
NOV	82.50	6.23	76.30	0.00	0.00	76.30
DEC	364.00	106.00	258.00	0.00	0.00	258.00
ANN	362,000.00	99,700.00	262,000.00	0.00	0.00	262,000.0

Version: 04/20/2015

#### **Well Location Map**

G-18480 Graham T18S/R5W-Section 1 NE 1/4 NE 1/4



#### **Water-Level Trends in Nearby Wells**




Figure 3. There are no groundwater level time series data available within one mile of the proposed POA. No long-term trends are available to determine over-appropriation per Section B1.

Application G-18480 Date: 04/04/2018 Page 10




Figure 4. Well log statistics for wells located within a mile of the proposed POA.