Groundwater Application Review Summary Form

Application # G- 18694
GW Reviewer Aron Bouchier Date Review Completed: 7/5/2018
Summary of GW Availability and Injury Review:
[] Groundwater for the proposed use is either over appropriated, will not likely be available in the amounts requested without injury to prior water rights, OR will not likely be available within the capacity of the groundwater resource per Section B of the attached review form.
Summary of Potential for Substantial Interference Review:
[] There is the potential for substantial interference per Section C of the attached review form.
Summary of Well Construction Assessment:
[] The well does not appear to meet current well construction standards per Section D of the attached review form. Route through Well Construction and Compliance Section.
This is only a summary. Documentation is attached and should be read thoroughly to understand the

basis for determinations and for conditions that may be necessary for a permit (if one is issued).

WATER RESO	URCES DEPARTMENT
MEMO	Date: 7/5/2018
TO:	Application: G-18694
FROM: GW:	Aurora Bouchier (Reviewer's Name)
SUBJECT:	Scenic Waterway Interference & General/Local Surface Water Evaluation for Deschutes Ground Water Study Area
The source of Scenic Water	f appropriation is within or above the Deschutes way.
Use the Scen	ic Waterway condition (Condition 7J).
	RANCE OF EVIDENCE FINDING UNDER ORS 390.835: nas found that there is a preponderance of evidence that the proposed use of
ground water free-flowing	will measurably reduce the surface water flows necessary to maintain the character of the Deschutes Scenic Waterway in cessary for recreation, fish and wildlife.
LOCALIZED	D IMPACT FINDING
	roposed use of ground water will have a localized impact to surface water River/Creek Subbasin.
pursuant to the within the ide Zone of Impa	ed impact box above is checked, then the water use under any right issued his application is presumed to have a localized impact on surface water entified subbasin. Mitigation of the impact, originating from within the Local act identified by the Department, will be required before a permit may be proposed use.
	ted impact box above is not checked, then the water use under any right ant to this application is presumed to have a general (regional) impact on

surface water. Mitigation of the impact, originating anywhere within the Deschutes Basin above the Madras gage, will be required before a permit may be issued for the proposed

use.

PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO:				Rights Section Date						July 5,	2018		
FROM	:	Grou	ndwater S	ection			a C Bouchi ewer's Name						
SUBJE	ECT:	Appl	ication G-	18694				review of <u>na</u>			Date of Re	view(s)	
OAR 69 welfare, to deter	90-310-1 , safety armine who sumption	30 (1) and heal ether the criteria	The Depart th as describe presumpt This revie	ibed in ORS ion is establi ew is based	resume that 537.525. D shed. OAR upon avail	a propose epartment 690-310- able infor	ed grounds staff revie 140 allows rmation ar	water use will even groundwate is the proposed agency policy water, Ir	r applicatuse be mo	tions u odified ace at	nder OAI I or condi	R 690-31 tioned to of evalu	0-140 meet a tion .
A1.								Deschutes					_Basin,
		Upper I	Deschutes (General Zon	e)	subb	asin (Tum	alo quad)					
A2.	Propose	ed use _	Qua	asi-municipa	1	Seas	sonality: _	Year-round					
A3.	Well an	d aquif	er data (att	ach and nu	mber logs f	or existin	g wells; m	nark proposed	wells as	such t	under log	gid):	
Well	Logic	d	Applicant Well #	's Propos	ed Aquifer*	Prop Rate	osed (cfs)	Location (T/R-S QQ			tion, mete		
1 2	DESC 58 DESC 42		1 2	_	hutes Fm.	0.0)78	16S.11E-36 S	E-SE	633.3' N, 1070.5' W fr SE co			cor S 36
3 4	DLSC 4.	211		Desc	nutes I III.	0.0	778	6 103.11E-30 SE-SE					
5													
* Alluvii	um, CRB,	Bedroc	k										
Well	Well Elev ft msl 3348 3342	First Water ft bls 400 391	ft bls	SWL Date 10/11/2007 1/15/1970	Well Depth (ft) 500 408	Seal Interval (ft) 0-30 0-20	Casing Intervals (ft) -4-30 0-20	Liner Intervals (ft) 10-500	Perfora Or Scre (ft) 400-5	eens	Well Yield (gpm) 25 20	Draw Down (ft)	Test Type A B
Use data	from app	lication	for proposed	wells									
A4.	Commo	e nts: <u>T</u> he near	The wells arest surface	e constructed water source	(Deschute approximat	s River). ely 15 mi	Groundwa	in the Deschute ter flow is tow The wells are	ards the r	orth w	vith the ne	earest lik	ely
A5. 🛛	manage (Not all	ment or basin r	ules contai	utes ter hydraulic n such provi in the USGS	cally connections.)	cted to sur	face water	rules relative to] are not	, activa	ated by th	is applica	ation.
A6. 🗌	Name o	f admir	nistrative ar	ea:				tap(s) an aquife			administ	rative res	triction.

Version: 05/07/2018

B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

is over appropriated, is not over appropriated, or cannot be determined period of the proposed use. * This finding is limited to the groundwater portion determination as prescribed in OAR 690-310-130;	
will not or will likely be available in the amounts requested without injury to is limited to the groundwater portion of the injury determination as prescribed in	
\square will not or \square will likely to be available within the capacity of the groundwater	resource; or
will, if properly conditioned, avoid injury to existing groundwater rights or to to i. The permit should contain condition #(s) _7N, 7J, 7T ii. The permit should be conditioned as indicated in item 2 below.	he groundwater resource:
iii. The permit should contain special condition(s) as indicated in item 3 bel	ow;
Condition to allow groundwater production from no deeper than	ft. below land surface;
Condition to allow groundwater production from no shallower than	ft. below land surface;
Condition to allow groundwater production only from the groundwater reservoir between approximately ft. and land surface;	ft. below
to occur with this use and without reconstructing are cited below. Without reconsissuance of the permit until evidence of well reconstruction is filed with the Depa Groundwater Section. Describe injury —as related to water availability—that is likely to occur without we senior water rights, not within the capacity of the resource, etc):	struction, I recommend withholdin artment and approved by the ell reconstruction (interference w/
ndwater availability remarks: learest State Observation Wells are DESC 3193 (located approximately 9-miles to the ded approximately 13-miles to the northeast). DESC 3193 was monitored periodically has been monitored periodically since the mid 1970's through present. Both observatively level fluctuation that is coincident with climate cycles.	y between 1978 and 2005. DESC
has been monitored periodically since the mid 1970's through present. Both observation wells are DESC 3193 (located approximately 9-miles to the ded approximately 13-miles to the northeast). DESC 3193 was monitored periodically has been monitored periodically since the mid 1970's through present. Both observations are the second periodically since the mid 1970's through present.	y between 1978 and 2005. DESC
has been monitored periodically since the mid 1970's through present. Both observation wells are DESC 3193 (located approximately 9-miles to the ded approximately 13-miles to the northeast). DESC 3193 was monitored periodically has been monitored periodically since the mid 1970's through present. Both observations are the second periodically since the mid 1970's through present.	y between 1978 and 2005. DESC
has been monitored periodically since the mid 1970's through present. Both observation wells are DESC 3193 (located approximately 9-miles to the ded approximately 13-miles to the northeast). DESC 3193 was monitored periodically has been monitored periodically since the mid 1970's through present. Both observations are the second periodically since the mid 1970's through present.	y between 1978 and 2005. DESC
has been monitored periodically since the mid 1970's through present. Both observation wells are DESC 3193 (located approximately 9-miles to the ded approximately 13-miles to the northeast). DESC 3193 was monitored periodically has been monitored periodically since the mid 1970's through present. Both observations are the second periodically since the mid 1970's through present.	y between 1978 and 2005. DESC
has been monitored periodically since the mid 1970's through present. Both observation wells are DESC 3193 (located approximately 9-miles to the ded approximately 13-miles to the northeast). DESC 3193 was monitored periodically has been monitored periodically since the mid 1970's through present. Both observations are the second periodically since the mid 1970's through present.	y between 1978 and 2005. DESC
has been monitored periodically since the mid 1970's through present. Both observation wells are DESC 3193 (located approximately 9-miles to the ded approximately 13-miles to the northeast). DESC 3193 was monitored periodically has been monitored periodically since the mid 1970's through present. Both observations are the second periodically since the mid 1970's through present.	y between 1978 and 2005. DESC
	will not or

C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1.	690-09-040	(1):	Evaluation	of a	aquifer	confinement:
-----	------------	------	------------	------	---------	--------------

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
	• • • • • • • • • • • • • • • • • • • •		
Basis for	aquifer confinement evaluation:		

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO

Basis for aquifer hydraulic connection evaluation:	
Water Availability Basin the well(s) are located within:	

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
omments:								

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

	stributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	nce CFS												
Distrib	ited Wells												
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	nce CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	nce CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	nce CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q													
Interfere	nce CFS												
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q											,		
Interfere	nce CFS												
(A) = Tot	al Interf.												
$(B) = 80^{\circ}$	% Nat. Q												
(C) = 1 %	% Nat. Q				2								
$(\mathbf{D}) = (A$	A) > (C)	✓	V	✓	1	V	V	√	✓	✓	√	✓	V
$(\mathbf{E}) = (\mathbf{A} /$	B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

5 Date: 7/5/2018 Page Application G-18694 (A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage. **Basis for impact evaluation:** 690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Water Rights Section. C5. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s)___

ii. The permit should contain special condition(s) as indicated in "Remarks" below; C6. SW / GW Remarks and Conditions: **References Used:** Application file: G-18694. Gannett, Marshall W., Lite, Kenneth E. Jr., Morgan, David S., and Collins, Charles A., 2001, Ground-Water Hydrology of the Upper Deschutes Basin, Oregon: U.S. Geological Survey Water-Resources Investigations Report 00-4162. Gannett, Marshall W., and Lite, Kenneth E. Jr., 2013, Analysis of 1997-2008 Groundwater Level Changes in the Upper Deschutes Basin, Central Oregon: U.S. Geological Survey Scientific Investigations Report 2013-5092. Lite, Kenneth E. Jr., and Gannett, Marshall W., 2002, Geologic Framework of the Regional Ground-Water Flow System in the Upper Deschutes Basin, Oregon: U.S. Geological Survey Water-Resources Investigations Report 02-4015. OWRD water levels and well log database.

D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid:	
D2.	a. review of b. field inspect. report of 0	s not appear to meet current well construction standards based upon:	
D3.	THE WELL cons	struction deficiency or other comment is described as follows:	
	-		
D4.	Route to the Well	l Construction and Compliance Section for a review of existing well construction.	

Water-Level Trends in Nearby Wells



