or-KI

MEMO

To:

Kristopher Byrd, Well Construction and Compliance Section Manager

From:

Joel Jeffery, Well Construction Program Coordinator

Subject:

Review of Water Right Application G-18504

Date:

July 12, 2018

The attached application was forwarded to the Well Construction and Compliance Section by Water Rights. Joe Kemper reviewed the application. Please see Joe's Groundwater Review and the Well Log.

Applicant's Well #1 (JACK 62965): Based on a review of the Well Report, Applicant's Well #1 appears to protect the groundwater resource.

The construction of Applicants Well #1 may not satisfy hydraulic connection issues.

Groundwater Application Review Summary Form

Application # G- 18504
GW Reviewer Joe Kempo Date Review Completed: 7/11/2018
Summary of GW Availability and Injury Review:
[] Groundwater for the proposed use is either over appropriated, will not likely be available in the amounts requested without injury to prior water rights, OR will not likely be available within the capacity of the groundwater resource per Section B of the attached review form.
Summary of Potential for Substantial Interference Review:
There is the potential for substantial interference per Section C of the attached review form.
Summary of Well Construction Assessment:
[] The well does not appear to meet current well construction standards per Section D of the attached review form. Route through Well Construction and Compliance Section.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations and for conditions that may be necessary for a permit (if one is issued).

WATER RESOURCES DEPARTMENT 7/11/,2018 MEMO Application G-18504 TO: GW: Joe Kemps (Reviewer's Name) FROM: **SUBJECT: Scenic Waterway Interference Evaluation** X YES The source of appropriation is within or above a Scenic Waterway NO YES X Use the Scenic Waterway condition (Condition 7J) NO Per ORS 390.835, the Groundwater Section is able to calculate ground water V interference with surface water that contributes to a Scenic Waterway. The calculated interference is distributed below. П Per ORS 390.835, the Groundwater Section is unable to calculate ground water interference with surface water that contributes to a scenic waterway; therefore, the Department is unable to find that there is a preponderance of evidence that the proposed use will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway. DISTRIBUTION OF INTERFERENCE Calculate the percentage of consumptive use by month and fill in the table below. If interference cannot be calculated, per criteria in 390.835, do not fill in the table but check the "unable" option above, thus informing Water Rights that the Department is unable to make a Preponderance of Evidence finding. Exercise of this permit is calculated to reduce monthly flows in Roque Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by

										Nov	
0-083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083

which surface water flow is reduced.

PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO: FROM:	:		r Rights Se ndwater Se	ection ection		Joe Ke		Date	27	7/11/20	018		
SUBJE	CT:	Appl	ication G-	18504			ewer's Name persedes re	eview of <u>NA</u>	Α	7	Date of Rev	view(s)	
oar 69 welfare, to determ the press	90-310-13 safety armine when umption	30 (1) and head ether the	The Departi lth as descri ne presumpt n. This revi	ibed in ORS ion is establi ew is based	resume that 537.525. D shed. OAR upon avail	a propose epartment 690-310- able infor	ed groundw staff review 140 allows rmation and	ater use will on water use will on the proposed dagency political and the control of the control	r applicat use be mo cies in pl	e prese ions u odified ace at	rvation on the condiction of t	of the pub R 690-310 tioned to e of evalu	0-140 meet aation.
A. <u>GE</u> I	<u>NERAL</u>	INFO	ORMATIC	<u>)N</u> : A _I	oplicant's N	lame:	Anthony 1	inghitella/Jo	hn Fulch	er (County: _	<u>Jackson</u>	
A1.	Applica	nt(s) se	eek(s) <u>0.18</u>	849 cfs from	n <u>6</u>	well(s) in the	Rogue					_Basin,
	I	Little A	applegate Ri	iver		subb	asin						
A2.	Propose	ed use	Nui	sery (20.13	acres)	Seas	sonality: <u>\</u>	Year Round					
A3.	Well an	d aquit	fer data (att	ach and nu	mber logs f	or existin	g wells; ma	ark proposed	wells as	such ı	ınder log	gid):	
Well	Logic		Applicant' Well #	Propos	ed Aquifer*	Prop Rate	(cfs)	Location (T/R-S QQ	-Q)	2250	' N, 1200'	es and bour E fr NW o	or S 36
2	JACK 62 Propose		1 2		edrock edrock	.018		38S/2W-27 SW-NE 38S/2W-27 SW-NE		945' N, 1856' W fr E ¼ cor S 27 1103' N, 1793' W fr E ¼ cor S 2'			
3	Propose		3		edrock	.01849		38S/2W-27 SW-NE				W fr E 1/4 c	
4	Propose		4		edrock	.018		38S/2W-27 SV				W fr E 1/4 co	
5	Propose		5		edrock	.018		38S/2W-27 SV 38S/2W-27 SV				W fr E 1/4 co	
	Propose um, CRB,			В	edrock	.018	849	388/2W-2/ SV	V-INE	/10	IN, 2327	WIFE 74 CO	or 3 27
Alluvit	illi, CKB,	Deuroc	K										
	Well	First	GIVI	GM II	Well	Seal	Casing	Liner	Perforat	tions	Well	Draw	
Well	Elev	Wate	r SWL ft bls	SWL Date	Depth	Interval	Intervals	Intervals	Or Scre		Yield	Down	Test
	ft msl	ft bls	it bis	Date	(ft)	(ft)	(ft)	(ft)	(ft)		(gpm)	(ft)	Type
1	3085	50	26	3/30/2017	340	0-39	0-98	0-340	50-70, 60 320-3		16		Air
2	3105								320-3	10			
3	3110												
4	3080						2						
5	3045 3055							-					
		lication	for proposed	wells									
A4.	Comme	ents:]		r assumes th				nstructed simi					eologic
A5. 🛛	Provisions of the Rogue (690-515) Basin rules relative to the development, classification and/or management of groundwater hydraulically connected to surface water are, or are not, activated by this application. (Not all basin rules contain such provisions.) Comments: OAR 690-515-0030 restricts use on the waters and tributaries to the Little Applegate River. The nearest surface water to the proposed POA is Sterling Cr which is tributary to the Little Applegate River. If PSI as per OAR-690-009 is found in section C of this application, these basin rules may become applicable.												
A6. 🗌	Well(s) #,,, tap(s) an aquifer limited by an administrative restriction. Name of administrative area: Comments:												

Version: 05/07/2018

B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

l.	Base	ed upon available data, I have determined that groundwater* for the proposed use:
	a.	is over appropriated, ☐ is not over appropriated, or ☒ cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
	b.	□ will not or □ will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
	c.	\square will not or \square will likely to be available within the capacity of the groundwater resource; or
	d.	will, if properly conditioned, avoid injury to existing groundwater rights or to the groundwater resource: i. The permit should contain condition #(s) 7C (7-yr SWL); 7J; Medium Water-use Reporting ii. The permit should be conditioned as indicated in item 2 below. iii. The permit should contain special condition(s) as indicated in item 3 below;
	a.	☐ Condition to allow groundwater production from no deeper than ft. below land surface;
	b.	☐ Condition to allow groundwater production from no shallower than ft. below land surface;
	c.	Condition to allow groundwater production only from the groundwater reservoir between approximately ft. and ft. below land surface;
	d.	 Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section. Describe injury —as related to water availability—that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):
	The this	undwater availability remarks: applicant's POAs would produce from metasedimentary units of the Applegate Group. Well yields are typically low in aquifer system; the median yield for wells in TRS 38S/2W-S27 is 10 gpm. There are no OWRD SWL measurements in two miles of the proposed POA so groundwater over-appropriation cannot be determined.
	so it well	te are no groundwater POAs within 1 mile of the applicant's POAs and relatively few domestic well logs for 38S/2W-27 is unlikely that the proposed use would injure adjacent senior water right holders. The reviewer notes that the proposed field is very dense (6 wells within ~500 ft radius) and will likely result in well-to-well interference between the icant's POAs.
	_	

C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Bedrock of Applegate Group	\boxtimes	
2	Bedrock of Applegate Group	\boxtimes	
3	Bedrock of Applegate Group	\boxtimes	
4	Bedrock of Applegate Group	\boxtimes	
5	Bedrock of Applegate Group	\boxtimes	
6	Bedrock of Applegate Group	\boxtimes	

Basis for aquifer confinement evaluation:	The well log for the applicant's Well 1 reports "First Water" at 50 feet BLS and a
	g confined conditions. Well logs for nearby wells report similar confined
conditions. The reviewer assumes that propo	sed wells will encounter similar hydraulic conditions.

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO
1	1	Sterling Creek	3059	2880	2950		
2	1	Sterling Creek	*	2880	3080		
3	1	Sterling Creek	*	2880	3130		
4	1	Sterling Creek	*	2880	2785		
5	1	Sterling Creek	*	2880	2550		
6	1	Sterling Creek	*	2880	2450		
1	2	Griffin Creek	3059	2705	2725		
2	2	Griffin Creek	*	2705	2695		
3	2	Griffin Creek	*	2705	2720		
4	2	Griffin Creek	*	2705	2875		
5	2	Griffin Creek	*	2710	3000		
6	2	Griffin Creek	*	2710	3165		

Basis for aquifer hydraulic connection evaluation: Groundwater elevations are higher than nearby surface water sources, indicating that water is flowing towards and discharging to surface water. The proposed POAs are within the Sterling Creek WAB but could affect flow paths that would otherwise contribute to Griffin Creek.

*Wells are proposed, but the reviewer assumes the piezometric surface is similar to Well 1 (20-60 feet BLS).

Water Availability Basin the well(s) are located within: <u>LITTLE APPLEGATE R > APPLEGATE R - AT MOUTH</u> #70982; availability also evaluated for GRIFFIN CR > BEAR CR - AT MOUTH #71200

C3a. 690-09-040 (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < 1/4 mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	1			NA	NA		0.11	\square	**	\square
2	1			NA	NA		0.11	\boxtimes	**	\boxtimes
3	1			NA	NA		0.11		**	
4	1			NA	NA		0.11	\boxtimes	**	
5	1			NA	NA		0.11	\boxtimes	**	\boxtimes
6	1			NA	NA		0.11	\boxtimes	**	
1	2			IS71200A	0.4	\boxtimes	0.31	\boxtimes	**	\boxtimes
2	2			IS71200A	0.4	\boxtimes	0.31	\boxtimes	**	\boxtimes
3	2			IS71200A	0.4	\boxtimes	0.31	\boxtimes	**	
4	2			IS71200A	0.4	\square	0.31	\boxtimes	**	
5	2			IS71200A	0.4	\boxtimes	0.31	\boxtimes	**	\boxtimes
6	2			IS71200A	0.4	\boxtimes	0.31	\boxtimes	**	

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells**. Otherwise same evaluation and limitations apply as in C3a above.

1	SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Comments: **Impacts of surface water could not be reliably estimated because the complex geology (high relief slopes, complex fractured bedrock aquifer) do not meet model assumptions of the widely accepted techniques for determining stream depletion (e.g., Hunt 1999, 2003).

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-Di	istributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q	as CFS												
Interfere	ence CFS												
		relation of Carry		7 1960									
$(\mathbf{A}) = \mathbf{T}\mathbf{o}$	tal Interf.												
(B) = 80	% Nat. Q												
(C) = 1	% Nat. Q												
(D) = ((A) > (C)	V	✓	√	-	✓	4	V	√	V	√	V	V
$(\mathbf{E}) = (\mathbf{A})$	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

Application G-18504	Date: 7/11/2018	Page 5
Basis for impact evaluation: No streams beyond 1 r	nile were evaluated for PSI.	
C4b. 690-09-040 (5) (b) The potential to impair or details Rights Section.	trimentally affect the public interest is to be deter	mined by the Water
C5.	ubstantially interfere with surface water:	or groundwater use ;
C6. SW/GW Remarks and Conditions: The applicant's hydraulically connected to adjacent surface water source flows in Griffin Creek WAB and the Little Applegate Ri Creek. As a result, the proposed use is assumed to have	es. The proposed rate, 0.1849 cfs, is larger than 1% conver WAB. It is also larger than 1% of the instream was	of expected natural vater right for Griffin
References Used:		
Hunt, B. 1999. Unsteady Stream Depletion from Ground	d Water Pumping. Journal of Hydrologic Engineering	g, Vol 8(1), pp 12-19
Hunt, B. 2003. Unsteady Stream Depletion when Pumpin 8(1), pp 12-19	ng from a Semiconfined Aquifer. Journal of Hydrolog	gic Engineering. Vol
OWRD Groundwater Site Information System Database	- Accessed 7/11/2018.	
Wiley, T. J., J. D. McClaughry, and J. A. D'Allura. 2011		p of Bear Creek

Page

5

Application G-18504

D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid:		
D2.	a. review of the well lob. field inspection by c. report of CWRE d. other: (specify)	og;	nstruction standards based upon:	;
D3.		•	nt is described as follows:	
D4.			tion for a review of existing well construction.	

Version: 05/07/2018

Application G-18504 Date: 7/11/2018 Page 7

Figure 1. Water Availability Tables

LITTLE APPLEGATE R > APPLEGATE R - AT MOUTH

ROGUE BASIN

Water Availability as of 7/9/2018

Watershed ID #: 70982 (Map) Date: 7/9/2018 Exceedance Level: 80% •

Time: 12:40 PM

Water Availability Calculation Consumptive Uses and Storages Instream Flow Requirements Reservations

Water Rights Watershed Characteristics

Water Availability Calculation

Monthly Streamflow in Cubic Feet per Second Annual Volume at 50% Exceedance in Acre-Feet

Month N	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirement	Net Water Available
JAN	18.70	1.28	17.40	0.00	45.90	-28.50
FEB	33.10	1.82	31.30	0.00	85.00	-53.70
MAR	44.30	1.32	43.00	0.00	76.20	-33.20
APR	56.30	10.30	46.00	0.00	75.90	-29.90
MAY	63.40	15.80	47.60	0.00	73.20	-25.70
JUN	25.50	21.90	3.61	0.00	50.00	-46.40
JUL	1.87	29.00	-27.10	0.00	14.60	-41.70
AUG	3.56	24.10	-20.50	0.00	2.01	-22.50
SEP	0.11	16.10	-16.00	0.00	1.51	-17.50
OCT	1.29	5.91	-4 62	0 00	11 50	-16.10
NOV	15.90	1.25	14.60	0.00	25.40	-10.70
DEC	17.90	1.26	16.60	0.00	29.40	-12.80
ANN	31,700.00	7,890.00	26,900.00	0.00	29,400.00	880.00

GRIFFIN CR > BEAR CR - AT MOUTH ROGUE BASIN

Water Availability as of 7/9/2018

Watershed ID #: 71200 (<u>Map</u>) Date: 7/9/2018 Exceedance Level: 80% •

Time: 12:41 PM

Water Availability Calculation Consumptive Uses and Storages Instream Flow Requirements Reservations

Water Rights Watershed Characteristics


Water Availability Calculation

Monthly Streamflow in Cubic Feet per Second Annual Volume at 50% Exceedance in Acre-Feet

Month	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirement	Net Water Available
JAN	4.60	0.03	4.57	0.00	10.00	-5.43
FEB	5.79	0.04	5.75	0.00	13.00	-7.25
MAR	5.43	0.03	5.40	0.00	11.00	-5.60
APR	3.64	0 14	3.50	0.00	7.00	-3.50
MAY	2.38	0.22	2.16	0.00	5.00	-2.84
JUN	1.56	0.31	1.25	0.00	3.00	-1.75
JUL	0.60	0.41	0.19	0.00	1.00	-0.81
AUG	0.37	0.34	0.03	0.00	0.50	-0.47
SEP	0.31	0.23	0.08	0.00	0.40	-0.32
OCT	0.35	0.08	0.27	0.00	0.50	-0.23
NOV	0.75	0.01	0.74	0.00	2.00	-1.26
DEC	2.44	0 02	2.42	0.00	7.00	-4.58
ANN	3,610.00	113.00	3,500.00	0.00	3,620.00	19.10

Version: 05/07/2018

Figure 2. Well Location Map



Page 1 of 1 WELL I.D. LABEL# L ₁₂₅₂₄₁ **JACK 62965** STATE OF OREGON START CARD# 1033879 WATER SUPPLY WELL REPORT 4/6/2017 ORIGINAL LOG# (as required by ORS 537.765 & OAR 690-205-0210) (1) LAND OWNER Owner Well I.D. (9) LOCATION OF WELL (legal description) Last Name TINGHITELLA First Name ANTHONY County JACKSON Twp 38.00 S N/S Range 2.00 W E/W WM Company Address 621 DATE PALM RD. Sec 27 SW 1/4 of the NE 1/4 Tax Lot 211 City VERO BEACH Tax Map Number ___ X New Well Deepening Conversion (2) TYPE OF WORK DMS or DD " or 42.23903000 Alteration (complete 2a & 10) Abandonment(complete 5a) " or -122.92149000 DMS or DD (2a) PRE-ALTERATION
Dia + Fron Street address of well Nearest address Stl Plstc Wld Thrd Gauge 7117 GRIFFIN LANE MEDFORD, OR 97501 Casing: Amt sacks/lbs Material From Seal: (10) STATIC WATER LEVEL (3) DRILL METHOD SWL(ft) SWL(psi) Auger Cable Mud Existing Well / Pre-Alteration Reverse Rotary Other 3/30/2017 Completed Well Dry Hole? Flowing Artesian? X Domestic Irrigation Community (4) PROPOSED USE Depth water was first found 50.00 WATER BEARING ZONES Industrial/ Commericial Livestock Dewatering Est Flow SWL(psi) + SWL(ft) SWL Date To From Thermal ___ Injection ___ Other (5) BORE HOLE CONSTRUCTION Special Standard 70 (Attach copy 3/30/2017 50 Depth of Completed Well 340.00 26 3/30/2017 **BORE HOLE** SEAL sacks/ lbs To Amt From Dia From Material 39 23 39 Bentonite Chips 10 Calculated 17.8 39 340 6 (11) WELL LOG Calculated Ground Elevation 3085.00 То Material How was seal placed: Method A 32 RED/BROWN CLAY MEDIUM SOFT 0 X Other DRY POURED 82 LIGHT GREY BASALT MEDIUM 32 __ ft. Material Backfill placed from _ _ ft. to ___ DARK GREY BASALT HARD 82 340 ft. to ft. Material Size Filter pack from ____ Explosives used: Yes Type_ Amount (5a) ABANDONMENT USING UNHYDRATED BENTONITE Actual Amount Proposed Amount (6) CASING/LINER Wld Thrd Dia Plstc + From To Gauge Stl Casing Liner X 98 .250 • 6 2 340 Sch 40 lacksquare4 Inside X Outside Location of shoe(s) 98 Shoe Other Temp casing Yes Dia From (7) PERFORATIONS/SCREENS Perforations Method AIR/SAW CUT Completed <u>3/30/2017</u> Screens Type_ Date Started 3/28/2017 Material Tele/ # of Scrn/slot Slot Perf/ Casing/ Screen (unbonded) Water Well Constructor Certification slots pipe size Screen Liner Dia width length From I certify that the work I performed on the construction, deepening, alteration, or 480 70 .188 Perf Casing 6 50 abandonment of this well is in compliance with Oregon water supply well 120 60 100 .188 4 Liner Perf construction standards. Materials used and information reported above are true to 340 188 60 320 Perf Liner 4

the best of my knowledge and belief.

License Number 1994 Date 3/30/2017

Signed SHAWN PETERSON (E-filed)

(bonded) Water Well Constructor Certification

27 1

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Data 2/20/2015

acense Nun	1835		
Signed K	EVIN D GILL (E-filed)		
Contact Info	(optional) CLOUSER DRI	LLING INC.	

Flowing Artesian

Drill stem/Pump depth Duration (hr)

340

Yes (describe below) TDS amount 215

Description

(8) WELL TESTS: Minimum testing time is 1 hour

O Bailer

Drawdown

Air

°F Lab analysis ___ Yes By_

O Pump

Yield gal/min

Water quality concerns?

Temperature 55