



## FINDINGS OF FACT

The Department adopts and incorporates by reference the findings of fact in the Proposed Final Order dated January 22, 2019.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the following conditions:

## LIMITATIONS AND CONDITIONS

1. **Permit Amendment Condition**

The use of any water from GILL 50319 (Well 8) under Permit G-13628 is subject to this Condition.

No water may be appropriated from GILL 50319 under Permit G-13628, until a Permit Amendment is approved authorizing GILL 50319 as a point of appropriation under Permit G-13628.

2. **Checkpoint Condition**

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2022**. *A form will be enclosed with your Final Order.*

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.


## CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

## ORDER

The extension of time for Application G-14808, Permit G-13628, therefore, is approved subject to conditions contained herein. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from October 1, 2017, to October 1, 2023.

DATED: March 15, 2019



Dwight French  
Water Right Services Division Administrator, for  
Thomas M. Byler, Director  
Oregon Water Resources Department

- 
- If you have any questions about statements contained in this document, please contact the Permit Extension Specialist at 986-0802.
  - If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900
-





Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem Oregon 97301-1266  
 (503) 986-0900  
 www.wrd.state.or.us

**Extension of Time  
 Progress Report Form  
 For Checkpoints**

**TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT**

Permit Holder: Crum Ranches, LLC

Application G-14808

Permit G-13628

**Progress Report for 2022**

Report Due no later than October 1, 2022

**DO NOT SUBMIT PRIOR TO 30 DAYS BEFORE DUE DATE**

As authorized in ORS 690-315-0050(6), this progress report is required in order to ensure diligence is exercised in the development and perfections of Permit G-13628.

DATES	LIST ALL WORK ACCOMPLISHED and FINANCIAL INVESTMENTS For the period of time between November 21, 2018 and October 1, 2022	FINANCIAL INVESTMENT

Use back of form if needed

2. Describe actions to achieve compliance with conditions of the permit and/or previous extension.  
*(Examples: installed a meter, submitted water usage reports, submitted static water level measurements, installed a fish screen, obtained approval for fish screen from ODFW etc.)*

3. Total number of acres irrigated to date: Primary \_\_\_\_\_ Supplemental \_\_\_\_\_

Total acres irrigated per well,

- Well 1 – GILL 89      Primary \_\_\_\_\_ Supplemental \_\_\_\_\_
- Well 2 – GILL 1      Primary \_\_\_\_\_ Supplemental \_\_\_\_\_
- Well 3 – GILL 91      Primary \_\_\_\_\_ Supplemental \_\_\_\_\_
- Well 4 – GILL 87      Primary \_\_\_\_\_ Supplemental \_\_\_\_\_
- Well 5 – GILL 93      Primary \_\_\_\_\_ Supplemental \_\_\_\_\_
- Well 6 – GILL 50050   Primary \_\_\_\_\_ Supplemental \_\_\_\_\_
- Well 7 – GILL 57863   Primary \_\_\_\_\_ Supplemental \_\_\_\_\_
- Well 8 – GILL 50319   Primary \_\_\_\_\_ Supplemental \_\_\_\_\_

Report the rate in the same units of measurement as specified in the permit, being cfs (cubic feet per second), gpm (gallons per minute) or AF (acre-feet). **Do not provide daily, monthly, or annual water volume totals.**

Diligence Shown <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Public Noticed: _____ <i>For OWRD use only</i>
Reviewed by: _____	Date: _____

4. Provide the maximum rate, or duty if applicable, of water diverted for beneficial use under this permit, if any, to date.

Maximum rate used to date = \_\_\_\_\_ cfs

Maximum Rate per well:

Well 1 \_\_\_\_\_ Well 2 \_\_\_\_\_ Well 3 \_\_\_\_\_ Well 4 \_\_\_\_\_

Well 5 \_\_\_\_\_ Well 6 \_\_\_\_\_ Well 7 \_\_\_\_\_ Well 8 \_\_\_\_\_

***INCOMPLETE REPORTS WILL BE RETURNED. AN ANSWER IS REQUIRED IN EACH ITEM. FAILURE TO SUBMIT THIS REPORT WILL MOST LIKELY RESULT IN ANY FUTURE EXTENSION BEING DENIED.***

Signature \_\_\_\_\_ Date \_\_\_\_\_

Printed Name/Title \_\_\_\_\_

Diligence Shown  Yes  No

Date Public Noticed: \_\_\_\_\_

*For OWRD use only*

Reviewed by: \_\_\_\_\_

Date: \_\_\_\_\_