



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem Oregon 97301-1271  
 (503) 986-0900  
 www.wrd.state.or.us

# Application for Limited Water Use License

RECEIVED

MAR 25 2019

OWRD

License No.: \_\_\_\_\_

**Applicant Information**

NAME John Burnham		PHONE (HM) 602-291-9666	
PHONE (WK)	CELL	FAX	
ADDRESS 4110 Beach Lane NW			
CITY Salem	STATE OR	ZIP 97304	E-MAIL * ONPOINTVINEYARD@GMAIL.COM

**Agent Information**

NAME Bill Flatz, Stuntzner Engineering & Forestry		PHONE 503-357-5717	FAX 503-357-5698
ADDRESS 2318-B Pacific Avenue			CELL
CITY Forest Grove	STATE OR	ZIP 97116	E-MAIL * billflatz@stuntzner.com

I (We) make application for a Limited License to use or store the following described surface waters or groundwater – not otherwise exempt, or to use stored water of for a use of a short-term or fixed-duration:

- SOURCE(S) OF WATER:** 2 Wells a tributary of Spring Valley Creek, Willamette River
- AMOUNT OF WATER** to be diverted;  
 Maximum and instantaneous rate (cubic feet or gallons per minute): combined 0.0914 cfs  
 Total volume (gallons or acre-feet): 19 ac-ft. If water is to be used from more than one source, give the quantity from each: well 1: 7.4 ac-ft; well 2: 11.6 ac-ft
- INTENDED USE(S) OF WATER:** (check all that apply)
  - Road construction or maintenance
  - General construction
  - Forestland and rangeland management; or
  - Other: Irrigation to establish grapes for wine.

- DESCRIPTION OF PROPOSED PROJECT:** Include a description of the place of use as shown on the accompanying site map, the method of water diversion, the type of equipment to be used (including pump horsepower, if applicable), length and dimensions of supply ditches and pipelines:

Project includes using two existing wells for drip irrigation to establish grapes in new vineyard. Existing system includes two plastic tanks in the shop, an irrigation pump in the shop will be added if needed. Well pumps may be upsized if required. Irrigation mainlines will be buried to supply water to valves to control irrigation to individual blocks. Anticipated irrigation will be 2 to 3 gallons per week per vine.

- PROJECT SCHEDULE:** (List day, month, and year)

Date water use will begin: 1st of June, 2019  
 Date water use will be completed: 31st of Oct., 2024

Months of the year water would be diverted and used: March 1st through Oct. 31st

If for other than irrigation from stored water, how and where will water be discharged after use:

Irrigation will be with drip emitters, there will be no runoff or discharge.

John A. Burnham  
 Applicant Signature

John B. Burnham  
 Print Name and title if applicable

3/16/19  
 Date

**PLEASE READ CAREFULLY**

**NOTE:** A completed water availability statement from the local watermaster, Land Use Information Form completed by the local Planning Department, fees and site map meeting the requirements of OAR 690-340-030 must accompany this request. The fee for this request is **\$280** for the first point of diversion plus **\$30** for each additional point of diversion. Please review the Department's fee schedule to view fees required to request a limited license for Aquifer Storage and Recovery testing purposes or for Artificial Groundwater Recharge testing purposes.

**Failure to provide any of the required information will result in return of your application.** The license, if granted, will not be issued or replaced by a new license for a period of more than five consecutive years. The license, if granted, will be subordinate to all other authorized uses that rely upon the same source, or water affected by the source, and may be revoked at any time it is determined the use causes injury to any other water right or minimum perennial streamflow.

If water source is well, well logs or adequate information for the Department to determine aquifer, well depth, well seal and open interval, etc. are required. The licensee shall indicate the intended aquifer. If for multiple wells, each map location shall be clearly tied to a well log.

If a limited license is approved, the licensee shall give notice to the Department (Watermaster) at least 15 days in advance of using the water under the Limited License and shall maintain a record of use. The record of use shall include, but need not be limited to, an estimate of the amount of water used, the period of use and the categories of beneficial use to which the water is applied. During the period of the Limited License, the record of use shall be available for review by the Department upon request.

*\*A summary of review criteria and procedures that are generally applicable to these applications is available at: <http://www.oregon.gov/owrd/pages/pubs/forms.aspx>*

**Mapping Requirements (OAR 690-340-0030):**

- (1) A request for a limited license shall be submitted on a form provided by the Water Resources Department, and shall be accompanied by the following:
  - a. A site map of reproducible quality, drawn to a standard, even scale of not less than 2 inches = 1 mile, showing:
    - i. The locations of all proposed points of diversion referenced by coordinates or by bearing and distance to the nearest established or projected public land survey corner;
    - ii. The general course of the source for the proposed use, if applicable;
    - iii. Other topographical features such as roads, streams, railroads, etc., which may be helpful in locating the diversion points in the field.

**REMARKS:**

<p><b>For WRD Use Only</b></p>
--------------------------------

***This page to be completed by the local Watermaster.***

**WATER AVAILABILITY STATEMENT**

Name of Applicant: John Burnham Limited License Number: \_\_\_\_\_

1. To your knowledge, has the stream or basin that is the source for this application ever been regulated for prior rights?

Yes  No

If yes, please explain:

2. Based on your observations, would there be water available in the quantity and at the times needed to supply the use proposed by this application?

Yes  No

3. Do you observe this stream system during regular fieldwork?

Yes  No

If yes, what are your observations for the stream?

Source of water is two wells not a stream.

4. If the source is a well and if WRD were to determine that there is the potential for substantial interference with nearby surface water sources, would there still be ground water and surface water available during the time requested and in the amount requested without injury to existing water rights?

Yes  No  N/A

What would you recommend for conditions on a limited license that may be issued approving this application?

**WAB says water available year round.**

5. Any other recommendations you would like to make?

No

Signature  WM District #: 16 Date: 2/4/19

# Land Use Information Form



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.wrd.state.or.us

RECEIVED

MAR 25 2019

OWRD

## NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

**This form is NOT required if:**

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
  - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
  - b) The application involves a change in place of use only;
  - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
  - d) The application involves irrigation water uses only.

## NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

# Land Use Information Form



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.wrd.state.or.us

RECEIVED

MAR 25 2019

OWRD

Applicant: JOHN BURNHAM  
First Last

Mailing Address: 4110 BEACH LANE N.W.  
SALEM OR 97304 Daytime Phone: 602-291-9666  
City State Zip

## A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
65	4W	13	NE+NW OF THESE	700	FARM+FOREST	<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	GRAPES
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

POLK COUNTY

## B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water   
  Water Right Transfer   
  Permit Amendment or Ground Water Registration Modification  
 Limited Water Use License   
  Allocation of Conserved Water   
  Exchange of Water

Source of water:  Reservoir/Pond     Ground Water     Surface Water (name) \_\_\_\_\_

Estimated quantity of water needed: \_\_\_\_\_  cubic feet per second     gallons per minute     acre-feet

Intended use of water:  Irrigation     Commercial     Industrial     Domestic for \_\_\_\_\_ household(s)  
 Municipal     Quasi-Municipal     Instream     Other \_\_\_\_\_

Briefly describe:

THE OWNER PLANS TO ESTABLISH GRAPES IN HIS VINEYARD OVER 5 YEARS USING A LIMITED LICENSE.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

## For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

**Please check the appropriate box below and provide the requested information**

Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): PC70 138.040 (A) "Farm Use"

Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

The National Wetland Inventory Map (NWIF) shows an inventoried riparian wetland on the subject property. Any development activity within the wetland area may require a State permit from the Oregon Department of State Lands.

Name: Sidney Mudder Title: Planning Supervisor  
 Signature: [Signature] Phone: 503-623-9237 Date: 2-4-19  
 Government Entity: Polk County

**Note to local government representative:** Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

**Receipt for Request for Land Use Information**

Applicant name: \_\_\_\_\_  
 City or County: \_\_\_\_\_ Staff contact: \_\_\_\_\_  
 Signature: \_\_\_\_\_ Phone: \_\_\_\_\_ Date: \_\_\_\_\_

44-1777

MAR 25 2019

STATE OF OREGON WATER SUPPLY WELL REPORT

OWRD

(WELL I.D.)# L 78551 (START CARD) # 176347

OWRD

Instructions for completing this report are on the last page of this form.

(1) OWNER: Well Number 1 Name Patricia Beach Address 4198 Beach Lane NW City Salem State OR Zip 97304

(2) TYPE OF WORK [X] New Well [ ] Deepening [ ] Alteration (repair/recondition) [ ] Abandonment

(3) DRILL METHOD: [X] Rotary Air [ ] Rotary Mud [ ] Cable [ ] Auger [ ] Other

(4) PROPOSED USE: [X] Domestic [ ] Community [ ] Industrial [ ] Irrigation [ ] Thermal [ ] Injection [ ] Livestock [ ] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval [ ] Yes [X] No Depth of Completed Well 320' ft. Explosives used [ ] Yes [X] No Type Amount

Table with columns: HOLE Diameter, From, To, Material, SEAL From, To, Sacks or pounds. Row 1: 10", 0', 139', Cement, 2', 139', 20 bags. Row 2: 6", 139', 360', bentonite, 0', 2', 1 bag.

How was seal placed: Method [ ] A [ ] B [X] C [ ] D [ ] E [ ] Other Filled to top with dry bentonite Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Casing: 6" 0' 139' 250 [X] [ ] [X] [ ]. Liner: 4" 0' 300' 160 [ ] [X] [X] [ ]. 4" 300' 320' 200 [ ] [X] [X] [ ].

(7) PERFORATIONS/SCREENS: [X] Perforations Method Saw cut [ ] Screens Type Material From 200' To 320' Slot size 1/8" Number 78 Diameter 6" long Tele/pipe size 4" Casing [ ] Liner [X]

(8) WELL TESTS: Minimum testing time is 1 hour [ ] Pump [ ] Bailer [X] Air [ ] Flowing [ ] Artesian Yield gal/min 20 GPM Drawdown 380' Drill stem at 1 hr. 13 GPM pump test 4 Hour Temperature of water 54° Depth Artesian Flow Found Was a water analysis done? [ ] Yes By whom Did any strata contain water not suitable for intended use? [ ] Too little [ ] Salty [ ] Muddy [ ] Odor [ ] Colored [ ] Other Depth of strata:

(9) LOCATION OF WELL by legal description: County Polk Latitude Longitude Township 6 S Range 4 W WM. Section 13 1/4 1/4 Tax Lot 700 Lot Block Subdivision Street Address of Well (or nearest address) Same

(10) STATIC WATER LEVEL: 206' ft. below land surface. Date 8/10/2005 Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Depth at which water was first found 268'

Table with columns: From, To, Estimated Flow Rate, SWL. Row 1: 206', 360', 20 GPM, 206'

(12) WELL LOG: Ground Elevation

Table with columns: Material, From, To, SWL. Rows include: Brown claystone with boulders (0-10), Brown clay (10-21), Red brown clay with boulders (21-61), Tan brown clay with boulders (61-72), Red purple clay (72-75), Rock broken brown (75-108), Rock black brown hard (108-161), Brown weathered rock (161-318), Rock brown weathered hard (318-321), Rock brown weathered broken (321-360). Rock tipped in at 320' deep. Ron Robinson Well Drilling 4520 Salem Dallas Hwy NW Salem OR 97304 503.371.1844 WATER RESOURCES DEPT SALEM, OREGON

RECEIVED

AUG 16 2005

Date started 7/23/2005 Completed 8/10/2005

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. WWC Number Signed Date

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief. WWC Number 1585 Signed Date 8/15/2005

ORIGINAL & FIRST COPY-WATER RESOURCES DEPARTMENT SECOND COPY-CONSTRUCTOR CUSTOMER

RECEIVED OVER THE COUNTER

STATE OF OREGON  
**WATER SUPPLY WELL REPORT**  
 (as required by ORS 537.765)

Instructions for completing this report are on the last page of this form.

(WELL I.D.) # L 71004  
 (START CARD) # 166058

RECEIVED

MAR 25 2019

OWRD

(1) OWNER: Well Number 1  
 Name Patricia Beach  
 Address 7783 Spring Valley Rd. NW  
 City Salem State OR Zip 97304

(2) TYPE OF WORK  
 New Well  Deepening  Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  Auger  
 Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other

(5) BORE HOLE CONSTRUCTION:  
 Special Construction approval  Yes  No Depth of Completed Well 220' ft.  
 Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE		SEAL					
Diameter	From To	Material	From To	Sacks or pounds			
10"	0' 120'	Cement	6' 120'	43 bags			
6"	120' 220'	Bentonite	0' 6'	3 bags			

How was seal placed: Method  A  B  C  D  E  
 Other Filled to top with dry bentonite  
 Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
 Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

Diameter	From To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 6"	+2' 120'	250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: 4"	10' 220'	160	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) \_\_\_\_\_

(7) PERFORATIONS/SCREENS:

Perforations Method Saw cut  
 Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
160'	220'	1/8"	54	6" long	4"	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Pump  Bailer  Air  Flowing Artesian

Yield gal/min	Drawdown	Drill stems at	Time
20 GPM		220'	1 hr.

Temperature of water 54° Depth Artesian Flow Found \_\_\_\_\_  
 Was a water analysis done?  Yes By whom \_\_\_\_\_  
 Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
 Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL by legal description:  
 County Polk Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
 Township 6 S Range 4 W WM.  
 Section 13 NE 1/4 SE 1/4  
 Tax Lot 00700 Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
 Street Address of Well (or nearest address) 7783 Spring Valley Rd. NW  
Salem, OR 97304

(10) STATIC WATER LEVEL:  
143' ft. below land surface. Date 11/04/2004  
 Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:  
 Depth at which water was first found 190'

From	To	Estimated Flow Rate	SWL
190'	200'	5 GPM	<u>143'</u>
200'	220'	15 GPM	

(12) WELL LOG:  
 Ground Elevation \_\_\_\_\_

Material	From	To	SWL
Soil	0	1	
Brown clay with boulders	1	10	
Brown red claystone	10	21	
Brown red clay with boulders	21	61	
Tan brown clay with boulders	61	72	
Red / purple claystone	72	75	
Rock basalt broken brown	75	108	
Rock black brown basalt hard	108	151	
Weathered rock brown with hard seams	151	220	<u>143'</u>

Ron Robinson Well Drilling, Inc.  
 4520 Salem Dallas Hwy NW  
 Salem, OR 97304  
 503.371.1844 office  
 503.371.4829

Date started 10/28/2004 Completed 11/04/2004  
 (unbonded) Water Well Constructor Certification:  
 I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.  
 Signed \_\_\_\_\_ WWC Number \_\_\_\_\_  
 Date \_\_\_\_\_

(bonded) Water Well Constructor Certification:  
 I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.  
 Signed \_\_\_\_\_ WWC Number 1585  
 Date 11/4/2004

LL-1777



RECEIVED

MAR 25 2019

OWRD

Burnham Limited License Calculations

Theoretical, can existing wells pump max duty?

	Well 1	Well 2	total	
rate gpm	16	25	41	gpm
rate cfs	0.0357	0.0557	0.0914	cfs
rate/hr	960	1,500	2,460	gph
hr/day	12	12	24	hr/day
gal/day	11,520	18,000	29,520	gal/day
gal/wk	80,640	126,000	206,640	gal/wk
gal/mo	345,600	540,000	885,600	gal/mo
mo.of irr	7	7		
gal/season	2,419,200	3,780,000	6,199,200	gal/season
cf/season	323,422	505,348	828,770	cf/season
ac-ft/season	7.42	11.60	19.03	ac-ft/season

Estimated practical use by vines and irrigation per week

Total vines (est.) = 12,000 Vines  
 low irrigation est = 2 gal/wk/vine  
 high irrigation est = 3 gal/wk/vine  
 weekly low irr. Est. = 24,000 gal/wk low  
 weekly high irr. Est. = 36,000 gal/wk high

Total theoretical pumping rate = 41 gal/min  
 Well 1 theor. Rate = 16  
 Well 2 theor. Rate = 25  
 Well 1 theor. %= 39.02%  
 Well 2 theor. % = 60.98%



TELEPHONE (503) 357-5717  
CELL (503) 939-8381  
FAX (503) 357-5698  
billflatz@stuntzner.com

2318-B Pacific Avenue  
FOREST GROVE, OREGON 97116

COOS BAY - FOREST GROVE - DALLAS - JUNCTION CITY

**TO:** Water Resources Department  
725 Summer Street NE, Suite A  
Salem, OR 97301

**SUBJECT:** Application for a Limited License to establish a crop in the Eola Hills limited area.

March 21, 2019

RECEIVED

MAR 25 2019

OWRD

To whom it may concern:

Please find enclosed:

- One check made out to OWRD for \$310 for fees calculated on OWRD web site.
- One complete application for a Limited License.
- One paper Limited License Map 8.5 x 11 size.
- Attachments.

Please call if you have any questions or need any further information.

Sincerely,

*Stuntzner Engineering & Forestry, LLC*

A handwritten signature in blue ink, appearing to read "Bill Flatz".

Bill Flatz, PE, CWRE

RECEIVED



Oregon Water Resources Department  
Apply for a Limited License

- [Main](#)
- [Help](#)
- [Return](#)
- [Contact Us](#)

MAR 25 2019

OWRD

Today's Date: Wednesday, February 20, 2019

- Base Application  
  Aquifer Storage and Recovery  
  Artificial Groundwater Recharge

Base Application Fee.		\$280.00
Proposed number of Surface Water diversions.	2	\$30.00
	<input type="button" value="Recalculate"/>	
Estimated cost of Limited License Application		\$310.00

OWRD Fee Schedule

Disclaimer: This Web-based fee calculator is provided by the Oregon Water Resources Department for the convenience of applicants. Considerable effort has been expended to ensure it's accuracy, however by proceeding users acknowledge that application fees are set by Oregon Revised Statutes, and that the Department reserves the right to correct any error in calculated fees during processing of an application.

Fee Calculator Version: B20170117