

RECEIVED
MAR 28 2019
OWRD

Date Received (Date Stamp Here)

OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address: Bruce Anderson / Katherine Garvey
94705 Oaklea Dr Junction City OR 97448

Transaction Type: Groundwater Application

Fees Received: \$ 1,340.00 ~~1000.00~~ (2 checks)

Cash

Check:

Check No. 1006 + 1007

Name(s) on Check: B & K Land and Livestock LLC

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,
OWRD Customer Service Staff

RECEIVED
OVER THE COUNTER

Submission received by: Judy Ferrell
(Name of OWRD staff)

Instructions for OWRD staff:

- Complete this Submission Receipt, and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (i.e., the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Place the Submission Receipt with check/cash in the small top drawer (i.e., "Fiscal Pick Up Drawer"). Place the Submission Receipt with submission (application/other document) in the large bottom drawer.



RECEIVED

MAR 28 2019

OWRD

Date Received (Date Stamp Here)

OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address: Bruce Anderson / Katherine Garvey
94705 Oaklea Dr Junction City OR 97448

Transaction Type: Groundwater Application

Fees Received: \$1690.00 (2 checks)

 Cash

 Check:

Check No. 1006 + 1007

Name(s) on Check: B & K Land and Livestock LLC

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,

OWRD Customer Service Staff

Submission received by: Judy Ferrell
(Name of OWRD staff)

Instructions for OWRD staff:

- Complete this Submission Receipt, and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (i.e., the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Place the Submission Receipt with check/cash in the small top drawer (i.e., "Fiscal Pick Up Drawer"). Place the Submission Receipt with submission (application/other document) in the large bottom drawer.

RECEIVED

MAR 28 2019

OWRD

Date Received (Date Stamp Here)

OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address: Bruce Anderson & Katherine Gravey

Transaction Type: Groundwater Application

Fees Received: \$ 350⁰⁰

Cash

Check:

Check No. 1006

Name(s) on Check: B & K Land & Livestock LLC

Thank you for your submission. Oregon Water Resources Department (Department) staff will review your submittal as soon as possible.

If your submission is determined to be complete, you will receive a receipt for the fees paid and an acknowledgement letter stating your submittal is complete.

If determined to be incomplete, your submission and the accompanying fees will be returned with an explanation of deficiencies that must be addressed in order for the submittal to be accepted.

If you have any questions, please feel free to contact the Department's Customer Service staff at 503-986-0801 or 503-986-0810.

Sincerely,

OWRD Customer Service Staff

Submission received by: Judy Ferrell
(Name of OWRD staff)

Instructions for OWRD staff:

- Complete this Submission Receipt, and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (*i.e.*, the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Place the Submission Receipt with check/cash in the small top drawer (*i.e.*, "Fiscal Pick Up Drawer"). Place the Submission Receipt with submission (application/other document) in the large bottom drawer.

MIDDLETON Cory M * WRD

From: eugeneliv@aol.com
Sent: Friday, April 05, 2019 1:41 PM
To: MIDDLETON Cory M * WRD
Subject: Re: OWRD

that volume should be sufficient

-----Original Message-----

From: MIDDLETON Cory M * WRD <Cory.M.Middleton@oregon.gov>
To: eugeneliv@aol.com <eugeneliv@aol.com>
Sent: Fri, Apr 5, 2019 9:02 am
Subject: OWRD

Hello,

Per our conversation, I am emailing you requesting approval on the annual volume for the requested 32 Acres. The previous Permit([G-12848](#)) had 2.5AF per Acre which would equal 80AF for 32acres as an annual volume($2.5AF \times 32acres = 80AF$). Let me know if this is okay and I will add it to the application.

Thank you, Cory Middleton
Oregon Water Resources
725 Summer St. Suite A
Salem, OR 97301



Oregon Water Resources Department
Ground Water Application

- [Main](#)
- [Help](#)
- [Return](#)
- [Contact Us](#)

Today's Date: Thursday, March 28, 2019

Base Application Fee.		\$1,340.00
Number of proposed cubic feet per second (cfs) to be appropriated. (1 cfs = 448.83 gallons per minute)	0.425	\$350.00
Number of proposed Use's for the appropriated water. (i.e. Irrigation, Supplemental Irrigation, Pond Maintenance, Industrial, Commercial, etc) *	1	
Number of proposed Ground Water points of appropriation. (i.e. number of wells) (include all injection wells, if applicable) **	1	
Permit Recording Fee. ***		\$520.00
* the 1st Water Use is included in the base cost. ** the 1st Ground Water point of appropriation is included in the base cost. *** the Permit Recording Fee is not required when the application is submitted but, must be paid before a permit will be issued. It is fully refundable if a permit is not issued. If the recording fee is not paid prior to issuance of the Final Order, permit issuance will be delayed.	Recalculate	
Estimated cost of Permit Application		\$2,210.00

OWRD Fee Schedule

Fee Calculator Version B20170117

2210
 - 520
 - 350

SOUTH

Application for a Permit to Use Groundwater



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
503-986-0900
www.oregon.gov/OWRD

SECTION 1: APPLICANT INFORMATION AND SIGNATURE

Applicant

NAME BRUCE ANDERSON KATHERINE GARVEY		PHONE (HM) 541 912-2940	
PHONE (WK) 541 729-6135	CELL		FAX
ADDRESS 94705 Oaklea Drive			
CITY Junction City	STATE OR	ZIP 97448	E-MAIL* eugeneliu@aol.com

Organization

NAME		PHONE		FAX
ADDRESS			CELL	
CITY	STATE	ZIP	E-MAIL*	

Agent – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT / BUSINESS NAME		PHONE		FAX
ADDRESS			CELL	
CITY	STATE	ZIP	E-MAIL*	

Note: Attach multiple copies as needed

* By providing an e-mail address, consent is given to receive all correspondence from the Department electronically. (Paper copies of the proposed and final order documents will also be mailed.)

RECEIVED
MAR 28 2019

By my signature below I confirm that I understand:

- I am asking to use water specifically as described in this application.
- Evaluation of this application will be based on information provided in the application.
- I cannot use water legally until the Water Resources Department issues a permit.
- Oregon law requires that a permit be issued before beginning construction of any proposed well, unless the use is exempt. Acceptance of this application does not guarantee a permit will be issued.
- If I get a permit, I must not waste water.
- If development of the water use is not according to the terms of the permit, the permit can be cancelled.
- The water use must be compatible with local comprehensive land-use plans.
- Even if the Department issues a permit, I may have to stop using water to allow senior water-right holders to get water to which they are entitled.

OWRD



I (we) affirm that the information contained in this application is true and accurate.

	Bruce J. Anderson	03/28/19
Applicant Signature	Print Name and Title if applicable	Date
	KATHERINE GARVEY	03/28/19
Applicant Signature	Print Name and Title if applicable	Date

SECTION 2: PROPERTY OWNERSHIP

Please indicate if you own all the lands associated with the project from which the water is to be diverted, conveyed, and used.

- YES, there are no encumbrances.
- YES, the land is encumbered by easements, rights of way, roads or other encumbrances.
- NO, I have a recorded easement or written authorization permitting access.
- NO, I do not currently have written authorization or easement permitting access.
- NO, written authorization or an easement is not necessary, because the only affected lands I do not own are state-owned submersible lands, and this application is for irrigation and/or domestic use only (ORS 274.040).
- NO, because water is to be diverted, conveyed, and/or used only on federal lands.

Affected Landowners: List the names and mailing addresses of all owners of any lands that are not owned by the applicant and that are crossed by the proposed ditch, canal or other work, even if the applicant has obtained written authorization or an easement from the owner. *(Attach additional sheets if necessary).*

Legal Description: You must provide the legal description of: 1. The property from which the water is to be diverted, 2. Any property crossed by the proposed ditch, canal or other work, and 3. Any property on which the water is to be used as depicted on the map.

SECTION 3: WELL DEVELOPMENT

WELL NO.	NAME OF NEAREST SURFACE WATER	IF LESS THAN 1 MILE:	
		DISTANCE TO NEAREST SURFACE WATER	ELEVATION CHANGE BETWEEN NEAREST SURFACE WATER AND WELL HEAD
2	2200 ft South and 20 feet west from the center 1/4 corner of Section 30, being within the SE 1/4 of the SW 1/4 of Section 30 T-15 S-4 W W.M. Lane County		

Please provide any information for your existing or proposed well(s) that you believe may be helpful in evaluating your application. For existing wells, describe any previous alteration(s) or repair(s) not documented in the attached well log or other materials *(attach additional sheets if necessary).*

RECEIVED
MAR 28 2019
OWRD

MIDDLETON Cory M * WRD

From: eugeneliv@aol.com
Sent: Friday, April 05, 2019 2:13 PM
To: MIDDLETON Cory M * WRD
Subject: Re: Cory OWRD

yes

-----Original Message-----

From: MIDDLETON Cory M * WRD <Cory.M.Middleton@oregon.gov>
To: eugeneliv@aol.com <eugeneliv@aol.com>
Sent: Fri, Apr 5, 2019 1:43 pm
Subject: RE: Cory OWRD

So that is the WELL for the application. Correct?

From: eugeneliv@aol.com [mailto:eugeneliv@aol.com]
Sent: Friday, April 05, 2019 1:40 PM
To: MIDDLETON Cory M * WRD <Cory.M.Middleton@oregon.gov>
Subject: Re: Cory OWRD

that is the log from the previous owner.

-----Original Message-----

From: MIDDLETON Cory M * WRD <Cory.M.Middleton@oregon.gov>
To: eugeneliv@aol.com <eugeneliv@aol.com>
Sent: Fri, Apr 5, 2019 11:54 am
Subject: Cory OWRD

Hello,

I called this morning regarding an annual volume, but as I am looking through the application. I am also going to be needing a well log for the existing well. I believe I found the log but need your confirmation before I add it to the application.

LANE 6274

Please confirm the this email and the previous one I sent you today, and we can move forward with the application.

Thank you

Also,

Per our conversation, I am emailing you requesting approval on the annual volume for the requested 32 Acres. The previous Permit(G-12848) had 2.5AF per Acre which would equal 80AF for 32acres as an annual volume($2.5\text{AF} * 32\text{acres} = 80\text{AF}$). Let me know if this is okay and I will add it to the application.

If I can get an email back saying that is the correct well log, and that 80AF is your total annual volumn of water to be used on those 32 acres, I will be able to proceed with the application.

Thank you, Cory Middleton
Oregon Water Resources
725 Summer St. Suite A
Salem, OR 97301

SECTION 3: WELL DEVELOPMENT, continued

Total maximum rate requested .425 cfs ch well will be evaluated at the maximum rate unless you indicate well-specific rates and annual volumes in the table below).

The table below must be completed for each source to be evaluated or the application will be returned. If this is an existing well, the information may be found on the applicable well log. (If a well log is available, please submit it in addition to completing the table.) If this is a proposed well, or well-modification, consider consulting with a licensed well driller, geologist, or certified water right examiner to obtain the necessary information.

OWNER'S WELL NAME OR NO.	PROPOSED	EXISTING	WELL ID (WELL TAG) NO.* OR WELL LOG ID**	FLOWING ARTESIAN	CASING DIAMETER	CASING INTERVALS (IN FEET)	PERFORATED OR SCREENED INTERVALS (IN FEET)	SEAL INTERVALS (IN FEET)	MOST RECENT STATIC WATER LEVEL & DATE (IN FEET)	PROPOSED USE			
										SOURCE AQUIFER***	TOTAL WELL DEPTH	WELL-SPECIFIC RATE (GPM)	ANNUAL VOLUME (ACRE-FEET)
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>									
	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>									
	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>									
	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>									
	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>									
	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>									
	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>									
	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>									

* Licensed drillers are required to attach a Department-supplied Well Tag, with a unique Well ID or Well Tag Number to all new or newly altered wells. Landowners can request a Well ID for existing wells that do not have one. The Well ID is intended to serve as a unique identification number for each well.

** A well log ID (e.g. MARI 1234) is assigned by the Department to each log in the agency's well log database. A separate well log is required for each subsequent alteration of the well.

*** Source aquifer examples: Troutdale Formation, gravel and sand, alluvium, basalt, bedrock, etc.

RECEIVED
MAR 28 2019
OWRD

For Department Use: App. Number: G-1884

SECTION 4: SENSITIVE, THREATENED OR ENDANGERED FISH SPECIES PUBLIC INTEREST INFORMATION

This information must be provided for your application to be accepted as complete. The Water Resources Department will determine whether the proposed use will impair or be detrimental to the public interest with regard to sensitive, threatened or endangered fish species if your proposed groundwater use is determined to have the potential for substantial interference with nearby surface waters.

To answer the following questions, use the map provided in Attachment 3 or the link below to determine whether the proposed point of appropriation (POA) is located in an area where the Upper Columbia, the Lower Columbia, and/or the Statewide public interest rules apply.

For more detailed information, click on the following link and enter the TRSQQ or the Lat/Long of a POA and click on "Submit" to retrieve a report that will show which section, if any, of the rules apply:
https://apps.wrd.state.or.us/apps/misc/lkp_trsqq_features/

If you need help to determine in which area the proposed POA is located, please call the customer service desk at (503) 986-0801.

Upper Columbia - OAR 690-033-0115 thru -0130

RECEIVED
MAR 28 2019

Is the well or proposed well located in an area where the Upper Columbia Rules apply?

Yes No

OWRD

If yes, you are notified that the Water Resources Department will consult with numerous federal, state, local and tribal governmental entities so it may determine whether the proposed use is consistent with the "Columbia River Basin Fish and Wildlife Program" adopted by the Northwest Power Planning Council in 1994 for the protection and recovery of listed fish species. The application may be denied, heavily conditioned, or if appropriate, mitigation for impacts may be needed to obtain approval for the proposed use.

If yes, and if the Department determines that proposed groundwater use has the potential for substantial interference with nearby surface waters:

- I understand that the permit, if issued, will not allow use during the time period April 15 to September 30, except as provided in OAR 690-033-0140.
- I understand that the Department of Environmental Quality will review my application to determine if the proposed use complies with existing state and federal water quality standards.
- I understand that I will install and maintain water use measurement and recording devices as required by the Water Resources Department, and comply with recording and reporting permit condition requirements.

Lower Columbia - OAR 690-033-0220 thru -0230

Is the well or proposed well located in an area where the Lower Columbia rules apply?

Yes No

If yes, and the proposed groundwater use is determined to have the potential for substantial interference with nearby surface waters you are notified that the Water Resources Department will determine, by reviewing recovery plans, the Columbia River Basin Fish and Wildlife Program, and regional restoration programs applicable to threatened or endangered fish species, in coordination with state and federal agencies, as

appropriate, whether the proposed use is detrimental to the protection or recovery of a threatened or endangered fish species and whether the use can be conditioned or mitigated to avoid the detriment.

If a permit is issued, it will likely contain conditions to ensure the water use complies with existing state and federal water quality standards; and water use measurement, recording and reporting required by the Water Resources Department. The application may be denied, or if appropriate, mitigation for impacts may be needed to obtain approval of the proposed use.

If yes, you will be required to provide the following information, if applicable.

Yes No The proposed use is for more than **one** cubic foot per second (448.8 gpm) and is not subject to the requirements of OAR 690, Division 86 (Water Management and Conservation Plans).

If yes, provide a description of the measures to be taken to assure reasonably efficient water use:

Statewide - OAR 690-033-0330 thru -0340

RECEIVED

Is the well or proposed well located in an area where the Statewide rules apply?

MAR 28 2019

Yes No

OWRD

If yes, and the proposed groundwater use is determined to have the potential for substantial interference with nearby surface waters you are notified that the Water Resources Department will determine whether the proposed use will occur in an area where endangered, threatened or sensitive fish species are located. If so, the Water Resources Department, Department of Fish and Wildlife, Department of Environmental Quality, and the Department of Agriculture will recommend conditions required to achieve “no loss of essential habitat of threatened and endangered (T&E) fish species,” or “no net loss of essential habitat of sensitive (S) fish species.” If conditions cannot be identified that meet the standards of no loss of essential T E fish habitat or no net loss of essential S fish habitat, the agencies will recommend denial of the application unless they conclude that the proposed use would not harm the species.

SECTION 5: WATER USE

USE	PERIOD OF USE	ANNUAL VOLUME (ACRE-FEET)
Irrigation	Year Round	80AF Per Email *Cur

For irrigation use only:

Please indicate the number of primary and supplemental acres to be irrigated (*must match map*).

Primary: _____ Acres Supplemental: _____ Acres

If you listed supplemental acres, list the Permit or Certificate number of the underlying primary water right(s):

Indicate the maximum total number of acre-feet you expect to use in an irrigation season: _____

- If the use is **municipal or quasi-municipal**, attach **Form M**
- If the use is **domestic**, indicate the number of households: _____ (**Exempt Uses:** Please note that 15,000 gallons per day for single or group **domestic** purposes and 5,000 gallons per day for a single **industrial or commercial** purpose are exempt from permitting requirements.)

- If the use is **mining**, describe what is being mined and the method(s) of extraction (*attach additional sheets if necessary*): _____

SECTION 6: WATER MANAGEMENT

RECEIVED
MAR 28 2019
OWRD

A. Diversion and Conveyance

What equipment will you use to pump water from your well(s)?

- Pump (give horsepower and type): unknown
- Other means (describe): _____

Provide a description of the proposed means of diversion, construction, and operation of the diversion works and conveyance of water. _____

B. Application Method

What equipment and method of application will be used? (e.g., drip, wheel line, high-pressure sprinkler) (*attach additional sheets if necessary*)

drip

C. Conservation

Please describe why the amount of water requested is needed and measures you propose to: prevent waste; measure the amount of water diverted; prevent damage to aquatic life and riparian habitat; prevent the discharge of contaminated water to a surface stream; prevent adverse impact to public uses of affected surface waters (*attach additional sheets if necessary*).

SECTION 7: PROJECT SCHEDULE

- a) Date construction will begin: Already exists
- b) Date construction will be completed: Already exists
- c) Date beneficial water use will begin: when permitted

SECTION 8: RESOURCE PROTECTION

In granting permission to use water the state encourages, and in some instances requires, careful control of activities that may affect adjacent waterway or streamside area. See instruction guide for a list of possible permit requirements from other agencies. Please indicate any of the practices you plan to undertake to protect water resources.

- Water quality will be protected by preventing erosion and run-off of waste or chemical products.
 Describe: NO run off - DRIP IRRIGATION
- Excavation or clearing of banks will be kept to a minimum to protect riparian or streamside areas.
Note: If disturbed area is greater than one acre, applicant should contact the Oregon Department of Environmental Quality to determine if a 1200C permit is required.
 Describe planned actions and additional permits required for project implementation: NO bank
- Other state and federal permits or contracts required and to be obtained, if a water right permit is granted:
 List: None

SECTION 9: WITHIN A DISTRICT

Check here if the point of appropriation (POA) or place of use (POU) are located within or served by an irrigation or other water district.

Irrigation District Name <i>Junction City Water Control Dist</i>	Address	
City <i>Junction City</i>	State	Zip <i>97448</i>

SECTION 10: REMARKS

Use this space to clarify any information you have provided in the application (*attach additional sheets if necessary*).

RECEIVED

MAR 28 2019

OWRD

RECEIVED

Date Received:

MAR 07 2019

LAND MANAGEMENT DIVISION



TYPE I APPLICATION
Land Use Compatibility Statement

PUBLIC WORKS DEPARTMENT 3050 N. DELTA HWY, EUGENE OR 97401 Planning: 682-3577

For Office Use Only: FILE # 509-PA19-05148 FEE: \$130.00

Applicant (print name): Bruce J. Anderson
Mailing address: 94705 Oakley Dr Junction City, OR 97448
Phone: 541-912-2940 Email: eugene1iv@AOL.com
Applicant Signature: Bruce J. Anderson

PROPERTY LOCATION

15-04-30-00-02901
Township Range Section Taxlot Subdivision/partition lot/parcel block
94705 Oakley Dr. Junction City, Ore. 97448
Site address

The Land Use Compatibility Statement (LUCS) is the form used when a customer needs a written response from the Planning Program, including State permit sign-offs. It is intended to assist customers who have a question that can not be answered in 10 minutes by the Planner at the front desk.

In the space below, write the question/request you have for the Planner. Attach additional pages if necessary.

water right for 2 wells at above address to
IRRIGATE crops.

RECEIVED

MAR 28 2019

OWRD

RECEIVED

MAR 26 2019

OWRD

Version 08/2018

Land Use Information Form



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

Applicant: Bruce Anderson
First Last

Mailing Address: 94705 Oklea Dr

Junction City OR 97448 Daytime Phone: 541-912-2940
City State Zip

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
15S	4W	30	NESW	2900	E-30	<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	irrigation
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Lane County, Junction City

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water
 Water Right Transfer
 Permit Amendment or Ground Water Registration Modification
 Limited Water Use License
 Allocation of Conserved Water
 Exchange of Water

Source of water: Reservoir/Pond
 Ground Water
 Surface Water (name) _____

Estimated quantity of water needed: 35 cubic feet per second
 gallons per minute
 acre-feet

Intended use of water: Irrigation
 Commercial
 Industrial
 Domestic for _____ household(s)
 Municipal
 Quasi-Municipal
 Instream
 Other _____

Briefly describe:

We will be developing conservation measures on a 21.6 acre portion of the place of use for certificate 40768. We are proposing to allocate 25% of the conserved water to remain in the aquifer and to use the remaining 75% of the conserved water for irrigation purposes on 28.4 acres of our property. The property will be irrigated for purposes of growing hemp and grass seed.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

RECEIVED

MAR 28 2019

OWRD

See bottom of Page 3. →

RECEIVED

MAR 26 2019

OWRD

RECEIVED

MAR 28 2019

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): LC 16.212(3) 1.1 Farm Use

Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
NA		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

proposed use of water is for irrigation; Farm use is permitted outright by LC 16.212(3)1.1

Name: Rachel Serslev Title: Planner
Signature: [Signature] Phone: 541-682-6903 Date: 3/7/2019
Government Entity: Lane County

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
City or County: _____ Staff contact: _____
Signature: _____ Phone: _____ Date: _____

RECEIVED

MAR 26 2019

OWRD

WR / FS

Application No. 6-13131
 Permit No.

Our No. 100823-D

RECEIVED

EXHIBIT "A"

SEP 24 1992

PARCEL I:

WATER RESOURCES DEPT.
SALEM, OREGON

Beginning at the West one-quarter corner of Section 30, Township 15 South, Range 4 West of the Willamette Meridian; thence South 89° 45' East 1513.07 feet along the East-West one-quarter Section line through said Section 30 to a railroad spike set in the centerline of Oaklea Drive (formerly the Old Pacific Highway) marking the True Point of Beginning; thence South 6° 30' 15" East, 949.69 feet along said centerline to a point marked by a railroad spike; thence South 89° 45' East, 925.09 feet along a line parallel with the East-West one-quarter line through said Section 30 to a point marked by an iron pin; thence South 0° 15' West, 400.00 feet to a point marked by an iron pin; thence North 89° 45' West, 877.72 feet along a line parallel with the East-West one-quarter line through said Section 30 to a railroad spike set in the centerline of said Oaklea Drive; thence South 6° 30' 15" East, 1306 feet, more or less, to a point on a line bearing North 89° 45' West, from the Southeast corner of the Southwest one-quarter of said Section 30; thence South 89° 45' East, 960.5 feet, more or less, to the Southeast corner of the Southwest one-quarter of said Section 30; thence North 0° 15' East, 2640 feet, more or less, to a point on said East-West one-quarter line through said Section 30; thence North 89° 45' West, 1273.14 feet to the true point of beginning, in Lane County, Oregon.

EXCEPT THEREFROM: Beginning at the West one-quarter corner of Section 30, Township 15 South, Range 4 West of the Willamette Meridian; thence South 89° 45' East 1513.07 feet along the East-West one-quarter Section line through said Section 30 to a railroad spike set in the centerline of Oaklea Drive (formerly the Old Pacific Highway) marking the TRUE POINT OF BEGINNING; thence South 89° 45' East 565.75 feet continuing along said one-quarter line to a point marked by an iron pin; thence South 0° 15' West 190.00 feet to a point marked by an iron pin; thence North 89° 45' West 543.25 feet along a line parallel with the East-West one-quarter line through said Section 30 to a point on the centerline of said Oaklea Drive; thence North 6° 30' 15" West 191.33 feet along said centerline to the true point of beginning, in Lane County, Oregon.

PARCEL II:

Beginning at an iron pin marking the West one-quarter corner of Section 30, Township 15 South, Range 4 West of the Willamette Meridian; thence South 89° 45' East 1513.07 feet along the East-West one-quarter Section line through said Section 30 to a railroad spike set in the centerline of Oaklea Drive (formerly the Old Pacific Highway); thence South 6° 30' 15" East 949.69 feet along said centerline to a railroad spike marking the TRUE POINT OF BEGINNING; thence South 89° 45' East 925.09 feet along a line parallel with the East-West one-quarter line through said Section 30 to a point marked by an iron pin; thence South 0° 15' West 400.00 feet to a point marked by an iron pin; thence North 89° 45' West 877.72 feet along a line parallel with the East-West one-quarter line through said Section 30 to a railroad spike set in the centerline of said Oaklea Drive; thence North 6° 30' 15" West 402.80 feet along the centerline of Oaklea Drive to the true point of beginning, in Lane County, Oregon.

RECEIVED

MAR 28 2019

OWRD

A-18811

STATE OF OREGON

COUNTY OF LANE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

RECEIVED

MAR 28 2019

OWRD

THIS PERMIT IS HEREBY ISSUED TO

MICHAEL OR ANDREA KIRKPATRICK
94705 OAKLEA DRIVE
JUNCTION CITY, OREGON 97448

(541)998-1883

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: G-13131

SOURCE OF WATER: TWO WELLS WITHIN THE WILLAMETTE RIVER BASIN

PURPOSE OR USE: IRRIGATION OF 32.0 ACRES AND SUPPLEMENTAL IRRIGATION OF 2.0 ACRES

RATE OF USE: 0.425 CUBIC FOOT PER SECOND (CFS), BEING 0.025 CFS FROM WELL #1 AND 0.4 CFS FROM WELL #2

PERIOD OF ALLOWED USE: MARCH 1 THROUGH JUNE 30, AND SEPTEMBER 1 THROUGH OCTOBER 31

DATE OF PRIORITY: September 24, 1992

POINT OF DIVERSION LOCATION: NE 1/4 SW 1/4, SE 1/4 SW 1/4, SECTION 30 T15S, R4W, W.M.; WELL #1 - 410 FEET SOUTH & 790 FEET WEST; WELL #2 - 2200 FEET SOUTH & 20 FEET WEST, BOTH FROM THE C 1/4 CORNER OF SECTION 30

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
NE 1/4 SW 1/4	3.7 ACRES	2.0 ACRES
SE 1/4 SW 1/4	28.3 ACRES	
SECTION 30		
TOWNSHIP 15 SOUTH, RANGE 4 WEST, W.M.		

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.

Application G-13131 Water Resources Department

PERMIT G-12848

Cancel 58 pg 255

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

RECEIVED

MAR 28 2019

OWRD

Limited Water Level Decline/Interference Condition

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of **March**. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place

Initial and Annual Measurements

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

After Use of Water has Begun

Seven Consecutive Annual Measurements

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
 (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and

Application G-13131 Water Resources Department

PERMIT G-12848

A-18811

MAR 28 2019

OWRD

PAGE 3

- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if annual water level measurements reveal any of the following events:

- (A) An average water level decline of 3 or more feet per year for five consecutive years; or
- (B) A water level decline of 15 or more feet in fewer than five consecutive years; or
- (C) A water level decline of 25 or more feet; or
- (D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the annual water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

This right is limited to any deficiency in the available supply of any prior right existing for the same land.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction of the well shall begin within one year from permit issuance, and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued October 10, 1996



Martha O. Pagan, Director
Water Resources Department

RECEIVED

MAR 28 2019

OWRD

Application G-13131 Water Resources Department
Basin 02 Volume 24 Willamette River S 1/2 & Misc.

PERMIT G-12848
District 02

G-18811