

RECEIVED

MAY 13 2019



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.wrd.state.or.us

OWRD

RECEIVED

MAR 18 2019

OWRD

Application for a Permit to Store Water in a Reservoir (Alternate Review)

Alternate Review Process (ORS 537.409): You may use this form for any reservoir storing less than 9.2 acre-feet or with a dam less than 10 feet high.

Use a separate form for each reservoir

Please type or print in dark ink. If your application is found to be incomplete or inaccurate, we will return it to you. If any requested information does not apply, insert "n/a". A summary of review criteria and procedures that are generally applicable to these applications is available at www.wrd.state.or.us/OWRD/PUBS/forms.shtml.

1. APPLICANT INFORMATION

Applicant: David and Barbara Brazelton
Mailing Address: PO BOX 156
Walterville OR 97489
Phone: (541) 954-5283
Fax: E-Mail Address*: daveb@fallcreeknursery.com

* By providing an e-mail address, consent is given to receive all correspondence from the department electronically. (paper copies of the final order documents will also be mailed.)

2. AGENT INFORMATION

The agent is authorized to represent the applicant in all matters relating to this application.

Agent:
Mailing Address:
Phone:
Fax: E-Mail Address*:
* By providing an e-mail address, consent is given to receive all correspondence from the department electronically. (paper copies of the final order documents will also be mailed.)

3. LOCATION AND SOURCE

A. Reservoir Name: Grandkids Pond

B. Source: Provide the name of the water body or other source from which water will be diverted, and the name of the stream or lake it flows into. Indicate if source is run-off, seepage, or an unnamed stream or spring. Source: Run Off, Spring, Mckenzie R. Tributary to: Mckenzie R. and Willamette R.

C. County in which diversion occurs: Lane Co.

App. No. R-88743 For Department Use Permit No. Date

D. Reservoir Location

Township (N or S)	Range (E or W)	Section	quarter/quarter	tax lot number
17S	1W	22	SE SE	800

E. Dam: Maximum height of dam: 0 feet. If excavated, write "zero feet".

F. Quantity: Amount of water to be stored in the reservoir at maximum capacity. List volume in acre-feet: 2.05 AF Acre-feet = (Average Length)(Average Width)(Average Depth)
43,560

Is this project fully or partially funded by the American Recovery and Reinvestment Act? (Federal stimulus dollars) Yes No

4. WATER USE

Indicate the proposed use(s) of the stored water. **NOTE: You may wish to consider filing for "Multipurpose use" for your reservoir. Multipurpose use does not limit the types of future uses for the stored water. Multipurpose covers all uses including: stockwater, fish and wildlife, aesthetics, domestic, irrigation, agriculture, fire protection and pollution abatement.** If any use will be out of reservoir use, regardless of the type of storage listed, a secondary application must be filed to appropriate the stored water.

Multipurpose

RECEIVED

MAR 18 2019

OWRD

5. PROPERTY OWNERSHIP

RECEIVED

MAY 13 2019

Please provide a copy of the recorded deed(s).

Do you own all the land where you propose to divert, transport, and use water?

Yes (please check appropriate box below then skip to section 5)

There are no encumbrances

This land is encumbered by easements, right of way, roads of way, roads or other encumbrances

No (Please check the appropriate box below)

I have a recorded easement or written authorization permitting access.

I do not currently have written authorization or easement permitting access.

Written authorization or an easement is not necessary, because the only affected lands I do not own are state-owned submersible lands, and this application is for irrigated and/or domestic use only (ORS 274.040).

(Do not check this box if you described your use as "Multipurpose" in #3 above.)

List the names and mailing addresses of all affected landowners:

Note: Authorization conditionally approved by
EWER. See email from engineer.
EWER
PO Box 10148
Eugene OR 97404

RECEIVED

MAR 18 2019

David Brazelton

OWRD

To: Dave Brazelton
Subject: FW: Conditional Approval for Water Withdrawal

RECEIVED

MAY 13 2019

From: MCCANN Mike <Mike.MCCANN@eweb.org>

Sent: Tuesday, March 5, 2019 1:42 PM

To: David Brazelton <DaveB@fallcreeknursery.com>

Cc: ZINNIKER Mark <Mark.ZINNIKER@eweb.org>; WILSON Cheri <Cheri.WILSON@eweb.org>; MCLAUGHLIN Lisa <Lisa.MCLAUGHLIN@eweb.org>

Subject: RE: Conditional Approval for Water Withdrawal

OWRD

Dave,

EWEB conditionally approves the 4-inch irrigation withdrawal located at Station 62-00 on EWEB's WALTERVILLE Canal. Once a water right application has been submitted to the Oregon Water Resources Department, all conditions will have been met for you to begin water withdrawal from the canal. Please note that there are fish in the canal and EWEB does not monitor, evaluate or approve fish screens or screening devices on irrigation withdrawals.

Michael J. McCann, P.E.
Electric Generation Manager
Eugene Water & Electric Board
(541) 685-7379
(541) 579-4288 (C)

This email contains information from Fall Creek Farm and Nursery, Inc. which may be privileged or confidential. The information contained in this email is intended only for the recipients named above. Any unauthorized use, disclosure, copying, or distribution of the contents of this message is prohibited. If you receive this transmission in error, please notify the sender. Thank you. Fall Creek Farm & Nursery, Inc. www.fallcreeknursery.com

On Mar 1, 2019, at 11:53 AM, WILSON Cheri <Cheri.WILSON@eweb.org> wrote:

Mike,

As Generation Engineering Manager could you send an email to Dave Brazelton stating that EWEB conditionally approves the irrigation withdrawal located at STA 62+00 on the WALTERVILLE Canal. This conditional approval will state that once a water right application has been formally submitted to the State of Oregon, all conditions have been met for Mr. Brazelton to withdraw water from the WALTERVILLE Canal.

It appears, from visual inspection, that the irrigation intake located at approximately STA 62+00 meets EWEBs engineering standards. There is a small fish screen on the intake with a manual primer on the downstream side. The 6-inch pvc pipe is buried approximately 12-inches below the canal crest with the exposed pipe on the up and downstream locations clearly marked with t-posts for EWEB vegetation maintenance crews.

The intake was installed by the previous owner, prior to Mr. Brazelton purchasing the property approximately 12 years ago however a water right was never formally procured for a pond. Mr. Brazelton would like to keep a small population of trout, not for fish culture but for entertainment for his grandchildren.

Mr. Brazelton understands the point of diversion is the McKenzie River at the head gate of the Walterville Canal and is required to be labeled as such is his water right. The point of use may be label as near the STA 62+00 on the Walterville Canal. Further, Mr. Brazelton understands EWEB makes no guarantee of continuity of water supply and the canal may be de-watered at any time deemed necessary for the safe operations of the hydro facility.

I've provided Mr. Brazelton a copy of the Water User Agreement and explained this agreement will need to be executed once the water right has been acquired.

Please let me know if you need additional details to grant conditional authorization.

Thank you,
Cheri

Cheri A. Wilson
Generation Engineering
Eugene Water & Electric Board
PO Box 10148, Eugene, OR 97404
O: (541) 685-7458; C:(541) 221-9206

RECEIVED

MAR 18 2019

OWRD

RECEIVED

MAY 13 2019

OWRD

This email has been scanned for spam and viruses by Proofpoint Essentials. Click [here](#) to report this email as spam.

This email has been scanned for spam and viruses by Proofpoint Essentials. Click [here](#) to report this email as spam.

6. ENVIRONMENTAL IMPACT

- A. Channel:** Is the reservoir: in-stream or off channel?
- B. Wetland:** Is the project in a wetland? Yes No Don't know
- C. Existing:** Is this an existing reservoir? Yes No
If yes, how long has it been in place? 22 years.
- D. Fish Habitat:** Is there fish habitat upstream of the proposed structure? Yes No Don't know
If yes, how much? _____ miles.
- E. Partnerships:** Have you been working with other agencies? Yes No
Indicate agency, staff and phone numbers of those involved. Also indicate any agencies that are cost sharing in this project.

RECEIVED
MAR 18 2019
OWRD

7. WITHIN A DISTRICT

Check here if the point of diversion or place of use are located within or served by an irrigation or other water district.

Irrigation District Name	Address	
City	State	Zip

8. DESCRIPTION

Provide a description of the design and operation of the proposed diversion, including a description of how live flow will be passed outside the authorized storage season. Use this space for narrative. You may also provide narrative and sketches on separate pages.

Pond is filled by a natural spring and run off. Water is gravity fed from the Walterville Canal to the Pond. The point of diversion is at the Walterville Canal intake on the Mckenzie River, at T.17S. R.1W. Sec 23, NE SE, Tax Lot 1300.

RECEIVED
MAY 13 2019
OWRD

If the diversion involves a dam, use this space for sketches of the diversion (e.g. cross-section of the dam with its dimensions, dimension and placement of outlet pipe, means of passing live flow outside of the authorized storage season, and means for providing fish passage).

Excavated hole, no dam.

RECEIVED

MAY 13 2019

OWRD

9. SIGNATURE

I swear that all statements made and information provided in this application are true and correct to the best of my knowledge.

[Handwritten Signature]
Applicant Signature

March 12, 2019
Date

Before you submit your application be sure you have:

- Answered each question completely.
- Included a legible map that includes Township, Range, Section, quarter-quarter and tax lot number.
- The map must meet map requirements to be accepted.
- Included a land use form or receipt stub signed by a local planning official.
- Included a check payable to Oregon Water Resources Department for the appropriate amount.

WATERMASTER ALTERNATE RESERVOIR APPLICATION REVIEW SHEET

Recommendations for Water Right Applications under the Alternate Reservoir review process (ORS 537.409)

In lieu of the water right application process set forth in ORS 537.140 to 537.211, an owner of a reservoir may submit an alternate reservoir application for a reservoir that has a storage capacity less than 9.2 acre-feet or a dam or impoundment structure less than 10 feet in height. ORS 537.409 describes the criteria used to evaluate alternate reservoir applications.

The review shall be limited to issues pertaining to: a) water availability, b) potential detrimental impact to existing fishery resources; and c) potential injury to existing water rights. (ORS 537.409 (6))

Within 60 days after the department provides public notice...any person may submit detailed, legally obtained information in writing, requesting the department to deny the application for a permit on the basis that the reservoir: (a) Would result in injury to an existing water right; or (b) Would pose a significant detrimental impact to existing fishery resources. (ORS 537.409 (5))

The review of alternate reservoirs is limited to these criteria only.

RECEIVED

MAY 13 2019

OWRD

Application #: R- Applicant's Name: Dave and Barbra Brazelton

1) Does the proposed reservoir have the potential to injure existing water rights? NO YES

Explain:

2) Can conditions be applied to mitigate the potential injury to existing water rights? NO YES

If YES, which conditions are recommended:

3) Did you meet with staff from another agency to discuss this application? NO YES

Who: Agency: Date:

Who: Agency: Date:

Watermaster signature: *Lanaya Blakely* Date: 2/6/2019

WRD Contact: Caseworker: Water Rights Division, 503-986-0900 / Fax 503-986-0901

NOTE: This completed form must be returned to the applicant

ODFW Alternate Reservoir Application Review Sheet

MAR 18 2019

OWRD

This portion to be completed by the applicant.

Applicant Name/Address/Phone/Email: David and Barbara Brazelton

205 *[Signature]*

Reservoir Name: Grandkids Pond Source: Run off, Spring, Mckenzie R. Volume (AF): 2.5 AF

Twp Rng Sec QQ: 17S. 1W. Sec 22, SE SE Basin Name: McKenzie River in-channel off-channel

Note: It is unlikely that ODFW will be able to complete this form while you wait, nevertheless we recommend making an appointment to submit the form so as to provide any necessary clarifications. See pg. 6 of Instructions for contact information.

This portion to be completed by Oregon Department of Fish and Wildlife (ODFW) District staff.

- 1) Is the proposed project and AO¹ off channel? YES NO
(if yes then proceed to #4; if no then proceed to #2)
- 2) Is the proposed project or AO located where NMF² are or were historically present?..... YES NO
(if yes then proceed to #3; if no then proceed to #4)
- 3) If NMF are or were historically present:
 - a. Is there an ODFW-approved fish-passage plan?..... YES NO
 - b. Is there an ODFW-approved fish-passage waiver or exemption?..... YES NO

If fish passage is required under ORS 509.580 through .910, then either 3(a) or 3(b) must be "Yes" to move forward with the application. If responses to 3(a) and 3(b) are "No", then the proposed reservoir does not meet the requirements of Oregon Fish Passage Law and shall not be constructed as proposed.

- 4) Would the proposed project pose any other significant detrimental impact to an existing fishery resource locally or downstream?..... YES NO
Explain below (for example, list STE species or other existing fishery resources that would be impacted negatively.)

- Any diversion or appropriation of water for storage during the period _____ through _____ poses a significant detrimental impact to existing fishery resources. *(For example, if diversion of water for storage during a certain time period would cause a significant detrimental impact to an existing fishery resource, then ODFW should recommend conditions or limitations.)* If NMF fish are present at the project site or point of water diversion then the applicant should be advised that a fish screen consistent with screening criteria will be required.
- This proposed pond or reservoir contemplates impounding water in the Columbia Basin above Bonneville Dam. ODFW has determined that additional diversions of water in this area pose a significant detrimental impact to existing fishery resources during the period April 15 through September 30.

RECEIVED

MAY 13 2019

OWRD

¹ AO = Artificial Obstruction means any dam, diversion, culvert or other human-made device placed in waters of this state that precludes or prevents the migration of native migratory fish. ORS 509.580 (1)

² NMF = Native Migratory Fish Species in Oregon as defined by OAR 635 - 412 - 0005 (32)

R-88743

Permittee has initiated alternate reservoir permit process and plans to have triplod trout for the grandkids to fish. Suggest screening the pond side of the 4" inflow pipe as an added security measure. Everything looks acceptable from ODFW perspective.

RECEIVED

MAR 18 2019

OWRD

If YES, can conditions be applied to mitigate the significant detrimental impact to an existing fishery resource?

NO (explain)

YES (select from Menu of Conditions on next page)

ODFW Signature:

Jeremy D. Romea

Print Name:

Jeremy D. Romea

ODFW Title:

Asst. Dist. Fish Biologist

Date:

2/7/19

NOTE: This completed form must be returned to the applicant.

Revised 10/4/12

RECEIVED

MAY 13 2019

OWRD

R-88763

Use this menu to identify appropriate conditions to be included in the permit, and indicate the abbreviations on the review form:

OWRD

fishpass: As required by ORS 509.585, a person owning or operating an artificial obstruction (AO) may not construct or maintain any AO across any waters of this state that are inhabited, or historically inhabited, by native migratory fish (NMF) without providing passage for NMF. A person owning or operating an AO shall, prior to construction, fundamental change in permit status or abandonment of the AO in any waters of this state, obtain a determination from ODFW as to whether NMF are or historically have been present in the waters. If ODFW determines that NMF are or historically have been present in the waters, the person owning or operating the AO shall either submit a proposal for fish passage to ODFW or apply for a waiver or exemption. Approval of the proposed fish-passage facility, waiver, or exemption must be obtained from the department prior to construction, permit modification or abandonment of the AO. Approved fish-passage plans, waivers, and exemptions shall maintain adequate passage of NMF at all times (ORS 509.601) as per the approved plan, waiver or exemption.

fishself: The permittee shall install, maintain, and operate fish screening and by-pass devices consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion while by-pass devices provide adequate upstream and downstream passage for fish. The required screen and by-pass devices are to be in place and functional prior to diversion of any water. Permittee shall obtain written approval from ODFW that the installation of the required screen and by-pass devices meets the state's criteria or the permittee shall submit documentation that ODFW has determined screens and/or by-pass devices are not necessary.

fishapprove: The permittee shall install, maintain, and operate fish screening and by-pass devices consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion while by-pass devices provide adequate upstream and downstream passage for fish. The required screen and by-pass devices are to be in place and functional, and approved in writing by ODFW prior to diversion of any water. The permittee may submit evidence in writing that ODFW has determined screens and/or by-pass devices are not necessary.

fishdiv33: If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of the source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

The permittee shall install, maintain, and operate fish screening and by-pass devices consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion while by-pass devices provide adequate upstream and downstream passage for fish. The required screen and by-pass devices are to be in place and functional, and approved in writing by ODFW prior to diversion of any water. The permittee may submit evidence in writing that ODFW has determined screens and/or by-pass devices are not necessary.

fishmay: Notwithstanding that ODFW has made a determination that fish screens and/or by-pass devices are not necessary at the time of permit issuance, the permittee may be required in the future to install, maintain, and operate fish screening and by-pass devices to prevent fish from entering the proposed diversion and to provide adequate upstream and downstream passage for fish.

b52 Water may be diverted only when Department of Environmental Quality sediment standards are being met.

b5 The water user shall install and maintain adequate treatment facilities meeting current DEQ requirements to remove sediment before returning the water to the stream.

b51a The period of use has been limited to _____ through _____.

b57 Before water use may begin under this permit, a totalizing flow meter must be installed at each diversion point.

b58 Before water use may begin under this permit, a staff gage that measures the entire range and stage between full reservoir level and dead-pool storage must be installed in the reservoir. The staff gage shall be United States Geological Survey style porcelain enamel iron staff gage style A, C, E or I.

futile call: The use of water allowed herein may be made only at times when waters from the (NAME OF SURFACE WATER) would not otherwise flow into a tributary of the _____ River or sufficient water is available to satisfy all prior rights, including rights for maintaining instream flows.

riparian: If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

wq: The use may be restricted if the quality of the source stream or downstream waters decrease to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

fence: The stream and its adjacent riparian area shall be fenced to exclude livestock.

blv: Water must be diverted to a trough or tank through an enclosed water delivery system. The delivery system must be equipped with an automatic shutoff or limiting flow control mechanism or include a means for returning water to the stream source through an enclosed delivery system. The use of water shall not exceed 0.10 cubic feet per second per 1000 head of livestock.

Land Use Information Form

RECEIVED

MAY 13 2019

OWRD



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED

MAR 18 2019

OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and **all** of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form

RECEIVED

MAR 18 2019

OWRD



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

RECEIVED

Applicant: _____
First Last

MAY 13 2019

Mailing Address: _____

OWRD

City State Zip Daytime Phone: _____

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:	Proposed Land Use:
						<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water
 Water Right Transfer
 Permit Amendment or Ground Water Registration Modification
 Limited Water Use License
 Allocation of Conserved Water
 Exchange of Water

Source of water: Reservoir/Pond Ground Water Surface Water (name) _____

Estimated quantity of water needed: _____ cubic feet per second gallons per minute acre-feet

Intended use of water: Irrigation Commercial Industrial Domestic for _____ household(s)
 Municipal Quasi-Municipal Instream Other _____

Briefly describe:

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

Land Use Information Form



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

RECEIVED

MAR 18 2019

OWRD

Applicant: David and Barbara
First

Brazelton
Last

Mailing Address: PO BOX 156

Walterville
City

OR 97489
State Zip

Daytime Phone: (541) 954-5283

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
17S	1W	22	SE SE	800		<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	Fish Pond
17S	1W	23	NE SE	1300		<input checked="" type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Lane County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water
 Water Right Transfer
 Permit Amendment or Ground Water Registration Modification
 Limited Water Use License
 Allocation of Conserved Water
 Exchange of Water

Source of water: Reservoir/Pond
 Ground Water
 Surface Water (name) Run off, Spring, Mckenzie R.

Estimated quantity of water needed: 2.05
 cubic feet per second
 gallons per minute
 acre-feet

Intended use of water: Irrigation
 Commercial
 Industrial
 Domestic for _____ household(s)
 Municipal
 Quasi-Municipal
 Instream
 Other Multipurpose

Briefly describe:

Permit to store water in an existing pond.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

For Local Government Use Only

RECEIVED

MAR 18 2019

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): LC 16.212(3)(a) and LC 16.090 Farm Use Definition
- Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Use is permitted by LC 16.212(3)(a) and 16.090 Farm Use Definition (3). Applicant has received necessary sign off from ODFW

RECEIVED

MAY 13 2019

OWRD

Name: Rachel Senslev Title: Planner
 Signature: [Signature] Phone: 541-682-6903 Date: 2/13/19
 Government Entity: Lane County

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.



Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____

RECEIVED

Preliminary Report

Order No.: 7191-1285758

MAY 13 2019

Page 7 of 7

OWRD

Exhibit "A"

Real property in the County of Lane, State of Oregon, described as follows:

BEGINNING AT A POINT REFERENCED BY A 5/8 INCH IRON ROD SET ON THE SOUTH MARGIN OF THE EUGENE WATER AND ELECTRIC BOARD (E.W.E.B.) POWER CANAL, SAID POINT BEING NORTH 00° 30' 00" EAST 210.38 FEET FROM A 2-INCH IRON PIPE SET IN COUNTY SURVEY FILE NO. 16545 TO MARK THE SOUTHEAST CORNER OF THE JOHN LATTA DONATION LAND CLAIM NO. 42 IN TOWNSHIP 17 SOUTH, RANGE 1 WEST OF THE WILLAMETTE MERIDIAN; THENCE ALONG THE SOUTH MARGIN OF SAID E.W.E.B. POWER CANAL THE FOLLOWING COURSES AND DISTANCES: SOUTH 00° 20' 59" EAST 10.14 FEET, SOUTH 70° 00' 53" WEST 149.03 FEET AND SOUTH 43° 53' 55" WEST 209.93 FEET TO THE TRUE POINT OF BEGINNING; THENCE CONTINUING ALONG THE SOUTH MARGIN OF SAID E.W.E.B. POWER CANAL SOUTH 81° 37' 07" WEST 808.74 FEET AND NORTH 78° 12' 44" WEST 310.61 FEET; THENCE LEAVING SAID SOUTH MARGIN AND RUNNING SOUTH 1° 03' 30" WEST 646.16 FEET; THENCE SOUTH 88° 56' 30" EAST 175.43 FEET; THENCE NORTH 1° 03' 30" EAST 52.00 FEET; THENCE SOUTH 88° 56' 30" EAST 174.53 FEET; THENCE SOUTH 1° 03' 30" WEST 52.60 FEET; THENCE EAST 998.43 FEET; THENCE SOUTH 43° 30' 00" EAST 894.31 FEET TO A POINT ON THE RIGHT BANK OF THE MCKENZIE RIVER; THENCE UPSTREAM ALONG THE RIGHT BANK OF THE MCKENZIE RIVER THE FOLLOWING COURSES AND DISTANCES: NORTH 51° 15' 35" EAST 182.33 FEET, NORTH 54° 12' 19" EAST 118.68 FEET AND NORTH 59° 00' 22" EAST 139.41 FEET; THENCE LEAVING SAID RIGHT BANK AND RUNNING NORTH 34° 56' 18" WEST 1144.26 FEET; THENCE WEST 604.70 FEET; THENCE NORTH 106.80 FEET TO THE TRUE POINT OF BEGINNING, ALL IN LANE COUNTY, OREGON.

ALSO: BEGINNING AT A POINT REFERENCED BY A 5/8 INCH IRON ROD SET ON THE SOUTH MARGIN OF THE EUGENE WATER AND ELECTRIC BOARD (E.W.E.B.) POWER CANAL, SAID POINT BEING NORTH 00° 30' 00" EAST 210.38 FEET FROM A 2 1/2 INCH IRON PIPE SET IN COUNTY SURVEY FILE NO. 16545 TO MARK THE SOUTHEAST CORNER OF THE JOHN LATTA DONATION LAND CLAIM NO. 42 IN TOWNSHIP 17 SOUTH, RANGE 1 WEST OF THE WILLAMETTE MERIDIAN; THENCE ALONG THE SOUTH MARGIN OF SAID E.W.E.B. POWER CANAL, THE FOLLOWING COURSES AND DISTANCES: SOUTH 00° 20' 59" EAST 10.14 FEET, SOUTH 70° 00' 53" WEST 149.03 FEET, SOUTH 43° 53' 55" WEST 209.93 FEET, AND SOUTH 81° 37' 07" WEST 763.30 FEET; THENCE LEAVING SAID SOUTH MARGIN AND RUNNING SOUTH 1° 03' 30" WEST 827.76 FEET TO A POINT ON THE NORTH LINE OF THAT CERTAIN TRACT OF LAND DESCRIBED IN A DEED FROM MCNUTT TO LYNN RECORDED OCTOBER 22, 1996, RECEPTION NO. 96-71219, OFFICIAL RECORDS OF LANE COUNTY, OREGON; THENCE ALONG THE NORTH LINE OF SAID TRACT EAST 660.77 FEET; THENCE SOUTH 49° 28' 59" EAST 934.44 FEET TO A POINT ON THE RIGHT BANK OF THE MCKENZIE RIVER; THENCE UPSTREAM ALONG THE RIGHT BANK OF THE MCKENZIE RIVER THE FOLLOWING THREE (3) COURSES AND DISTANCES: NORTH 38° 33' 34" EAST 76.57 FEET; NORTH 52° 13' 54" EAST 68.63 FEET; AND NORTH 54° 27' 10" EAST 50.00 FEET TO THE TRUE POINT OF BEGINNING; THENCE LEAVING THE RIGHT BANK OF THE MCKENZIE RIVER BEARING NORTH 49° 00' 00" WEST 918.96 FEET; THENCE WEST 1167.93 FEET; THENCE NORTH 1° 03' 30" EAST 111.64 FEET; THENCE SOUTH 88° 56' 30" EAST 175.43 FEET; THENCE NORTH 1° 03' 30" EAST 52.00 FEET; THENCE SOUTH 88° 56' 30" EAST 174.53 FEET; THENCE SOUTH 1° 03' 30" WEST 52.60 FEET; THENCE EAST 998.43 FEET; THENCE SOUTH 48° 30' 00" EAST 894.31 FEET TO A POINT ON THE RIGHT BANK OF THE MCKENZIE RIVER; THENCE DOWNSTREAM ALONG THE RIGHT BANK OF THE MCKENZIE RIVER SOUTH 53° 44' 54" WEST 96.58 FEET, AND SOUTH 54° 27' 10" WEST 99.33 FEET TO THE TRUE POINT OF BEGINNING, ALL IN LANE COUNTY, OREGON.

BEARINGS USED HEREON ARE BASED ON C.S.F. NO. 16545 ON FILE IN THE OFFICE OF THE LANE COUNTY SURVEYOR. (THIS LEGAL DESCRIPTION WAS CREATED PRIOR TO JANUARY 01, 2008.)

Tax Parcel Number: 1572013

R-88763



**Oregon Water Resources Department
Alternate Reservoir Application**

- [Main](#)
- [Help](#)
- [Return](#)
- [Contact Us](#)

For impoundments less than 10 feet in height or storing less than 9.2 acre feet of water.

Today's Date: Wednesday, February 6, 2019

Base Application Fee.		\$410.00
Proposed Dam Height in feet.	0	
Proposed Reservoir volume in Acre Feet.	2.05	\$105.00
Permit Recording Fee. ***		\$520.00
*** the Permit Recording Fee is not required when the application is submitted but, must be paid before a permit will be issued. It is fully refundable if a permit is not issued. If the recording fee is not paid prior to issuance of the Final Order, permit issuance will be delayed.	Recalculate	
Estimated cost of Permit Application		\$1,035.00

OWRD Fee Schedule

Fee Calculator Version: B20170117

RECEIVED
MAR 18 2019
OWRD

RECEIVED
MAY 13 2019
OWRD

12-88723



Oregon Water Resources Department
Alternate Reservoir Application

- Main
- Help
- Return
- Contact Us

For impoundments less than 10 feet in height or storing less than 9.2 acre feet of water.

Today's Date: Tuesday, March 19, 2019

Base Application Fee.		\$410.00
Proposed Dam Height in feet.	0	
Proposed Reservoir volume in Acre Feet.	2.05	\$105.00
Permit Recording Fee. ***		\$520.00
*** the Permit Recording Fee is not required when the application is submitted but, must be paid before a permit will be issued. It is fully refundable if a permit is not issued. If the recording fee is not paid prior to issuance of the Final Order, permit issuance will be delayed.		
	Recalculate	
Estimated cost of Permit Application		\$1,035.00

OWRD Fee Schedule

Fee Calculator Version: B20170117

RECEIVED

MAY 13 2019

OWRD

3/19/2019, 11:31 AM



Oregon Water Resources Department
 Alternate Reservoir Application

- [Main](#)
- [Help](#)
- [Return](#)
- [Contact Us](#)

For impoundments less than 10 feet in height or storing less than 9.2 acre feet of water.

Today's Date: Tuesday, May 14, 2019

Base Application Fee.		\$410.00
Proposed Dam Height in feet.	0	
Proposed Reservoir volume in Acre Feet.	2.05	\$105.00
Permit Recording Fee. ***		\$520.00
*** the Permit Recording Fee is not required when the application is submitted but, must be paid before a permit will be issued. It is fully refundable if a permit is not issued. If the recording fee is not paid prior to issuance of the Final Order, permit issuance will be delayed.	Recalculate	
Estimated cost of Permit Application		\$1,035.00

OWRD Fee Schedule

Fee Calculator Version: B20170117

12-88763