

FINDINGS OF FACT

The Department adopts and incorporates by reference the findings of fact in the Proposed Final Order dated April 30, 2019.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the following conditions:

LIMITATIONS AND CONDITIONS

1. **Permit Amendment Condition**

Development of Permit G-15267 is limited to a maximum combined rate of 3.35 cfs of water from Well 1 (KLAM 53940, Well 2, and Well 3, for irrigation of 422.0 acres, and supplemental irrigation of 181.0 acres. No additional rate of water may be developed under Permit G-15267.

2. **Checkpoint Condition**

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2024. A form will be enclosed with your Final Order.**

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.


CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

ORDER

The extension of time for Application G-15690, Permit G-15267, therefore, is approved subject to conditions contained herein. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from October 1, 2017, to October 1, 2026.

DATED: June 28, 2019



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

-
- If you have any questions about statements contained in this document, please contact the Permit Extension Specialist at 503-986-0802.
 - If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900
-

Mailing List for Extension FO Copies

FO Date: June 28, 2019

Copies Mailed

Application: G-15690

By: _____

Permit: G-15267

On: _____

Original mailed to permit holder

John L. McPherson and Jani K. McPherson
13555 Tingley Lane
Klamath Falls, OR 97603

Copies sent to:

1. WRD - App. File G-15690/ Permit G-15267
2. Agents or CWREs representing the Permit Holder

Fee paid as specified under ORS 536.050 to receive copy:

3. None


Receiving notification via e-mail - FO available in WRIS for review
(DONE BY EXTENSION SPECIALIST)

4. WRD - Watermaster District 17, Danette Watson

If Progress Reports are included:
(DONE BY EXTENSION SPECIALIST)

Add record to Progress Report tracking sheet.xls Done: by _____ Date _____

CASEWORKER: JDP



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

**Extension of Time
 Progress Report Form
 For Checkpoints**

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

Permit Holder: John L. McPherson and
 Jani K. McPherson

Application G-15690

Permit G-15267

Progress Report for 2024

Report Due no later than October 1, 2024

DO NOT SUBMIT PRIOR TO 30 DAYS BEFORE DUE DATE

As authorized in ORS 690-315-0050(6), this progress report is required in order to ensure diligence is exercised in the development and perfections of Permit G-15267.

DATES	LIST ALL WORK ACCOMPLISHED and FINANCIAL INVESTMENTS For the period of time between October 3, 2017 and October 1, 2024	FINANCIAL INVESTMENT

Use back of form if needed

2. Describe actions to achieve compliance with conditions of the permit and/or previous extension.
(Examples: installed a meter, submitted water usage reports, submitted static water level measurements, installed a fish screen, obtained approval for fish screen from ODFW etc.)

3. Total number of acres irrigated to date:

Primary Well 1 _____ Well 2 _____ Well 3 _____
 Supplemental Well 1 _____ Well 2 _____ Well 3 _____

4. Provide the maximum rate, of water diverted for beneficial use under this permit, to date.

Maximum rate used to date = _____ cfs
 Maximum Rate per well:

Well 1 _____ Well 2 _____ Well 3 _____

Report the rate in the same units of measurement as specified in the permit, being cfs (cubic feet per second), gpm (gallons per minute) or AF (acre-feet). Do not provide daily, monthly, or annual water volume totals.

**INCOMPLETE REPORTS WILL BE RETURNED. AN ANSWER IS REQUIRED IN EACH ITEM.
 FAILURE TO SUBMIT THIS REPORT WILL MOST LIKELY RESULT IN ANY FUTURE
 EXTENSION BEING DENIED.**

Signature _____ Date _____

Printed Name/Title _____

Diligence Shown Yes No

Date Public Noticed: _____
For OWRD use only

Reviewed by: _____

Date: _____