

RECEIVED

AUG 17 1973

STATE ENGINEER
SALEM, OREGON

RECEIVED

AUG 18 1976

WATER RESOURCES DEPT
SALEM, OREGON

Permit No. G-.....

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, RAYMOND L. + LORETTA R. FROST
(Name of applicant)

of 4001 DEER CREEK ROAD, SELMA, county of JOSEPHINE
(Postoffice Address)

state of OREGON 97538, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated BETWEEN CROOKS CREEK + DEER CREEK UNNAMED STREAM
(Name of stream)
tributary to DEER CR tributary of ILLINOIS RIVER

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 200 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION OF 35 AC

4. The well or other source is located 100 ft. N and 390 ft. E from the SW corner of W.M. T. KELLY D.L.C. 42 SECTION 9
(N. or S.) (E. or W.)
S.W. 1/4 of the S.W. 1/4
(Section or subdivision)

SEE MAP #4 (See Brit purney corner in upper R. corner of map)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SE 1/4 SW 1/4 of Sec. 9, Twp. 38S, R. 7W,
W. M., in the county of JOSEPHINE

5. The to be miles
(Canal or pipe line)
in length, terminating in the of Sec., Twp.,
(Smallest legal subdivision)
R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is DRYDEN LANE SUMP #4

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 SUMP having a
(Give number of wells, tunnels, etc.)
diameter of 25 1/2 inches and an estimated depth of 10 feet. It is estimated that
feet of the well will require casing. Depth to water table is estimated 10
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 7 1/2 OR 10 HORSE CENTRIFUGAL
 Give horsepower and type of motor or engine to be used ELECTRIC

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use DRYDEN LANE

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
38 S	7 W	9	SW 1/4 of the SW 1/4	35 ²⁵ Ac
38 S	7 W	9	NW 1/4 SW 1/4	0.70 Ac
38 S	7 W	9	NE 1/4 SW 1/4	0.30 Ac
38 S	7 W	9	SE 1/4 SW 1/4	5.0 Ac
38 S	7 W	8	SE 1/4 SE 1/4	4.0 Ac
<p><i>Note:</i> Start survey corner at NE corner of enclosed map.</p>				

(If more space required, attach separate sheet)

Character of soil AVERAGE

Kind of crops raised ALFALFA OR PERMANENT PASTURE

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1000 or 1200.
- 15. Construction work will begin on or before SUMP DUG IN 1972
- 16. Construction work will be completed on or before 1973 or 1974
- 17. The water will be completely applied to the proposed use on or before 1974

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Raymond L. Frost
(Signature of applicant)

Remarks:

Scott R. Frost *Engineer*

This sump is not located in a draw or natural drainageway nor was it soggy prior to excavation

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for corrections and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 21, 1977.

WITNESS my hand this 20th day of January, 1977.

RECEIVED
MAR 14 1977
WATER RESOURCES DEPT
SALEM, OREGON

JAMES E. SEXSON
Director

By *Vest R. Garner*
Vestal R. Garner

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from

The use to which this water is to be applied is

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.....

Complete application of the water to the proposed use shall be made on or before October 1, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Superseded

Application No. G-7485

Permit No. G-.....

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of August, 1923, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of

Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 15 page 107

State Printing