Groundwater Application Review Summary Form

Application # 8- 12-1804	
Application # 8- LL-1804 GW Reviewer PhD Marray	Date Review Completed: 10/16/2019
Summary of GW Availability and Injury Review:	
	over appropriated, will not likely be available in the rights, OR will not likely be available within the
Summary of Potential for Substantial Interferen	nce Review:
[] There is the potential for substantial interfere	ence per Section C of the attached review form.
Summary of Well Construction Assessment:	
[] The well does not appear to meet current we review form. Route through Well Construction a	ell construction standards per Section D of the attached and Compliance Section.
This is only a summary. Documentation is attack basis for determinations and for conditions that	hed and should be read thoroughly to understand the may be necessary for a permit (if one is issued).

WATER RESOURCES DEPARTMENT 10/16 ,20 19 **MEMO** Application 6-LL-1804 GW: Plu Mayor (Reviewer's Name) TO: FROM: **SUBJECT: Scenic Waterway Interference Evaluation** YES The source of appropriation is within or above a Scenic Waterway X NO YES Use the Scenic Waterway condition (Condition 7J) X NO Per ORS 390.835, the Groundwater Section is able to calculate ground water interference with surface water that contributes to a Scenic Waterway. The calculated interference is distributed below. Per ORS 390.835, the Groundwater Section is unable to calculate ground water interference with surface water that contributes to a scenic waterway; therefore, the Department is unable to find that there is a preponderance of evidence that the proposed use will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway. DISTRIBUTION OF INTERFERENCE Calculate the percentage of consumptive use by month and fill in the table below. If interference cannot be calculated, per criteria in 390.835, do not fill in the table but check the "unable" option above, thus informing Water Rights that the Department is unable to make a Preponderance of Evidence finding. Exercise of this permit is calculated to reduce monthly flows in ______ Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced. Feb Mar May Jun Jul Oct Nov Dec Jan Apr Aug Sep

PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO:		Water				Date	10/16/	2019	Date <u>10/16/2019</u> Phillip I. Marcy							
FROM:	:	Ground	dwater Sect	ion			I. Marcy wer's Name									
SUBJE	СТ	Annlic	ation LL- 1	804					ew of							
SODIL	CI.	Аррис	ation LL- <u>1</u>	804		Sup	crscues i	CVIC			D	ate of Revi	ew(s)			
PURLI	CINTE	REST	PRESUM	PTION: (GROUND	WATER	•									
			ie Departme					vatei	r use will en	isure th	ie preser	vation of	the publi	С		
			as describe													
			presumption													
the presi	umption c	riteria.	This review	is based u	pon availa	ible inforn	nation ar	ıd aş	gency polici	ies in p	lace at t	he time (of evalua	tion.		
A. <u>GEN</u>	NERAL 1	INFO	RMATION	<u>I</u> : Ap	plicant's Na	ame: <u>S</u>	Steven W	heat	t		Co	ounty:I	Polk			
A1.	Applican	t(s) see	k(s) <u>0.045</u>	_ cfs from	1	well(s) in the _	V	Villamette					Basin,		
						subba	sin									
A2.	Proposed use Irrigation (25.0 acres)					Seaso	mality:	May	, 1st _ Δμους	et 31st (122 days	:)				
A2.	Troposed	usc	Scaso	manty	iviay	1 - Augus	51.51	122 days								
A3.	Well and	aquifer	data (attac	h and nun	ber logs fo	or existing	g wells; n	ark	proposed v	wells as	s such ui	nder logi	d):			
Well	Logic	i	Applicant's	Propose	ed Aquifer*	Propo			Location			n, metes a				
1	Propose		Well #		none	Rate((T/R-S QQ-Q S/5W-20 SW-				fr NW cor S 36 fr SE cor S 20			
2	•															
* Alluviu	ım, CRB, E	Bedrock														
					T I		T ~ .									
Well	Well Elev	I HIEV I Water I		SWL SWL Well Depth		Seal Interval	5				orations Screens	Well Yield	Draw Down	Test		
	ft msl	ft bls	It bis	Date	(ft)	(ft)	(ft)		(ft)	1	(ft)	(gpm)	(ft)	Type		
1	442	NA	NA	NA	?	?	?	+	?		?	NA	NA	NA		
Use data	from appli	cation fo	or proposed w	ells.												
A4.			proposed w													
			ion to a deptes that the pr													
			ion. Any find								gramed i	nateriais	within th	<u>e</u>		
													al .			
A5. 🛛	Provisio	ons of tl	he Willame	tte .			Basin	rules	s relative to	the dev	velopmei	nt, classif	ication a	nd/or		
	managen	nent of	groundwater	hydraulic	ally connec	ted to surf	ace water		are, or 🛛	are no	t , activat	ed by this	s applicat	ion.		
			les contain s				Fu		1		s tha mant		os (OAD	600		
			proposed Pot apply.										es (OAR	090-		
		y do no	. цррту.													
	-					-										
A6.	Well(s) #	‡	,	,	,	,	,	tap(s	s) an aquifer	limite	d by an a	dministra	ative restr	riction.		
	Name of	admini	strative area	:												
	Commen	us:														

Application LL-1804 Date: 10/16/2019 Page 2

B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

B1.	Base	ed upon available data, I have determined that groundwater* for the proposed use:
	a.	is over appropriated, is not over appropriated, or cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
	b.	will not or will likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
	c.	\square will not or \square will likely to be available within the capacity of the groundwater resource; or
	d.	will, if properly conditioned, avoid injury to existing groundwater rights or to the groundwater resource: i. The permit should contain condition #(s) 7N; "Small Water Use Condition"; ii. The permit should be conditioned as indicated in item 2 below. iii. The permit should contain special condition(s) as indicated in item 3 below;
B2.	a.	Condition to allow groundwater production from no deeper than ft. below land surface;
	b.	Condition to allow groundwater production from no shallower than ft. below land surface;
	C.	Condition to allow groundwater production only from theIndurated Sedimentary
	C.	groundwater reservoir between approximately 20 ft. and 150 ft. below land surface;
	d.	 Well reconstruction is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section. Describe injury —as related to water availability—that is likely to occur without well reconstruction (interference w/
		senior water rights, not within the capacity of the resource, etc):
В3.	the and large	Yamhill formation. This unit is part of a widespread low-yield bedrock aquifer system which underlies the Coast Range, typically has low porosity and permeability. Well yields are commonly quite low and pumping drawdowns are generally e. Well yields in section 20 (8S/5W) range from 2-10 gpm but the median yield is about 6 gpm. The requested rate of 20 and duty of 0.092 acre feet per acre are consistent with the low production capacity of the aquifer system.
	righ cons grou	proposed use is unlikely to cause interference with any nearby groundwater users, as there are no nearby groundwater ts, and very few wells generally. In addition, the requested pumping rate is very small, and is unlikely to induce siderable drawdown at distances to any located wells over the proposed pumping duration. Furthermore, the local undwater system is likely connected to, and stabilized by, the nearby intermittent drainage through Cooper Hollow, ling Cooper Creek to the south.
	-	

Application LL-1804 Date: 10/16/2019 Page 3

C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Indurated Sediments of the Yamhill Fmn.	\boxtimes	

Basis for aquifer confinement evaluation: Groundwater in the low-yield bedrock aquifer system probably occurs in fractures
that are confined by very low permeability matrix. This is consistent with well logs in the area which generally show a static
water level that is above the first encountered water in the well.

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)		Conn	ulically ected? ASSUMED	Potentia Subst. Int Assum YES	terfer.
1	1	Cooper Creek	360- 400'*	285- 305	2485	\boxtimes				\boxtimes

Basis for aquifer hydraulic connection evaluation: The water table generally mimics topography in the low-yield bedrock aquifer system. Groundwater is expected to flow from recharge areas in the uplands and discharge to local streams in the lowlands. This is consistent with the fact that the uppermost perennial reaches of a number of local streams occurs at the base of local ridges. The proposed POA well site is located on the flank of a ridge above a seasonal drainage, and groundwater produced from pumping here is intercepted from discharging at the bottom of the ridge, according to our conceptual understanding. *GW elevation assumed, based on nearby logs with static values between 3-20' BLS.

Water Availability Basin the well(s) are located within: Little Luckiamute > Luckiamute R - At Mouth

C3a. **690-09-040** (4): Evaluation of stream impacts for each well that has been determined or assumed to be **hydraulically** connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¹ / ₄ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	1						20.4		<<25%	
	_									

Page

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells**. Otherwise same evaluation and limitations apply as in C3a above.

-	variation and infiltations apply as in esa above.										
		W #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?	
Γ											
Γ											
Γ											
Γ											

Comments: The proposed pumping rate is less than 1% of 80% minimum perennial streamflow in the affected WAB, therefore does not trigger a PSI finding. Due to distance and very low transmissivity anticipated in the proposed aquifer system, impacts to nearby streams within 30 days are expected to be negligible.

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-D	istributed	Wells											
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	9
Well (Q as CFS												
Interfer	ence CFS												
Dictrib	outed Wells	c											7 m - 1 m - 1
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	9
Well (Q as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	(
Well (Q as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	(
Well (Q as CFS												
Interfer	ence CFS							v					
		%	%	%	%	%	%	%	%	%	%	%	4
Well (Q as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	(
	Q as CFS												
Interfer	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	(
	Q as CFS												
Interfer	rence CFS												
(A) = Tc	otal Interf.							MCT NAME OF STREET					
	% Nat. Q												
(C) = 1	% Nat. Q												
(D) =	(A) > (C)	V	V	✓	✓	√	√	✓	✓	✓	√	✓	✓
	/B) x 100	%	%	%	%	%	%	%	%	%	%	%	9/

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

Date: 10/16/2019 5 Application LL-1804 Page Basis for impact evaluation: Impacts to streams greater than 1 mile were not calculated as the requested rate of 0.045 cfs is less than 1% of the 80% natural flows for the affected WAB for all months of the year. 690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Water C4b. Rights Section. C5. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water: i. The permit should contain condition #(s) ii. The permit should contain special condition(s) as indicated in "Remarks" below; C6. SW / GW Remarks and Conditions: References Used: Conlon, T.D., Wozniak, K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, K.K., and Hinkle, S.R., 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S. Geological Survey Scientific Investigations Report 2005-5168. Gannett, M.W. and Caldwell, R., 1998, Geologic framework of the Willamette Lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, 32 p. Gonthier, J.B., 1983, Groundwater resources of the Dallas-Monmouth area, Polk, Benton, and Marion counties, Oregon: Oregon

Woodward, D.G., Gannett, M.W., and Vaccaro, J.J., 1998, Hydrogeologic framework of the Willamette Lowland aquifer system,

Water Resources Department Ground Water Report Number 28.

Oregon and Washington: U.S. Geological Survey Professional Paper 1424-B, 82

Application LL-1804 Date: 10/16/2019 Page 6

D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid	:			
D2.		not appear to meet current	well constructio	n standards based	l upon:	
	a. review of t					
	b field inspe	ction by				;
	c. report of C	CWRE				;
	d. other: (spe	cify)				
D3.	THE WELL const	ruction deficiency or other	comment is desc	ribed as follows:		
20.						
						-
ъл Г	Doute to the Well	Construction and Complia	maa Saatian fan a	navious of aviatina	a wall construction	
D4] Koute to the Wen	Construction and Compile	ince Section for a	i review of existing	g wen construction.	
		,				

Water Availability Tables

		DETAILED REPORT	ON THE WATER AVAILA	ABILITY CALCULATIO	N			
watershed ID Time: 10:43		LITTLE LUCKI	AMUTE R > LUCKIAMUT Basin: WILLAMET			Exceedance Level: 80 Date: 10/16/2019		
Month	Natural Stream Flow	Consumptive Use and Storage	Expected Stream Flow	Reserved Stream Flow	Instream Requirements	Net Water Available		
		Storage is t	Monthly values a he annual amount at	are in cfs. t 50% exceedance i	n ac-ft.			
JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC	272.00 305.00 254.00 157.00 97.50 53.00 30.80 24.00 21.40 20.40 69.40	7.63 7.60 7.33 7.57 10.20 15.40 18.20 15.60 10.50 6.47 6.84 7.57	264.00 297.00 247.00 149.00 87.30 37.60 12.60 8.38 10.90 13.90 62.60 212.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	264.00 297.00 247.00 149.00 87.30 37.60 12.60 8.38 10.90 13.90 62.60		
ANN	170,000	7,320	162,000	0.00	0	162,000		