

45606

November 29, 1968

George W. Smith
Box 206, Coos River Route
Coos Bay, Oregon 97420

Dear Sir:

This will acknowledge receipt of your application for permit to appropriate 1.1 cubic foot of water per second from Smith Creek for the irrigation of 76 acres and 0.04 cubic foot of water per second from a spring for three family domestic use and livestock water, a map, and the fee of \$38.70 for which our receipt No. 12300 is enclosed. Your application has been filed and numbered 45606.

The enclosed spring description sheet must be completed.

The spring and Smith Creek should be clearly designated on the map.

The map shows the irrigation of 12 acres in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 27 which has been omitted from item No. 8 on the application.

I am returning your application and map for completion. The application is endorsed so that in order to retain its date of priority it must be returned to this office on or before January 29, 1969.

Very truly yours,

CHRIS L. WHEELER
State Engineer

By
Larry W. Jebousek
Assistant

LWJ:cdc
Enclosures

45606

December 6, 1968

George W. Smith
Box 206, Coos River Rt.
Coos Bay, Oregon 97420

Dear Sir:

This will acknowledge receipt of your returned application
No. 45606, map and spring description sheet.

This application is now in satisfactory form for approval
by issuance of a permit.

Very truly yours,

CHRIS L. WHEELER
State Engineer

By
Larry W. Jebousek
Assistant

LWJ:ks

45606

June 12, 1969

George W. Smith
Coos River Route, Box 206
Coos Bay, Oregon 97420

Dear Mr. Smith:

blueprint.

45606, permit No. 33989 with a