

**Application for Extension of Time for a Water Right Permit
(NON-Municipal/NON Quasi-Municipal water Use)**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.wrd.state.or.us

Criteria for a Permit Extension of Time

The Department can accept requests for an extension of time on permits to (1) complete construction, and/or to (2) apply water to beneficial use.

In order to approve a permit extension request the Department must be able to find:

1) Construction has begun:

A. For Groundwater Permits

Construction of the well began within 5 years of the date the permit was issued or by the actual construction date specified in the permit.

B. For Surface Water or Reservoir Permits

Construction of the water system began within 5 years of the date the permit was issued or by the actual construction date specified in the permit.

The Department will also confirm that:

- 2) A required fish screen, fish passage or fish by-pass device was installed before or prior to diversion of any water. An exception to the need to confirm installation prior to diversion of any water would be a waiver submitted to the Department from ODFW stating that a fish screen, fish passage or fish by-pass device was not required, provided your permit allows for a waiver.**

If you have questions, please call the Department at (503)-986-0900 and ask to speak with a permit extension specialist.

RECEIVED BY OWRD

FEB 13 2017

Instructions are in Attachment A.

SALEM, OR

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT
A separate extension application must be submitted for each permit as per
OAR 690-315-0020(2).

I, M. MARTIN & ANDREA DAVIES

NAME OF PERMIT HOLDER [OAR 690-315-0020(1) and (3)(a)]

48647 Hwy 78
ADDRESS

PRINCETON
CITY

ORE
STATE

97721
ZIP

541-493-2431
PHONE

E-MAIL ADDRESS

the permit holder of:

Application Number - G-17441

Permit Number E-16854

[OAR 690-315-0020(3)(b)]

do hereby request that the time in which to:



complete construction (of diversion/appropriation works and/or purchase and installation of the equipment necessary to the use of water), which time now expires on Month: 6 Day: 16 Year: 2016, be extended to October 1, 2017 [OAR 690-315-0020(3)(i)]



to have a certified water rights guy to fill out paper work, maps & static water levels. We have done everything else I think.
N/A (Check this box if the permit does not specify a date by when construction must be completed.)

and/or the time in which to:



apply water to full beneficial use under the terms and conditions of the permit, which time now expires on Month: _____ Day: _____ Year: _____, be extended to October 1, _____.
[OAR 690-315-0020(3)(i)]

I am the permit holder, or have written authorization from the permit holder (attached to this Application for Extension of Time), to apply for an extension of time under this permit. I understand that false or misleading statements in this extension application are grounds for OWRD to suspend processing of the request and/or reason to deny the extension.

M. Martin Davies
Signature

7 Feb. 17
Date

M. MARTIN DAVIES
Printed Name

Co-owner
Title

Before submitting your Application for Extension of Time, make sure the following items are included:

RECEIVED BY OWRD

- This completed Application for Extension of Time.
- Statutory fee of \$575.
- Signature page (Second page of this Application for Extension of Time).
- All supporting documentation and/or evidence referenced in the Application for Extension of Time.

**MAIL COMPLETED APPLICATION
along with the Supporting documents and/ or evidence**

\$575 STATUTORY FEE TO:

**Water Resources Department
Attn: Water Right Permit Extensions
725 Summer Street NE, Suite A
Salem, Oregon 97301**



GENERAL TIPS:

- Permit holders of **municipal or quasi-municipal water use permits DO NOT use this form**. The correct form is APPLICATION FOR EXTENSION OF TIME FOR MUNICIPAL AND QUASI-MUNICIPAL WATER USE PERMITS, available at the following link:
http://www.oregon.gov/owrd/PUBS/docs/forms/fillable_muni_quasi_ext_app_form_2014.doc
- Request the reasonable amount of time necessary to fully complete construction of the water project and/or to fully use the permitted quantity of water under the terms and conditions of your permit. Should this request be approved, it will be OWRD's expectation that you will complete your project within the new time period allowed. Future extensions may not be granted.
- A separate APPLICATION FOR EXTENSION OF TIME must be submitted for each permit. OAR 690-315-0020(2).
- An instruction sheet, INSTRUCTIONS FOR COMPLETING AN APPLICATION FOR EXTENSION OF TIME FOR A WATER RIGHT PERMIT (Attachment A), provides details that will help you answer each item on the application. Permit extensions are evaluated under OAR Chapter 690, Division 315. These rules may be viewed at: http://arcweb.sos.state.or.us/pages/rules/oars_600/oar_690/690_315.html
- You may provide OWRD with any additional information or evidence that will aid us in making our decision. Please note that OWRD may require other information that is necessary to evaluate the application. OAR 690-315-0020(3)(n).
- After careful review of the Application for Extension of Time, you may contact OWRD at (503) 986-0900, to ask questions and request assistance from a Permit Extensions Specialist in the Water Rights Services Division.
- An Application for an Extension of Time will be reviewed for completeness. OWRD will return any incomplete or deficient applications to the applicant. OAR 690-315-0040(1)(a).

RECEIVED BY OWRD

Reference Materials Needed to Complete this Application:

- **The water right permit.** If needed, a copy of the water right permit can be downloaded from the Department's Website at <http://apps.wrd.state.or.us/apps/wr/wrinfo/> (using the link to the Water Rights Information System (WRIS). Or, a copy of the permit (or other documents) may be requested by water right application number from the Water Rights Division at 503-986-0900 (copy fees will apply).
- **Documentation which demonstrates compliance with permit conditions** (for example, well construction logs; static water level measurement reports; annual water use reports; ODFW fish screen certification; a plan to monitor the effect of water use on ground water aquifers utilized under the permit; etc.).

Questions to complete this application for an Extension of Time

Please see the instruction sheet to help you answer these items.

1. Beginning Construction within required deadlines. OAR 690-315-0020(3)(d)

For Groundwater Permits

Has construction of the point of appropriation (well) authorized under this permit begun?

☒ Yes ☐ No

Date construction began Month: 5 **Day:** 8 **Year:** 2012

Details of construction and attach documentation: _____

For Surface/Reservoir Permit

Has construction of the water system begun? ☐ Yes ☐ No

Date construction began Month: _____ **Day:** _____ **Year:** _____

Details of construction and attach documentation: _____

RECEIVED BY OWRD

FEB 13 2017

SALEM, OR

2a. Permits typically contain standard or special conditions that must be fully satisfied to lawfully develop and use permitted water. Review the permit subject to this extension to identify which of the conditions listed in the 2nd column are contained within it. Using the extra row labeled "other" to specify any other additional conditions specified in a final order approving a permit amendment or prior extension of time. In the 1st column check the box for each condition (row) identified as relevant. In the 3rd column check "Yes" if you have completed or met the permit condition. Check "No" if the condition is not yet satisfied. In the 4th column, give the date when the condition was satisfied or will be satisfied. Attach any pertinent documentation. Note: a pump test condition does not need to be addressed here however; you must submit the results of the test to the Department for approval prior to certification.

CHART-A

Permit Conditions in this Permit		Have Completed or Met?	Date satisfied/ or will be satisfied
Checkbox	Ground water Check those included on this permit		
☒	Installation of a meter/totalizing flow meter	☒ Yes ☐ No	
☒	Submittal of annual water usage report	☒ Yes ☐ No	2013
☒	Submittal of initial static water level measurement	☐ Yes ☒ No	2017
☒	Submittal of annual static water level measurements in the month required	☐ Yes ☒ No	Mar. 20, 2017
☒	Submittal of Seven consecutive static water level measurements in the month required	☐ Yes ☒ No	2017
☐	Special well construction standards	☒ Yes ☒ No N/A	didn't need
☐	Submittal of a monitoring plan	☐ Yes ☒ No	
☐	Other (Specify):	☐ Yes ☐ No N/A	
☐	Other (Specify):	☐ Yes ☐ No N/A	
☐	Other (Specify):	☐ Yes ☐ No N/A	
Surface Water or Reservoir			
☐	Installation of a meter/ totalizing flow meter/ in-line meter	☐ Yes ☐ No	
☐	Installation a staff gauge	☐ Yes ☐ No	
☐	Installation of a fish screen	☐ Yes ☐ No	
☐	Installation of a fish by-pass device	☐ Yes ☐ No	
☐	Installation of a fish passage	☐ Yes ☐ No	
☐	Installation of an outlet gate/pipe/ conduit	☐ Yes ☐ No	
☐	Submittal of a letter from ODFW that fish screen, fish by-pass device, and or fish passage is not required	☐ Yes ☐ No	
☐	Submit as-built plans and specification	☐ Yes ☐ No	
☐	Submittal of a letter from an engineer prior to storage	☐ Yes ☐ No	
☐	Other (Specify):	☐ Yes ☐ No	
☐	Other (Specify):	☐ Yes ☐ No	
☐	Other (Specify):	☐ Yes ☐ No	

2b. If you have NOT complied with Permit conditions, explain the reasons why and indicate a date certain, when you will be in compliance.

[OAR 690-315-0020(3)(e)]

3. Provide evidence of physical work made toward completion of the water system, and of progress made toward making beneficial use of water within the permitted time period (CHART-B); and if applicable, within the time period of the most recent extension granted (CHART-C). CHART-B (below) must be completed for all Application for Extension of Time requests. Use *chronological order*. (this does NOT include planning, formulating a business plan, securing financing, letting contracts, purchasing but not installing equipment, surveying, clearing land, or planting crops)

CHART-B

DATE	WORK ACCOMPLISHED BEFORE PERMIT WAS ISSUED <i>List any work done before the permit was issued – eg. well drilled.</i>	COST*
1 Nov. 2010	2 wells completed	22,200 ⁰⁰
DATE	WORK ACCOMPLISHED AFTER PERMIT WAS ISSUED and PRIOR TO DATE SPECIFIED IN PERMIT FOR COMPLETE APPLICATION OF WATER <i>List work/actions done during the permitted time period.</i>	COST*
16 June 2011	Date the permit was signed - find date above signature on last page of permit.	
8 May 2012	Well complete (stockwell) was #3	7930 ⁰⁰
14 July 2011	100 HP Pump & Panel Well 1	30,630 ⁰⁰
20 July 15	40 HP on Well 2	25,000 ⁰⁰
	Flow meter	944.95
	Date the permit specified complete application of water to the use shall be made- all permits contain this date.	
DATE	WORK ACCOMPLISHED AFTER the date the permit specified complete application of water COMPLETE ONLY IF THIS IS YOUR 1st APPLICATION FOR AN EXTENSION OF TIME: List work done after the date specified in the permit for complete application of water up to the date of this Application for Extension of Time.	COST*
30 Mar 17	Bob Baggett will do water land measuring & certify ir. land map.	don't know
	guess 1500	1500
Total Cost for Chart-B		50,644.95

* If exact cost is not known, you must provide your best estimate.

RECEIVED BY OWRD

- ### CHART-C

* If exact cost is not known, you must provide your best estimate. [OAR 690-315-0020(3)(f)]

- [OAR 690-315-0020(3)(e)(B)]

TIP: Report the rate used to date. Unless full beneficial use has been made, this rate will be less than the rate authorized on the permit.

SALEM, OR

6. **For Surface Water Permit Extensions (e.g. S-XXXX or R-XXXX):**
TIP: Report the rate in the same units of measurement as specified in the permit.

Maximum rate used to date = _____ cfs (cubic feet per second) or,

Maximum rate used to date = _____ gpm (gallons per minute) or,

Acre-feet stored to date = _____ AF

7. **For Ground Water Permit Extensions (e.g. G-XXXX):**

TIP: Include information from ALL wells that pertain to this permit, including drilled wells not currently used.

CHART-D

Well # as Identified on Permit	Water User's Well #	Has this well been drilled?	IF DRILLED					If yes, provide the Permit, Certificate, or Transfer No.
			Well Log Number e.g. MORR 50473	Well Tag Number e.g. # 27566 or N/A	Is the actual drilled location authorized on this permit or on a permit amendment?	Maximum instantaneous rate used to date from this well -- under <u>this permit</u> only (CFS or GPM)	Is this well authorized or utilized under any OTHER water rights?	
1		Yes ☒ No ☐	HARN 51727		Yes ☒ No ☐	1300gpm	Yes ☐ No ☒	-
2		Yes ☒ No ☐	HARN 51787		Yes ☒ No ☐	400gpm	Yes ☐ No ☒	-
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	-
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	-
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	-
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	-
		Yes ☐ No ☐			Yes ☐ No ☐		Yes ☐ No ☐	-
Total instantaneous rate from all wells utilized under this permit						1700gpm		

8. Has a Permit Amendment Application been filed? Yes ☐ No ☐
 If yes, identify Transfer No. T- _____

Has the Permit Amendment been approved? Yes ☐ No ☐
 If yes, on what date was the Permit Amendment approved? _____

per phone conversation
w/ Mr. Davies 2-16-17
CA

[OAR 690-315-0020(3)(e)(C)]

Revised 12/1/2016

Application for an Extension of time for a Permit

Page 8 of 12

RECEIVED BY OWRD

FEB 13 2017

SALEM, OR

9. For Irrigation and Nursery Use Permits Extensions

Provide the total number of acres irrigated to date under this permit.

a) Total acres irrigated to date: _____

b) List by year, the number of acres irrigated each year since permit issuance.

Year	Acres	Year	Acres	Year	Acres

c) Provide a copy of the application map identifying the acres irrigated.

d) Please specify the number of acres irrigated by each Point of Diversion/Point of Appropriation (POD/POA).

(POD/POA)# _____ Acres _____ (POD/POA) # _____ Acres _____

(POD/POA) # _____ Acres _____ (POD/POA) # _____ Acres _____

[OAR 690-315-0020(3)(i)(j)]

10. In the chart below provide a summary of your future plans and schedule to complete the construction of the water system, and/or apply water to full beneficial use under the terms and conditions of the permit.

CHART-E

APPROXIMATE DATE RANGE (projected)	WORK OR ACTION TO BE ACCOMPLISHED (projected)	ESTIMATED COST (projected)
30 Mar. 2017	March Start water level	2,000 ⁰⁰
Year:	Date intend to apply water to full beneficial use under the terms and conditions of this permit.	
Total Cost		0

[OAR 690-315-0020(3)(g)]

11. Estimated remaining cost to complete the project: 2,000⁰⁰ 0
(The total cost from CHART-E)

[OAR 690-315-0020(3)(j)]

12. Provide a summary of your plan to complete construction, meeting all permit conditions and apply the water to beneficial use: (List all tasks or steps needed to complete the project, the date when each task will be completed, and the cost associated with each task; attach additional pages if necessary.) _____

*Need Bob to measure static level & map ground.
Should be done end of Mar. 2017 then I guess he
will do the measuring from now on in March & submit
to you guys.*

[OAR 690-315-0020(3)(k)]

13. Justify the time requested to complete the project and/or apply the water to full beneficial use. (Include any other information or evidence to establish that the requested amount of time is sufficient and that you will be able to complete the project within the amount of time requested.) _____

*My fault - didn't read the whole permit.
I think I did everything else but the static level
measurements & reporting.*

MD

[OAR 690-315-0020(3)(l)]

14a. Will a denial of the extension result in undue hardship? (Describe the hardship and the effects.) _____

I guess so cause the permit won't be valid.

MD

14b. Are there any other reasonable alternatives that exist for meeting your water use needs? (Explain in detail) _____

Beats me. I don't think so.

MD

[OAR 690-315-0020(3)(h)]

15. Was the delay in the timely completion of this water development project and/or timely application of water to full beneficial use caused by any additional government requirements, other than the conditions contained within the permit, which significantly delayed the completion and perfection of this right? (Explain in detail, including how much time did this delay the project; list dates.) _____

No.

MD

[OAR 690-315-0020(3)(h)]

16. Describe any unforeseen events which contributed to the delay of completion of this project that you had no control over. (Explain in detail what the unforeseen events were and how much time was spent addressing the unforeseen events.) _____

None - I just didn't read it all.

MD

[OAR 690-315-0020(3)(h)]

17. Describe an additional reasons why the construction was not completed, and/or water was not beneficially used within permit time limits. (Provide supporting information for the reason(s) that best fits your circumstances.) _____

None

MD

[OAR 690-315-0020(3)(m)(n)]

18. Provide any other information you wish OWRD to consider while evaluating your Application for Extension of Time. _____

RECEIVED BY OWRD

FEB 13 2017

SALEM, OR

[OAR 690-315-0040(2)(f)]

19. Will the income or use of the water project provide a fair and reasonable return on your investment? (Explain in detail) _____

sure as hell hope so.

MD

[OAR 690-315-0040(4)(d)]

20. Describe in detail if there are other economic interest, beyond those of the permit holder, which are dependent upon the completion of this project. (Who will be effected and how?) _____

none

MD

Attach permit, and documentation to the application

RECEIVED BY OWRD

FEB 13 2017

SALEM, OR

STATE OF OREGON

COUNTY OF HARNEY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

M MARTIN AND ANDREA DAVIES
48647 HWY 78
PRINCETON, OR 97721

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17441

SOURCE OF WATER: WELL 1 (HARN 51727), PROPOSED WELL 2, AND PROPOSED WELL 3 IN MALHEUR LAKE BASIN

PURPOSE OR USE: IRRIGATION OF 430.0 ACRES

MAXIMUM RATE: 5.38 CUBIC FEET PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: DECEMBER 1, 2010

WELL LOCATIONS:

WELL 1 (HARN 51727): NW $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 17, T27S, R35E, W.M.; 10 FEET SOUTH AND 2060 FEET WEST FROM C1/4 CORNER, SECTION 17

PROPOSED WELL 2: SE $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 17, T27S, R35E, W.M.; 1120 FEET NORTH AND 200 FEET WEST FROM C1/4 CORNER, SECTION 17

PROPOSED WELL 3 : SW $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 17, T27S, R35E, W.M.; 1320 FEET NORTH AND 1210 FEET EAST FROM C1/4 CORNER, SECTION 17

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SW $\frac{1}{4}$ SW $\frac{1}{4}$ 30.0 ACRES
SE $\frac{1}{4}$ SW $\frac{1}{4}$ 20.0 ACRES
SECTION 8

SW $\frac{1}{4}$ NE $\frac{1}{4}$ 40.0 ACRES
SE $\frac{1}{4}$ NE $\frac{1}{4}$ 40.0 ACRES

RECEIVED BY OWRD

FEB 13 2017

SALEM, OR

RECEIVED BY OWRD

FEB 13 2017

SALEM, OR

NE ¼ NW ¼ 20.0 ACRES
 SE ¼ NW ¼ 40.0 ACRES
 NE ¼ SW ¼ 40.0 ACRES
 NW ¼ SW ¼ 40.0 ACRES
 NW ¼ SE ¼ 40.0 ACRES
 SW ¼ SE ¼ 40.0 ACRES
 SE ¼ SE ¼ 40.0 ACRES
 SECTION 17

NE ¼ SE ¼ 40.0 ACRES
 SECTION 18

TOWNSHIP 27 SOUTH, RANGE 35 EAST, W.M.

Measurement, recording and reporting conditions:

- 1 A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation. The permittee shall maintain the meter or measuring device in good working order.
- 2 B. The permittee shall keep a complete record of the amount of water diverted each month, and shall submit a report which includes the recorded report water-use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- C. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where any meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

3 The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall report an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The

FEB 13 2017

SALEM, OR

Page 3

Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

- Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

FEB 13 2017

Page 4

SALEM, OR

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Completion of construction and application of the water shall be made within five years of the date of permit issuance. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued June 16, 2011

E. Timothy Ward

for Phillip C. Ward, Director
Water Resources Department

RECEIVED BY OWRD

FEB 13 2017

SALEM, OR

7-20-10

MARTIN DAVIES

6 hr test

MAX GPM 1603 @ 102'

CASED 118'

16" CASING

Static 46'

Static 46'

MAX GPM Pumped — 1603 @ 102'

TRACE SAND — 1500 @ 99'

VERY CLEAN — 1404 @ 96'

1302 @ 93'

1212 @ 89'

1106 @ 86'

1000 @ 83'

901 @ 80'

806 @ 76'

706 @ 73'

RECEIVED BY OWRD

FEB 13 2017

SALEM, OR

Harney Pump & Irrigation, LLC

13103 Hwy 20

Burns, OR 97720

541-573-2400 Phone

541-573-5400 Fax

DRAWDOWN —>

