



Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

April 22, 2020

GSI WATER SOLUTIONS, INC
55 SW YAMHILL STREET, SUITE 300
PORTLAND, OR 97204

REFERENCE: Payment for Limited License Application for City of Prineville

To Whom it May Concern:

The Oregon Water Resources Department (Department) is returning a duplicate check issued by GSI Water Solutions for the City of Prineville's limited license application. Two checks were received by the Department in the amount of \$280.00 each. Enclosed is check # 22392. The Department will deposit check # 22400, issued April 13, 2020, as payment for the City of Prineville's limited license application.

If you have any questions, please contact me at alyssa.m.mucken@oregon.gov or 503-986-0891.

Sincerely,

Alyssa Mucken
Water Rights Section Manager

Copy:
LL-1825

Encl:
Check # 22392



RECEIVED

APR 20 2020

OWRD

April 15, 2020

Mary Bjork
Water Rights and Adjudications Division
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301

RE: City of Prineville - Application for Limited Water Use License

Dear Mary:

The enclosed application for a Limited Water Use License, and supporting documentation, is submitted on behalf of City of Prineville (City). Also enclosed is the \$280 application fee. In summary, the City is proposing to appropriate groundwater at a rate of not to exceed 1,200 gallons per minute for municipal use within the City's service area. The City anticipates that the annual appropriation will not exceed 756 acre-feet.

We understand that since this limited water use license application requests to appropriate groundwater within the Deschutes Ground Water Study Area, the Oregon Water Resources Department's practice, under OAR Chapter 690, Division 33, is to require "mitigation" for potential impacts to surface water. To address "mitigation" for the proposed limited license, the City will limit the combined annual volume of water appropriated under the City's Permits G-17577, G-18155 AND this proposed limited license, to no more than the maximum annual volume authorized under Permits G-17577 and G-18155, which is currently 1,509.75 acre-feet. Please note that this volume of 1,509.75 acre-feet will increase if the City assigns additional mitigation credits to Permits G-17577 and G-18155.

Under Permits G-17577 and G-18155, the City currently provides 603.9 permanent mitigation credits in the Crooked River Zone of Impact. With this number of current mitigation credits (at an estimated year-round consumptive use coefficient of 40 percent) the City is authorized to appropriate up to 1,509.75 acre-feet annually ($603.9/0.4 = 1,509.75$). Tables 1 and 2 document the permanent mitigation provided for Permits G-17577 and G-18155 to date.

Table 1. City of Prineville 2019 Volume of Water Use vs. Mitigation: Permit G-17577.

Year	Total Volume Allowed with Current Mitigation (AF)	Total Mitigation Credits	Mitigation Credits By Source	Source of Mitigation
2019	659.0	263.6	3.2	MP 25
			129.0	Offset #1
			101.4	Offset #2
			30.0	MP 140
			263.6 Total	

Table 2. City of Prineville 2019 Volume of Water Use vs. Mitigation: Permit G-18155

Year	Total Volume Allowed with Current Mitigation (AF)	Total Mitigation Credits	Mitigation Credits By Source	Source of Mitigation (all mitigation in the Crooked River Zone of Impact)
2019	850.75	246.5	101.4	Offset #3
			36.6	MP 140
			101.2	MP 25
			101.1	Offset #4
			246.5 Total	

Please contact me at 541-257-9001 if you have any questions or need additional information. I look forward to working with you to obtain a limited license for the City.

Sincerely,
GSI Water Solutions, Inc.



Adam Sussman
Principal Water Resources Consultant

Enclosures

RECEIVED
APR 20 2020
OWRD



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem Oregon 97301-1271
 (503) 986-0900
 www.wrd.state.or.us

Application for Limited Water Use License

License No.: _____

RECEIVED

APR 20 2020

Applicant Information

OWRD

NAME City of Prineville, Attn.: Eric Klann		PHONE (HM)	
PHONE (WK) 541-447-2357	CELL	FAX	
ADDRESS 387 NE 3rd St.			
CITY Prineville	STATE OR	ZIP 97754	E-MAIL *

Agent Information

NAME GSI Water Solutions, Inc. Attn: Adam Sussman		PHONE 541-257-9001	FAX
ADDRESS 1600 Western Blvd., Suite 240			CELL
CITY Corvallis	STATE OR	ZIP 97333	E-MAIL * asussman@gsiws.com

I (We) make application for a Limited License to use or store the following described surface waters or groundwater – not otherwise exempt, or to use stored water of for a use of a short-term or fixed-duration:

- SOURCE(S) OF WATER:** Lamonta Well 2 a tributary of Crooked River
- AMOUNT OF WATER** to be diverted;
 Maximum and instantaneous rate (cubic feet or gallons per minute): 1,200 GPM
 Total volume (gallons or acre-feet): 756 a.f. (see "Remarks" section) If water is to be used from more than one source, give the quantity from each: N/A
- INTENDED USE(S) OF WATER:** (check all that apply)
 - Road construction or maintenance
 - General construction
 - Forestland and rangeland management; or
 - Other: Municipal
- DESCRIPTION OF PROPOSED PROJECT:** Include a description of the place of use as shown on the accompanying site map, the method of water diversion, the type of equipment to be used (including pump horsepower, if applicable), length and dimensions of supply ditches and pipelines:

 Refer to Attachment A for maps of the proposed place of use (city service area) and point of appropriation (Lamonta 2 Well). This well is located within the Deschutes Ground Water Study Area and the City intends to provide mitigation as described in the application letter.
- PROJECT SCHEDULE:** (List day, month, and year)
 Date water use will begin: Upon issuance of limited license.
 Date water use will be completed: Within five years of issuance.

 Months of the year water would be diverted and used: January 1 - December 31

If for other than irrigation from stored water, how and where will water be discharged after use:

N/A

Applicant Signature

Eric Klann
 Print Name and title if applicable

4/2/2020
 Date

PLEASE READ CAREFULLY

NOTE: A completed water availability statement from the local watermaster, Land Use Information Form completed by the local Planning Department, fees and site map meeting the requirements of OAR 690-340-030 must accompany this request. The fee for this request is **\$280** for the first point of diversion plus **\$30** for each additional point of diversion. Please review the Department's fee schedule to view fees required to request a limited license for Aquifer Storage and Recovery testing purposes or for Artificial Groundwater Recharge testing purposes.

Failure to provide any of the required information will result in return of your application. The license, if granted, will not be issued or replaced by a new license for a period of more than five consecutive years. The license, if granted, will be subordinate to all other authorized uses that rely upon the same source, or water affected by the source, and may be revoked at any time it is determined the use causes injury to any other water right or minimum perennial streamflow.

If water source is well, well logs or adequate information for the Department to determine aquifer, well depth, well seal and open interval, etc. are required. The licensee shall indicate the intended aquifer. If for multiple wells, each map location shall be clearly tied to a well log.

If a limited license is approved, the licensee shall give notice to the Department (Watermaster) at least 15 days in advance of using the water under the Limited License and shall maintain a record of use. The record of use shall include, but need not be limited to, an estimate of the amount of water used, the period of use and the categories of beneficial use to which the water is applied. During the period of the Limited License, the record of use shall be available for review by the Department upon request.

**A summary of review criteria and procedures that are generally applicable to these applications is available at: <http://www.oregon.gov/owrd/pages/pubs/forms.aspx>*

Mapping Requirements (OAR 690-340-0030):

(1) A request for a limited license shall be submitted on a form provided by the Water Resources Department, and shall be accompanied by the following:

- a. A site map of reproducible quality, drawn to a standard, even scale of not less than 2 inches = 1 mile, showing:
 - i. The locations of all proposed points of diversion referenced by coordinates or by bearing and distance to the nearest established or projected public land survey corner;
 - ii. The general course of the source for the proposed use, if applicable;
 - iii. Other topographical features such as roads, streams, railroads, etc., which may be helpful in locating the diversion points in the field.

REMARKS:

The applicant proposes that the combined annual volume of water appropriated under the City of Prineville's Permits G-17577, G-18155, and this proposed limited license will be limited to no more than the maximum annual volume authorized under permits G-17577 and G-18155. This volume is currently 1,509.75 acre-feet, but will increase if the City assigns additional mitigation credits to permit G-17577 or G-18155.

See Attachment B for CROO 54871 Lamonta Well 2.

<p>For WRD Use Only</p>

RECEIVED

APR 20 2020

OWRD

Attachment A
Application Maps

Limited License Application – City of Prineville

RECEIVED

APR 20 2020

OWRD

Attachment B
Well Log for CROO 54871
Limited License Application – City of Prineville

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

CROO 54871

WELL I.D. LABEL# L

136752

START CARD #

1046329

4/9/2020

ORIGINAL LOG #

(1) LAND OWNER
Owner Well I.D. LAMONTA
First Name _____ Last Name _____
Company CITY OF PRINEVILLE
Address 387 NE 3RD ST
City PRINEVILLE State OR Zip 97754

(2) TYPE OF WORK New Well Deepening Conversion
 Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION
Dia + From To Gauge Stl Plstc Wld Thrd
Casing: _____
Material From To Amt sacks/lbs
Seal: _____

(3) DRILL METHOD
 Rotary Air Rotary Mud Cable Auger Cable Mud
 Reverse Rotary Other _____

(4) PROPOSED USE Domestic Irrigation Community
 Industrial/ Commercial Livestock Dewatering
 Thermal Injection Other MUNICIPAL

(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)
Depth of Completed Well 298.00 ft.

BORE HOLE SEAL

Dia	From	To	Material	From	To	Amt	sacks/lbs
16	0	298	Cement	0	200	140	S
						Calculated	92.72
						Calculated	

How was seal placed: Method A B C D E
 Other _____

Backfill placed from _____ ft to _____ ft. Material _____

Filter pack from 200 ft to 298 ft. Material SAND Size 4/10

Explosives used: Yes Type _____ Amount _____

(5a) ABANDONMENT USING UNHYDRATED BENTONITE
Proposed Amount _____ Actual Amount _____

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	12	X	1	22	6	.250	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	12		29	1	29	8	.250	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Shoe Inside Outside Other Location of shoe(s) _____
Temp casing Yes Dia 16 From +X 1 To 298

(7) PERFORATIONS/SCREENS
Perforations Method _____
Screens Type JOHNSON Material STAINLESS

Perf/Screen	Casing/Screen	Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/pipe size
Screen	Casing	12	226	291	.25			

(8) WELL TESTS: Minimum testing time is 1 hour
 Pump Bailer Air Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
400		200	1
600	165	200	72.8

Temperature 55 °F Lab analysis Yes By _____

Water quality concerns? Yes (describe below) TDS amount 325 ppm

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)
County CROOK Twp 14.00 S N/S Range 16.00 E E/W WM
Sec 31 NE 1/4 of the NW 1/4 Tax Lot 1200
Tax Map Number _____ Lot _____
Lat _____ " or 44.31746262 DMS or DD
Long _____ " or -120.86207477 DMS or DD
 Street address of well Nearest address
NW LAMONTA

(10) STATIC WATER LEVEL
Date SWL(psi) + SWL(ft)
Existing Well / Pre-Alteration _____
Completed Well 3/4/2020 _____ 8
Flowing Artesian? Dry Hole?

WATER BEARING ZONES Depth water was first found 222.00

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
2/14/2020	222	290	400		8

(11) WELL LOG Ground Elevation _____

Material	From	To
CLAY GRAVELS BROWN	0	37
SILT SAND GRAY	37	65
SILT SAND GRAY/CLAY BROWN	65	167
CLAY STICKY GRAY	167	222
GRAVELS SAND	222	249
SILT SAND CLAY GRAY	249	251
GRAVELS SAND GRAY	251	290
CLAYSTONE GREEN	290	298

RECEIVED
APR 20 2020
OWRD

Date Started 2/12/2020 Completed 3/4/2020

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 1852 Date 3/28/2020

Signed JEB ABBAS (E-filed)

(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1720 Date 4/9/2020

Signed JACK ABBAS (E-filed)

Contact Info (optional) _____

RECEIVED

APR 20 2020

OWRD

Attachment C
Land Use Information Forms
Limited License Application – City of Prineville

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED

APR 20 2020

OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and **all** of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; **and**
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

RECEIVED

APR 20 2020

OWRD

Applicant(s): City of Prineville, Attn: Eric Klann

Mailing Address: 387 NE 3rd St.

City: Prineville

State: OR

Zip Code: 97754

Daytime Phone: 541-447-2357

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
---	---	---	---	---	<u>See Maps</u>	<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	<u>Municipal</u>
---	---	---	---	---	---	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	---
---	---	---	---	---	---	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	---
---	---	---	---	---	---	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	---

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Prineville and Crook County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water
 Water Right Transfer
 Permit Amendment or Ground Water Registration Modification
 Limited Water Use License
 Allocation of Conserved Water
 Exchange of Water

Source of water: Reservoir/Pond Ground Water Surface Water (name) _____

Estimated quantity of water needed: 1,200 gpm, 756 a.f. cubic feet per second gallons per minute acre-feet

Intended use of water: Irrigation Commercial Industrial Domestic for _____ household(s)
 Municipal Quasi-Municipal Instream Other _____

Briefly describe:

The City is seeking this limited license to appropriate up to 1,200 gpm and 756 a.f. annually from the City's existing Lamonta Well 2 for use within the City's water service area.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):

Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Casey Kaiser Title: Assoc. Planner

Signature: [Signature] Phone: 541-447-8339 Date: 4/2/20

Government Entity: City of Prineville

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.



Receipt for Request for Land Use Information

Applicant name: _____

City or County: _____ Staff contact: _____

Signature: _____ Phone: _____ Date: _____

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED

APR 20 2020

OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and **all** of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; **and**
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

Applicant(s): City of Prineville, Attn: Eric Klann

RECEIVED

Mailing Address: 387 NE 3rd St.

APR 20 2020

City: Prineville

State: OR

Zip Code: 97754

Daytime Phone: 541-447-2357

OWRD

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
_____	_____	_____	_____	_____	<u>See Maps</u>	<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	<u>Municipal</u>
_____	_____	_____	_____	_____	_____	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	_____
_____	_____	_____	_____	_____	_____	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	_____
_____	_____	_____	_____	_____	_____	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Prineville and Crook County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water
 Water Right Transfer
 Permit Amendment or Ground Water Registration Modification
 Limited Water Use License
 Allocation of Conserved Water
 Exchange of Water

Source of water: Reservoir/Pond Ground Water Surface Water (name) _____

Estimated quantity of water needed: 1,200 gpm, 756 a.f. cubic feet per second gallons per minute acre-feet

Intended use of water: Irrigation Commercial Industrial Domestic for _____ household(s)
 Municipal Quasi-Municipal Instream Other _____

Briefly describe:

The City is seeking this limited license to appropriate up to 1,200 gpm and 756 a.f. annually from the City's existing Lamonta Well 2 for use within the City's water service area.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):
- Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

City seeking limited license for use of existing well. No land use review/approval required

Name: Ann Beier Title: Planning Director
 Signature: *A Beier* Phone: 541 447 3211 Date: 4-2-2020
 Government Entity: Crook County

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.



Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____

RECEIVED
APR 20 2020
OWRD

Attachment D
Watermaster Water Availability Statement
Limited License Application ~ City of Prineville

This page to be completed by the local Watermaster.

WATER AVAILABILITY STATEMENT

Name of Applicant: City of Prineville Limited License Number: LL-1825

1. To your knowledge, has the stream or basin that is the source for this application ever been regulated for prior rights?

Yes No

If yes, please explain:

2. Based on your observations, would there be water available in the quantity and at the times needed to supply the use proposed by this application?

Yes No

3. Do you observe this stream system during regular fieldwork?

Yes No

If yes, what are your observations for the stream?

Seasonal Fluctuations

4. If the source is a well and if WRD were to determine that there is the potential for substantial interference with nearby surface water sources, would there still be ground water and surface water available during the time requested and in the amount requested without injury to existing water rights?

Yes No N/A

What would you recommend for conditions on a limited license that may be issued approving this application?

Mitigation is already in place.

5. Any other recommendations you would like to make?

Collect use data to ensure usage does not exceed mitigation.

Signature



WM District #: 11

Date: 6-10-20

RECEIVED

APR 20 2020

OWRD

This page to be completed by the local Watermaster.

WATER AVAILABILITY STATEMENT

Name of Applicant: City of Prineville Limited License Number: _____

1. To your knowledge, has the stream or basin that is the source for this application ever been regulated for prior rights?

Yes No

If yes, please explain:

During the driest years we regulate Junior live Flow only users to protect stored water deliveries.

2. Based on your observations, would there be water available in the quantity and at the times needed to supply the use proposed by this application?

Yes No

3. Do you observe this stream system during regular fieldwork?

Yes No

If yes, what are your observations for the stream?

High Spring Flows, Natural Flows near zero in Summer. Stream is entirely stored water releases in late Summer.


4. If the source is a well and if WRD were to determine that there is the potential for substantial interference with nearby surface water sources, would there still be ground water and surface water available during the time requested and in the amount requested without injury to existing water rights?

Yes No N/A

What would you recommend for conditions on a limited license that may be issued approving this application?

must mitigate.

5. Any other recommendations you would like to make?

Signature  WM District #: 11 Date: 4-2-20