

Application No. 61607Permit No. 45900STATE OF OREGON WATER RESOURCES DEPARTMENT **RECEIVED**

Application for Permit to Appropriate Surface Water

APR 28 1981
WATER RESOURCES DEPT
SALEM, OREGONI, Theodore R. McNeely
(Name of Applicant)of 1450 Fairview Rte, Coquille
(Mailing Address) (City)State of Ore, Phone No. 396-2279 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is are two unnamed streamsa tributary of Coquille R.

POB #1 1820

830

2. The point of diversion is to be located POB #2 1380 ft. N and 1180 ft. E
POB #3 1050 (N. or S.) (E. or W.)from the S 1/4 corner of Sec 19
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the #1 #2 NW 1/4 of the SE 1/4 of
#3 SW SE
Sec. 19 Tp. Z8S R. 12W, W.M., in the county of Curry Coas
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
Z8S	12W	19	NW 1/4 SE 1/4	Stockwater (Unind Str #2)
" "	" "	" "	" "	Stock, 2 domestic (Str #1)
" "	" "	" "	NE 1/4 SW 1/4	Stock, 4 domestic (Str #1)

4. The amount of water which the applicant intends to apply to beneficial use is ^{0.02} cubic feet per second being 0.015 from Unwd Str #1 (dom. & stock) ^{POD #1 or POD #3} and 0.005 from Unwd STR #2 (stock) (stock and supplemental domestic use) (If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is domestic = 0.01, stock = 0.01

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

POD #2: Concrete tiles in stream - 500 feet 1" pipe to holding tanks - 3/4 hp electric pump in stream - gravity to places of use through 500 feet 2" pipe, 1000 feet 1 1/4" pipe, 1000 feet 1" pipe.

POD #2: Dirt dam 3 feet high - 600 feet 1" pipe to places of use and POD #1 - gravity

POD #3: Dirt dam 9.9 feet high - 800 feet 1" pipe to POD #1 by gravity.
(Structure designed as holding pond to capture enough water from a small stream to allow pumping) - gravity

If for domestic use state number of families to be supplied.....

6

7. Construction work will begin on or before.....

Has begun

8. Construction work will be completed on or before.....

Completed

9. The water will be completely applied to the proposed use on or before.....

Complete

Application No.

61607

Permit No.

45900

123001

Application No. 61607

Permit No. 45900

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same **SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two unnamed streams

The use to which this water is to be applied is domestic for six families and stock, being 0.015 cfs from unnamed Stream 1, with any deficiency to be made up by appropriation from unnamed Stream 2 for domestic, and 0.005 cfs from unnamed Stream 2 for stock.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 28, 1981

Actual construction work shall begin on or before August 20, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 20th day of August, 1981


Water Resources Director

Remarks: Because of roiled water during heavy winter storms, ~~it is~~ water will sometimes be used from UNNAMED Stream #2 because of its better quality for domestic use. During periods of dry weather it may be necessary to gravity water from POO #3, because of a much larger storage area.

Theodore R. McFeely
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

By


This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

28 day of April, 1981, at 11:00 o'clock

A.M.

Application No. 61107 Permit No. 45900

42800



Water Resources Department

3850 PORTLAND ROAD NE, SALEM, OREGON 97310

PHONE 378-3739

March 22, 1988

John Drolet
Watermaster, Dist. 19
290 North Central
Coos Co. Annex
Coquille, OR 97423

Dear John:

REFERENCE: Files 61604-61609, T.R. McNeely

You have asked if Mr. McNeely can still apply for extensions of the time limits for his Permits 45897, 45898, 45899, 45900, 45901, and 45902. The answer is "Yes, he can".


Except for Permit 45900 which was filed as "completed", we have not been notified as to what, if anything, was accomplished since the permits were issued. No B or C forms were filed, and no response was received from our March 26, 1985 certified letter.

Any request for extension of time would have to be very clear as to what was accomplished within the time limits in terms of construction and use of water. The permits are all awaiting survey, and carry the "survey regardless" designation.

Sincerely,

Steven P. Applegate
Field Crews Supervisor

SPA:ldh



Water Resources Department

MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE

March 26, 1985

378-8508

Theodore R. McNeely
1450 Fairview Route
Coquille, OR 97423

REFERENCE: File 61607

According to the terms of your Permit 45900 which was for 0.02 cubic foot per second of water from two unnamed streams for domestic use four six families and stock purposes in Coos County,

complete application of water was to have been made by October 1, 1984.

Complete application of water means the application of water to a beneficial use under the permit to the full extent intended. In the case of irrigation, it means beneficial irrigation of all the lands the permittee intends to cover under the terms of the permit. If the water has been used, you should promptly submit notice describing the extent of completion as set forth in the letter accompanying your permit and also in our postal card of October 18, 1984.

ORS 537.260 provides that: "Whenever the time within which any appropriation under a permit should have been perfected has expired and the owner of the permit fails or refuses within three months thereafter to submit to the Water Resources Director proof of completion of the appropriation as required by ORS 537.230 and 537.250, the Water Resources Director may, after 60 days notice by registered mail, order the cancellation of the permit..."

In accordance with the provisions of ORS 537.260, you are hereby notified that unless proof of beneficial use is received within 60 days from the date of this letter, the permit(s) may be canceled without further notice.

If for any reason, you are no longer interested in the project described by the permit, we would appreciate it if you would so advise. If the property involved has changed hands and any part of the project has been completed, you should immediately assign the permit to the new owner and advise us of his name and address. An assignment form will be furnished upon request.

Sincerely,

Bruce A. Estes, Supervisor
Survey/Certificate Section

COPY

RECEIVED RECEIVED

JAN 14 1981


APR 28 1981

WATER RESOURCES DEPT
SALEM, OREGON

Scale 1"=400'

M21R 582J

30




T 28S R12W
Sec 19
W 1/2 SE 1/4

RECEIVED

APR 28 1981

WATER RESOURCES DEPT
SALEM, OREGON




Application No. 61607
Permit N. 45900

T28S R12W
Sec 19
W 1/2 SE 1/4

RECEIVED

APR 28 1981

WATER RESOURCES DEPT
SALEM, OREGON



Application No. 61607
Permit N 45900

378-8508 or
1-800-452-7813

July 23, 1981

Theodore R. McNeely
1456 Fairview Route
Coquille, OR 97423

Dear Mr. McNeely:

REFERENCE: Files 61604, 61605, 61606, 61607, 61608 and 61609

Your six applications and accompanying maps have been reviewed. Application 61604 describes the proposed use of 0.015 cubic feet per second of water from two unnamed streams for domestic use for four families and stockwater; Application 61605 describes the proposed use of 0.01 cfs from two unnamed streams for domestic use for five families and stockwater; Application 61606 describes the proposed use of 0.015 cfs from two unnamed streams for domestic use for four families and stockwater; Application 61607 describes the proposed use of 0.02 cfs of water from two streams for domestic use for six families and stockwater; Application 61608 describes the proposed use of 0.015 cfs of water from an unnamed stream for domestic use for five families and stockwater, and Application 61609 describes the proposed use of 0.015 cfs from two unnamed streams for domestic use for five families and stockwater.


Permits will be issued for the use of water from the Coquille River and its tributaries. However, water may not be available during dry periods. The water may be needed to satisfy existing rights.

Your applications are in satisfactory form for the issuance of permits and will be considered for approval with the next group to be processed.

Sincerely,

STEPHEN C. BROWN
Water Rights Engineer

SCB:ape
enclosures: Receipt 23038
5949A



Water Resources Department

MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 378-8508

October 20, 1983

Theodore R. McNeely
1450 Fairview Route
Coquille, OR 97423

Dear Mr. McNeely:

REFERENCE: File 61607

According to the report submitted by our field examiner, you have not made use of the water to the extent intended within the limits of your Permit 45900, although the project was indicated as completed when the application was filed.

Under the terms of your permit, the date for completion of construction of your project was October 1, 1983 and the date for complete application of water is October 1, 1984. If the information obtained by our field examiner is correct, and the construction phase of your project is not complete, it would be necessary for you to apply for an extension of this time limit. A form for this purpose is enclosed for your use.

The Water Resources Director is permitted by law to extend the time for completion of a project only upon a showing of reasonable diligence by the permittee. Therefore, you should fill out this application carefully, completely describing what has been accomplished. The application must be submitted to this office with the statutory filing fee in the amount of \$100.00 for each permit.

I am also enclosing another Form C for your use in reporting to us the complete use of water when applicable.

Sincerely,

Steven P. Applegate
Senior Water Rights Examiner

SPA:jvm

enclosures

August 26, 1981

Theodore R. McNeely
1450 Fairview Route
Coquille, Oregon 97423

61604
61605
61606
61607
61608
61609

Permits 45897, 45898, 45899, 45900, 45901 and 45902.

Application No. **61607**
Permit No. **45900**
April 28, 1981
Name Theodore R. McNeely
Address 1450 Fairview Rt. Coquille, OR 97423
Assigned _____
Address _____
Beginning construction **AUG 20 1982**
Completion of construction **OCT 1 - 1983**
Extended to _____
Complete application of water **OCT 1 - 1984**
Extended to _____

Form 100 MAR 26 1985

