

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

AUG 18 1972

(Do not write above this line)

STATE ENGINEER SALEM, OREGON

JACK 7373

State Well No. 36S/2W-26

State Permit No.

(1) OWNER:

Name Erickson, F. L. **1A**
Address 608 No. Grape Madras, Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
6" Diam. from ±1 ft. to 29 ft. Gage 1.250

(6) PERFORATIONS:

Perforated? Yes No.
Type of perforator used Torch
Size of perforations 1/8 in. by 7 in.
10 perforations from 30 ft. to 38 ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____ Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Jet test 50 gal./min. with 23 ft. drawdown after 13 hrs.
Artesian flow _____ g.p.m.
Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Bentonite
Well sealed from land surface to 22 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal _____ sacks
Number of sacks of bentonite used in well seal 2 sacks
Brand name of bentonite ANK
Number of pounds of bentonite per 100 gallons of water 100 lbs./100 gals.
Was a drive shoe used? Yes No Plug _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ to _____ ft.

(10) LOCATION OF WELL:

County Jackson Driller's well number _____
Section 26 T. 36 R. 2W W.M. _____
Bearing and distance from section or subdivision corner 100' north 180' east from the south west property corner Downings Rd.

(11) WATER LEVEL: Completed well.

Depth at which water was first found 28 ft.
Static level 17 ft. below land surface. Date 8-14-72
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 40 ft. Depth of completed well 40 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
soil-sandy-brown	0	1	
boulders & gravel	1	6	
sandstone-brown	6	13	
clay-brown	13	28	
boulders & medium gravel	28	40	17

RECEIVED

JUN 14 2007

WATER RESOURCES DEPT SALEM, OREGON

Work started 8-14 1972 Completed 8-14 1972
Date well drilling machine moved off of well 8-14 1972

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Charles D. Whitmore Date 8-14, 1972
(Drilling Machine Operator)
Drilling Machine Operator's License No. 344

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Crater Well Drilling, Inc.
(Person, firm or corporation) (Type or print)
Address 1925 Delta Waters Rd. Madras
[Signed] Charles D. Whitmore
(Water Well Contractor)
Contractor's License No. 545 Date 8-14, 1972