


Sun 4/17/84

R

Application No. **68061**
Permit No. **48544**

Name Jimmy D. Henderson
Address HC 83, Box 1385, Coquille, OR 97423
Assigned
Address
Beginning construction JUL 19 1985
Completion of construction OCT 1 1986
Extended to
Complete application of water OCT 1 1987
Extended to

SECTION 19 T.28S. R.12W. W.M.
COOS COUNTY



POD #2 is 650 S' and 2910' W
from the NE 1/4 Cor Sec 19

RECEIVED

APR 17 1984

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

JUN 25 1984

WATER RESOURCES DEPT
SALEM, OREGON

Application No. 48544
Permit No. 48544

Application No. 68061

Permit No.

STATE OF OREGON WATER RESOURCES DEPARTMENT **RECEIVED**

Application for Permit to Appropriate Surface Water APR 17 1984

WATER RESOURCES DEPT
SALEM, OREGON

I, Jimmy D. Henderson
(Name of Applicant)

of HC 83 Box 1385 Coquille
(Mailing Address) (City)

State of Oregon 97423 Phone No. 396-3486 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is a spring which is a tributary to Hamlin Creek and Glen Aiken Creek, a tributary of the Coquille River

2. The point of diversion is to be located see below ft. and ft.
(N. or S.) (E. or W.)
from the NW corner of sec. 20, T. 28 S, R 12 W.W.M.
#1 POD is 1005' S 67° 40' E from NW corner section 20
(Public Land Survey Corner)
(If there is more than one point of diversion, each must be described)
POD #2 is 650'S AND 2910' W FROM NE cor sec. 19

#2 NE NW
#2 19 28 S 12 W being within the #1 NW 1/4 of the NW 1/4 of
Sec. #1 20 Tp. 28 S R. 12 W, W.M., in the county of Coos
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
28 S	12 W	19	NE 1/4 NW 1/4	ONE domestic uses to include up to 1/2 acre of lawn and garden irrigation of each household.
28 S	12 W	19	NW 1/4 NE 1/4	ONE domestic use to include up to 1/2 ac of lawn & garden irr.

3567C

4. The amount of water which the applicant intends to apply to beneficial use is 0.01 cfs from spring
cubic feet per second with any deficiency in supply to come from Glen Aiken Creek.
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is two domestic uses to include lawn and
garden irrigation each.

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

POB#1 Gravity flow system, with one (1) inch black plastic water pipe
running into a concrete holding tank approx. 6X6X12 feet in size.
There is approx. 4,000 feet of pipe from spring to furthest dwelling.

POB#2 1 1/2 hp pump, 3/4 inch plastic water pipe,
approx 400 feet of line.

If for domestic use state number of families to be supplied two (2)

7. Construction work will begin on or before N/A

8. Construction work will be completed on or before N/A

9. The water will be completely applied to the proposed use on or before 4 IN Use

Application No. 68061

Permit No. 68061

RECEIVED
MAY 14 1961
WATER CONTROL
SECTION

Remarks:.....

Certificate #7407 issued to C.D. Cunningham for a right
to the use of water from the spring for domestic supplies in the
NW ¼ NE¼ of Section 19 is not the same dwelling as shown on our map.

If the spring should fail to have sufficient water supply and
it became necessary we would use Glen Aiken Creek water for our

domestic and household purpose.

Signature of Applicant

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Jimmy O. Henderson

This is to certify that I have examined the foregoing application, together with the accompanying maps
and data, and return the same for..... correction and completion

In order to retain its priority, this application must be returned to the Water Resources Director with
corrections on or before July 10, 19 84

WITNESS my hand this 10th day of May, 19 84

William H. Young Water Resources Director

By

Wayne J. Overcash

RECEIVED

JUN 25 1984

WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

17th day of April, 19 84, at 8:00 o'clock

a.M.

Application No.

68061

Permit No.

Application No. 68061

Permit No.

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same **SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring, with any deficiency in deficiency in the available supply of water the spring to be made up by appropriation from Glen Aiken Creek (l)

The use to which this water is to be applied is domestic (2) incl. L & G each family

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 17, 1984

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.....

Complete application of the water to the proposed use shall be made on or before October 1, 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

PH S

*** OREGON WATER RESOURCES DEPARTMENT ***
 *** WATER RIGHTS DIVISION ***
 *** WATER RIGHT DATA INPUT FORM ***

WATER RIGHT NO. A000680611 PERMIT NO. _____

CERTIF. NO. _____

NAME: Jimmy Henderson

ORIG. NO. _____

PREV. NO. _____

SUPER. NO. _____

ADDRESS: HC 83, Box 1385CITY/STATE/ZIP/COUNTY: Cogswell, OR 97423 06STREAM-ID 17-1510-0770RIV. MI. 0.8WM. DIST. (19)W.R. TYPE SA STATUS ACANCELED YEAR: Glen Aiken Cr → Cogswell R

CONSTR. COMPLT. → _____

YR. LAST USED → _____

NEXT ACTION DUE → _____

PRIORITY → _____

PUT TO USE → _____

LAST TRANS. DATE → _____

LAST TRANS. TYPE → _____

APPLICATION → 04/14/1984

SURVEYED → _____

EXAM. FEE → 200.RECORDING FEE → 125.

PERMIT ISSUE → _____

CONCURRENCE → _____

CYCLE STATUS → _____

REPORTED FLAG → _____

CONSTR. STRT. → _____

CERTIFIED → _____

CORRES. INIT. → _____

CORRES. DATE → _____

 POINT-OF-DIVERSION DATA:
 TWP/SP RGE SECT QTR/QTR STREAM-ID

280S 120W 20 BB # 17-1510-0770-0020
1 19 AB 17-1510-0770

RIV. MI.

RATE

STATUS S OR P

0.80.01AP0.80.000

0.0

0.000

** REMARKS: -

** DATED →

** POD 1 S67°40'E 1005' fm NW** Cor. 520; POD 2 650' S &** 2910' W fm NE Cor S19.** Dd / 2
 PLACE-OF-USE DATA:
 TWP/SP RGE SECT QTR/QTR CNTY

USE % CNSMTV

ACRES

STATUS

S OR P

280S 120W 19 AA Q6 DL 100.00 .00
1 19 AB 100.00 .00
1 19 AB 100.00 .00
AP11
AP 7 Hartin Cr
17-1510-0770-0020

W.R.I.S.

Assembled 4-18-84 by PijEntered 4/19/84 by CLH

Verified _____ by _____



Water Resources Department
MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 378-3066

July 12, 1984

Jimmy D. Henderson
HC 83, Box 1385
Coquille, OR 97423

Dear Mr. Henderson:

REFERENCE: File 68061


This is to acknowledge your amended Application 68061 and the supporting map. The application now clearly describes the proposed use of 0.01 cubic foot of water per second from the spring with any deficiency in supply to come from Glen Aiken Creek for domestic supplies for two families to include up to one-half acre of lawn and garden irrigation for each household. The spring description sheet was also received.

The application is now in satisfactory form and will be placed with the group to be considered for approval.

Sincerely,

WAYNE J. OVERCASH
Senior Water Rights Examiner

WJO:wpc
3482C



Water Resources Department
MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

RECEIVED

JUN 25 1984

WATER RESOURCES DEPT
SALEM, OREGON

PHONE 378-3066

May 10, 1984

Jimmy D. Henderson
HC 83, Box 1385
Coquille, OR 97423

Dear Mr. Henderson:

REFERENCE: File 68061

Your Application 68061 describing the proposed use of water from Hamlin Creek for domestic supplies for two families to include up to one-half acre of lawn and garden irrigation for each, together with the map and legal descriptions, has been reviewed.

Before your application can be considered for approval, it will be necessary for you to clarify your intended source or sources of water and we will need a little information on an existing right in the vicinity.

✓ You have further noted in Item 4 of the application that you intend to appropriate 0.01 cubic foot of water per second from a spring with any deficiency in supply to come from Glen Aiken Creek. If so, the sources of water should be identified as the spring and the Glen Aiken Creek in Item 1 of your application instead of Hamlin Creek.

✓ If you intend to appropriate water from a spring, the enclosed Spring Description Sheet will need to be properly completed and submitted to support your application.

→ A Certificate 7407 issued to C.D. Cunningham describes a right to the use of water from the spring as located in your application for domestic supplies at a house site near the dwelling illustrated on your map in the NW 1/4 NE 1/4 of Section 19. If the dwelling illustrated on your map is a different dwelling then served by the earlier right, a notation to this effect should be given in the remarks section of your application.

→ You will also need to note in the remarks section of your application whether you intend to use water from Glen Aiken Creek for household purposes.

✓ If the scale of one inch equals 400 feet noted on your map is correct, and the distance to Point of Diversion 2 from the reference corner are correct, it appears that you have improperly designated the quarter-quarter section on your map and Point of Diversion 2 would be located in the NE 1/4 NW 1/4 of Section 19, instead of NW 1/4 NE 1/4 presently noted in Item 2 on the application. Whichever is in error will need to be corrected.

Jimmy D. Henderson
May 10, 1984
page two

I am returning your application and the map for correction and completion. The application is endorsed so that in order to retain its priority date it must be received in this office on or before July 10, 1984.

Sincerely,

A handwritten signature in blue ink, appearing to read "Wayne J. Overcash", is written over the typed name.

WAYNE J. OVERCASH
Senior Water Rights Examiner

WJO:wpc
enclosures
2409C

May 10, 1984

Jimmy D. Henderson
HC 83, Box 1385
Coquille, OR 97423

Dear Mr. Henderson:

REFERENCE: File 68061

Your Application 68061 describing the proposed use of water from Hamlin Creek for domestic supplies for two families to include up to one-half acre of lawn and garden irrigation for each, together with the map and legal descriptions, has been received.

Before your application can be considered for approval, it will be necessary for you to clarify your intended source or sources of water and we will need a little information on an existing right in the vicinity.

You have further noted in Item 4 of the application that you intend to appropriate 0.01 cubic foot of water per second from a spring with any deficiency in supply to come from Glen Aiken Creek. If so, the sources of water should be identified as the spring and the Glen Aiken Creek in Item 1 of your application instead of Hamlin Creek.

If you intend to appropriate water from a spring, the enclosed Spring Description Sheet will need to be properly completed and submitted to support your application.

A Certificate 7407 issued to C.D. Cunningham describes a right to the use of water from the spring as located in your application for domestic supplies at a house site near the dwelling illustrated on your map in the NW 1/4 NE 1/4 of Section 19. If the dwelling illustrated on your map is a different dwelling then served by the earlier right, a notation to this effect should be given in the remarks section of your application.

You will also need to note in the remarks section of your application whether you intend to use water from Glen Aiken Creek for household purposes.

If the scale of one inch equals 400 feet noted on your map is correct, and the distance to Point of Diversion 2 from the reference corner are correct, it appears that you have improperly designated the quarter-quarter section on your map and Point of Diversion 2 would be located in the NE 1/4 NW 1/4 of Section 19, instead of NW 1/4 NE 1/4 presently noted in Item 2 on the application. Whichever is in error will need to be corrected.

Jimmy D. Henderson
May 10, 1984
page two

I am returning your application and the map for correction and completion. The application is endorsed so that in order to retain its priority date it must be received in this office on or before July 10, 1984.

Sincerely,

WAYNE J. OVERCASH
Senior Water Rights Examiner

WJO:wpc
enclosures
2409C

Water Resources Department
MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 378-3066

April 24, 1984

Jimmy D. Henderson
HC 83 Box 1385
Coquille, OR 97423

REFERENCE: File 68061

We have received your application for use of water for two domestic uses to include lawn and garden irrigation along with the supporting data and fees. Our Receipt 52143 is enclosed. Your application has been filed and assigned number 68061.

Applications which are received in proper form for a permit, including maps, supporting data and fees, will be considered for approval shortly after the mandatory 30-day waiting period. Applications which are defective, conflict with existing rights or require additional information will be reviewed in detail and will be returned for completion or correction within 45 days.

If your application is approved, the project described in the application will be subject to the Water Policy Review Board's Basin Program statements, existing minimum flows and demands of prior rights during periods of low water.

Sincerely,

RALPH H. JACKSON, Supervisor
Application/Permit Section

RHJ:wpc

enclosure
0003/X
2033C

Beginning at a point on the Sub-divisional line running North and South through the center of Section 19, 660 feet South of the quarter section corner on the line between Sections 18 and 19, Township 28 South, Range 12 West of the Willamette Meridian, Coos County, Oregon, and running thence South 89° 43' East to intersect the Coquille-Myrtle Point Highway, thence in a Northwesterly direction along said Highway to a point where the North and South Sub-divisional line through the center of Section 19 intersects the Coquille-Myrtle Point Highway, thence Southerly along the quarter section line running North and South through Section 19 to the place of beginning, being approximately one-eighth acre, comprising all that portion of the plot of land described on page 111 in Book 113, Record of Deeds of Coos County, Oregon, lying West of the Coquille-Myrtle Point Highway.

Also, all that portion of the Northeast quarter of the Northeast quarter of the Northwest quarter of Section 19, in Township 28 South, Range 12 West of the Willamette Meridian, in Coos County, Oregon, lying South of the South boundary line of the Coquille-Myrtle Point Highway, containing approximately eight acres, more or less; saving and excepting to G. C. Gouthier and Addie M. Gouthier, their heirs and assigns, a small portion of said premises particularly described as follows: Beginning at a point on the West side of the Roseburg Highway 30 feet South of an iron pipe 1" by 30" driven into the ground at the Southeast side of a gate post, said pipe is 297 feet South and 88 feet West of the North quarter corner of Section 19, Township 28 South, Range 12 West of the Willamette Meridian; and running thence from said point of beginning South 65° West 135 feet to the center of Aiken Creek, thence in a Northwesterly direction following the center line of Aiken Creek to the West line of the right-of-way of said Roseburg Highway; thence in a Southeasterly direction following said West line of said right-of-way to said iron pipe and over and beyond the same for a distance of 30 feet to the place of beginning. The tract of land hereby reserved lies between the right-of-way of the said Roseburg Highway and the center line of said Aiken Creek, is in a triangular shape and contains one-fourth of an acre, more or less.

RECEIVED

APR 17 1984

WATER RESOURCES DEPT
SALEM, OREGON

Application No. 68061
Permit No. 48544

The sketch hereon is made for
no liability for variations, if any.

DESCRIPTION SHEET

See page 1 for vesting and encumbrances, if any.

Description of the tract of land which is the subject of this report:

The N 1/2 of the SE 1/4 of the NE 1/4 of the NW 1/4 and that portion of the N 1/2 of the SW 1/4 of the NW 1/4 of the NE 1/4 lying West of Old Highway 42, being located in Section 19, Township 28 South, Range 12 West of the Willamette Meridian, Coos County, Oregon. EXCEPT that portion taken by the State of Oregon, by and through its State Highway Commission, in Circuit Court Case 26517, filed July 27, 1965, State of Oregon vs. Finley.-----

RECEIVED

APR 17 1984

WATER RESOURCES DEPT
SALEM, OREGON

Application No. 68061
Permit No. 48544

Application No. 68061
Permit No.

ASSTD 06/22/83
ACCT NO 0607 00 MENASHA 1980 CORPORATION T28 R12 S20 TL 300
CODE 41 03 NW1/4
CLASS 440
ACRES 160.00 PO BOX 367
REF NO 83-15711 NEENAH, WI 54956
ZONES EG-20

10:27 33

		CURRENT YEAR		PRIOR YEAR	
		MARKET	ASSESSED	MARKET	ASSESSED
POTENTIAL	DOOR LAND				
ADDITIONAL	DOOR BLDG				
TAX LIABILITY	OTHER LAND	17,280	16,590	22,400	20,360
	OTHER BLDG				
	TOTAL VALUE	17,280	16,590	22,400	20,360
	TAXABLE VALUE		16,590		

ENTER SET PF6 - PLANNING PF9 - SALES PF12 - LAND
RT ADV PF7 - TAXROLL PF10 - INDEX
PRC RCD PF8 - MOBIL XREF PF11 - OOR CLEAR - EXIT

RECEIVED

JUN 25 1984

SPRING DESCRIPTION SHEET

WATER RESOURCES DEPT
SALEM, OREGON

APPLICATION 68061

1. Is the spring on property owned by applicant? No
2. If not, give name and address of legal owner: Menasha Corporation
P.O. Box 367, Neenah, Wi. 54956
3. Have you secured consent of owner to appropriate water from this spring and for construction of pipeline or other works? No
4. If you do not have such consent, do you expect to secure right-of-way through condemnation? No
5. What is the maximum flow from the spring in gallons per minute or cubic feet of water per second? 5 gallons per minute (the middle of June)
What is the minimum flow? 3 gallons per minute
Is flow measured or estimated? measured
6. Does the stream flowing from the spring form a well defined natural channel? Yes
7. Does the water flow off the lands on which it first arises? Yes
8. Give the name of the stream or other body of water into which water from the spring flows: Hamlin Creek
9. If the water from the spring sinks or evaporates before reaching other water, give distance water flows from spring before vanishing: _____
10. Remarks: This spring has been piped to our property ;and been in use for over 50 years.

Jimmy D. Henderson
Signature

Signature