### Checklist for Claims of Beneficial Use Received at CSG Counter

Checkingt for C	iaims of Denemer	ar osc recer	veu at c		unter
Application # $G-1$	2864	WRD Review	er Cow	М.	
Transfer #					
Date Received 3	-5-2021				
CWRE Name	ryl Anderson				
		8.			
Priority Date: 190	12				
Fees Required:					
YES NO A fee of \$20 later.	00 must accompany this fo	rm for <u>permits</u> with	priority dat	es of July 9	), 1987, or
priority date Ex	00 must accompany this for e of July 9, 1987, or later. ample – A transfer involve a priority date of July 9, 1	s 5 rights and one of	f the rights		t with a
Map Review:					or Transfer Number
Map on polyester film	(OAR 690-014-0170(1) & 310-0	0050(1)(b))	M	ONEY SLIP	
Application & permit #;	or transfer # (OAR 690-014-010	0(1))	DATE:	RECEIPT#:	
XDisclaimer (OAR 690-0 XNorth arrow (OAR 69			RECEIVED FROM:	APPLICA PERMIT TRUMS	EA
CWRE stamp and sign	nature (OAR 690-014 & 310-00	50)	CASH CHECK #	OTHER (DENTIFY) TOTAL F	RECO IS
XAppropriate scale (1"	$= 1320^{\circ}$ , 1" = 400', or the original or map) (014 & 310)	al full-size scale	0407 COPIES OTHER (IDENTIF	0	5
	ion, and tax lot numbers (OAR)	690-310-0050(4))		WARD OPERATING ACCT.	0245 Cons Woter
			MISCELLANEOUS 0407 COPY & TAPE FEES 0410 RESEARCH FEES 0408 MISC REVENUE (DENTIFY) TC162 DEPOSIT LUB (DENTIFY)	4611	\$ \$ \$
Report Review:			0240 EXTENSION OF TIME WATER PROHITS 0201 SURFACE WATER 0200 GROUND WATER 0205 TRANSFER	5 000 5 000	MECONO / RE
On form provided by the	ne Department (OAR 690-014-0	100(1))	WELL CONSTRUCTION 0218 WELL DRILL CONSTRUCTO LANDOWNERS PERMIT	022	IS S
Application & permit #  Number 2	; or transfer # (OAR 690-014) (OAR 690-014)	0	OUT TREASURY CHI	HYDROELECTRIC	3200.00
Date of survey (OAR 6	90-014)		0233 POWER LICENSE FEE (FW 0231 HYDRO LICENSE FEE (FW	ARD)	\$
Person interviewed (OAR 600 014)			ERECIAL INSTRUCTION	ę.	5

#### **Groundwater File Review:**

Pump Test Required?

YES

\_CWRE stamp and signature (OAR 690-014-0100)
Signature(s) of <u>all</u> permittee of transfer holder (OAR 690-014-0100)

Pump Test Submitted? YE

YES NO\*

☐ RETURN TO APPLICANT - LETTER ATTACHED

in Ale but not

on WKIS

\*If no, include pump test flyer w/acknowledgment letter

#### **ANDERSON**

## ENGINEERING & SURVEYING, INC.



PO Box 28 17681 Hwy 395 Lakeview, Oregon 97630 541-947-4407 541-947-2321 FAX



# TRANSMITTAL LETTER

**RECEIVED** 

MAR 0 5 2021

0 11						OWRD
Oregon W	ater Resour	rces Department		3/2/2021	JOB NO:	2021-016
#3F C		n		NTION:		
	er Street N	E	RE: C	VDWSD Final	Proof	
Suite A	0.004	40.00				
Salem, Or	egon 97301	-1266	_			
	WE ARE SE	NDING YOU ATTACHED:				
		PRINTS P	LANS			
		OTHER				_
COPIES	DATE	DESCRIPTION	25180 1152			
1		Claim of Beneficial Use Site Report Perm				
1		Mylar Map Claim of Beneficial Use Map for		Domestic Water S	Supply District Per	mit G-12660
		Check # 35630 - \$200.00				
	THESE ARE	TRANSMITTED AS CHECKED BELO	OW:			
		X FOR APPROVAL	FC	OR REVIEW A	AND COMMEN	T
		AS REQUESTED	FC	OR SIGNATUI	RE	
		OTHER			_	
REMARKS						
COPY TO			SIGNED ${\cal B}$	arb Thomp	son	
	If enclosures are	not as noted, please notify us at once				

# CLAIM OF BENEFICIAL USE for Groundwater Permits claiming more than 0.1 cfs



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900

www.oregon.gov/OWRD

RECEIVED

MAR 0 5 2021

A fee of \$200 must accompany this form for <u>permits</u> with priority dates of July 9, 1987, or later.

**OWRD** 

#### A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at: <a href="https://www.oregon.gov/OWRD/Forms/Pages/default.aspx">https://www.oregon.gov/OWRD/Forms/Pages/default.aspx</a>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see

https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx

#### **SECTION 1**

#### **GENERAL INFORMATION**

#### 1. File Information:

APPLICATION #	PERMIT # (IF APPLICABLE)	PERMIT AMENDMENT # (IF APPLICABLE)
G-12864	G-12660	T-

2.	<b>Property</b>	Owner	(current	owner	information	):
----	-----------------	-------	----------	-------	-------------	----

APPLICANT/BUSINESS NAME Christmas Valley Domestic	Water District	PHONE NO <b>541-576-</b> 2		Additional Contact No.
Address		•		
87379 Holly Lane				
CITY	STATE	ZIP	E-MAIL	11
<b>Christmas Valley</b>	OR	97641	cvwater@ir	nternetextension.com

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. <u>Each</u> permit holder of record must sign this form.

3. Permit holder of record (this may, or may not, be the current property owner):

	(0	st, se the current property owner,	
PERMIT HOLDER OF RECORD			
<b>Christmas Valley Domestic W</b>	ater District		
ADDRESS			
87379 Holly Lane			
Сіту	STATE	ZIP	
Christmas Valley	OR	97641	

Additional Permit Holder of Record		
Address		
Сіту	STATE	ZIP

#### 4. Date of Site Inspection:

2/9/2021

5. Person(s) interviewed and description of their association with the project:

Name	DATE	Association with the Project
Erica Anderson	2/9/2021	System Operator
Erica Anderson	2/3/2021	System Operator

#### 6. County:

Lake

7. If any property described in the place of use of the permit is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD	21		
N/A			
ADDRESS			
Сіту	STATE	ZIP	

Add additional tables for owners of record as needed

RECEIVED

MAR 0 5 2021


# SECTION 2 SIGNATURES



**OWRD** 

#### CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME		PHONE NO	. ADDITIONAL CONTACT NO.
Darryl Anderson		541-947-	4407
Address		•	
17681 HWY 395			
CITY	STATE	ZIP	E-MAIL
Lakeview	OR	97630	darryla@andersonengineering.com

#### Permit Holder of Record Signature or Acknowledgement

**Each** permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

Irica Andre	Erica Erica Ariderson	Operator   Manager	ahlabal

# SECTION 3 CLAIM DESCRIPTION

RECEIVED
MAR 0 5 2021

OMDD

1. Point of appropriation name or number:

POINT OF APPROPRIATION (POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
Well 4	LAKE 998	

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of appropriation source, if indicated on permit:

POA	Source	TRIBUTARY
NAME OR NUMBER	BASIN LOCATED WITHIN	
Well 4	Fort Rock Valley Basin	N/A
Well 4	Tore Nock Valley Basin	1976

3. Developed use(s), period of use, and rate for each use:

POA NAME OR NUMBER	Uses	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME  USED  (CFS, GPM, OR AF)
Well 4	Quasi- Municipal	N/A	Year Round	446.4 GPM
Total Quantity of	Water Used			2,111,621,282 G

**4. Provide a general narrative description of the distribution works.** This description must trace the water system from **each** point of appropriation to the place of use:

Water is pumped from Well 4 into distribution mainline where it is routed throughout Christmas Valley's system. Distribution lines are a collection of 8", 6", and 4", predominantly made out of iron. This Well is the system's primary well and is equipment with a backup generator.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

#### 5. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below.

(e.g. "The permit allowed three points of appropriation. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

#### 6. Claim Summary:

POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
Well 4	1.22 cfs	1.22 cfs	0.064 cfs	Quasi- Muncipal	N/A	N/A

RECEIVED
MAR 0 5 2021

# MAR 0 5 2021

# SECTION 4 SYSTEM DESCRIPTION

OWRD

NO

**B. Groundwater Source Information (Well)** 

1. Is the appropriation from a well?

YES

If "NO", items 2 through 4 relating to this section may be deleted.

2. Describe the access port (type and location) or other means to measure the water level in the well:

There is an 1 1/4" access port at the well head through which a Power Equipment E-Tape is run

3. If well logs are not available, provide as much of the following information as possible:

CASING	CASING	TOTAL	COMPLETION	COMPLETION	WHO THE WELL	WELL DRILLED BY
DIAMETER	DEPTH	DEPTH	DATE OF	DATES OF	WAS DRILLED FOR	
			ORIGINAL WELL	ALTERATIONS		
12"	120'	302'	6/3/1963	N/A	Penn Phillips Co.	Gordon
						Goeres

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

Well log attached at the bottom of this COBU

### C. Groundwater Source Information (Sump)

1. Is the appropriation from a dug well (sump)?

NO

### D. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport <u>and</u> apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Goulds	7TLC-4STG	M23595	Submersible	6"	6"

#### 3. Motor Information:

MANUFACTURER	Horsepower
Hitachi Submersible	40

4. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP  *IF A WELL, THE WATER LEVEL  DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
40	Variable	Variable	Variable	Variable

#### 5. Provide pump calculations:

Pump is manually operated based on visual inspection of the staff gauge at the storage tank. This is the primary well for the system and is always operating except during repairs and maintenance occurring on Well 4.

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
35260.0 cubic feet	35279.3 cubic feet	5 hours	0.064

Reminder: For pump calculations use the reference information at the end of this document.

#### 7. Is the distribution system piped?

YES

If "NO" items 8 through item 13 may be deleted.

#### 8. Mainline Information:

MAINLINE SIZE	LENGTH	TYPE OF PIPE	Buried or Above Ground
8", 6", 4"	27 miles	Iron	Buried
8", 6", 4"	9 miles	PVC	Buried

#### 9. Lateral Information:

LATERAL OR HANDLINE SIZE	LENGTH	Type of Pipe	Buried or Above Ground
Variable	Unknown as it is homeowner maintained	Unknown as it is homeowner maintained	Buried

**RECEIVED** 

MAR 0 5 2021

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
N/A					

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
N/A					

12. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	Additional Information
N/A					

#### 13. Pivot Information:

Manufacturer	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
N/A				

#### E. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a:

Storage Tank

YES

Bulge in System / Reservoir

NO

Complete appropriate table(s), unused table may be deleted.

2. Storage Tank:

Revised 3/2/2020

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
Metal	500,000	Above Ground

RECEIVED

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
N/A		

F.	Gr	av	itv	, Fl	o	w	P	i	p	e
	•	~ •	,		_		•	•	~	•

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

#### **G. Gravity Flow Canal or Ditch**

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

NO

н.	Additional	notes	or	comments	related	to	the	system	1:

RECEIVED

MAR 0 5 2021

# MAR 0 5 2021

#### **SECTION 5**

#### **CONDITIONS**

OWRD

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

#### 1. Time Limits:

Permits and extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or permit extension order:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	8/14/1996		
BEGIN CONSTRUCTION (A)		5/10/1963	
COMPLETE CONSTRUCTION (B)		6/3/1963	
COMPLETE APPLICATION OF WATER (C)	10/1/2020	Pending	Hired AES to complete this application

<sup>\*</sup> MUST BE WITHIN PERIOD BETWEEN PERMIT, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

#### 2. Is there an extension final order(s)?

YES

If "NO", items a and b relating to this section may be deleted.

a. Did the Extension Final Order require the submittal of Progress Reports?

NO

3. Initial Water Level Measurements:

a. Was the water user required to submit an initial static water level measurement?

NO

4. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements?

NO

#### 5. Pump Test:

a. Did the permit require the submittal of a pump test?

YES

Ground water permits with priority dates on or after **December 20, 1988**, require the submittal of a pump test prior to issuance of a certificate. In some cases, the permit holder may qualify for a multiple well exemption or an unreasonable burden exemption.

For additional information regarding pump tests see:

https://www.oregon.gov/OWRD/programs/GWWL/GW/Pages/PumpTestProgram.aspx

If "NO", items b through e relating to this section may be deleted.

b. Has the pump test been previously submitted to the Department?

YES

c. Is the pump test attached to this claim?

NO

d. Has the pump test been approved by the Department?

YES

e. Has a pump test exemption been approved by the Department?

NO

\*\* Claims will not be reviewed until a pump test or exemption has been approved by the Department

#### 6. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion or appropriation.

b. Has a meter been installed?

YES

#### c. Meter Information

POD/POA Name or #	Manufacturer	SERIAL#	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
Well 4 meter	Neptune		Working	572 GPM	2009

If a meter has been installed, items d through f relating to this section may be deleted.

#### 7. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department?

YES

If "NO", item b relating to this section may be deleted.

b. Have the reports been submitted?

YES

If the reports have not been submitted, attach a copy of the reports if available.

#### 8. Other conditions required by permit, permit amendment final order, or extension final order:

a. Were there special well construction standards?

NO

b. Was submittal of a ground water monitoring plan required?

NO

c. Was submittal of a water management and conservation plan required?

YES

d. Was a Well Identification Number (Well ID tag) assigned and attached

YES

to the well?

WELL ID#	DATE ATTACHED TO WELL
Lake 998	6/24/1963

e. Other conditions?

NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

RECEIVED

MAR 0 5 2021

#### **SECTION 6**

#### **ATTACHMENTS**

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Attachment 1	Original Well Log
Attachment 2	FO Extension Letter Issued
Attachment 3	Well Permit

#### **SECTION 7**

#### **CLAIM OF BENEFICIAL USE MAP**

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1'' = 1320 feet, 1'' = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

Survey was completed with RTK GPS. Section tie was to Lake County Surveyor monument 1260' south and 80' east from N ¼ corner, Section 14, Township 27 South, Range 17 East, W.M.

MAR 0 5 2021



#### **Map Checklist**

Please be sure that the map you submit includes ALL the items listed below. (Reminder: Incomplete maps and/or claims may be returned.)

- x Map on polyester film
- x Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- x Township, Range, Section, Donation Land Claims, and Government Lots
- X If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- X Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- x Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- x Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- x Point(s) of diversion or appropriation (illustrated and coordinates)
- x Tax lot boundaries and numbers
- X Source illustrated if surface water
- x Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- x Application and permit number or transfer number
- x North arrow
- x Legend
- x CWRE stamp and signature

RECEIVED

MAR 0 5 2021

# **Attachment 1**

NOTICE TO WATER WELL CONTRACTOR  The original and first copy of this report are to be filled with the	#4 LOG ELL REPORT F OREGON (pe or print)  G- 2479  State Permit No.	7/1	abcc 7-14 <b>5</b>					
(1) OWNER:	(11) WELL TESTS: Drawdown is amount to lowered below static le	vater level	is					
Name M. Pen N Phillips Co.	Was a pump test made? Yes No If yes, by whom	ni Pette	5					
Address C. HRISTMAS VAILEY R.S.	Yield: 2 300 gal./mln. with 34 ft. drawdow	n ofter	6 hrs.					
Silver LAKE, OREGON	" " "		<del>"</del>					
(2) LOCATION OF WELL:	Bailer test gal./min. with ft. drawdov	m after	hra.					
County LAHE Driller's well number	Artesian flow g.p.m. Date	· · · · · · ·						
SW 14 ME 14 Section 14 T. 275 R. 18 W.M.	Temperature of water 60 Was a chemical analysis made? A Yes No							
Bearing and distance from section or subdivision corner	(10) YERY TOG							
NORTH 100 HE LOT 26	(12) WELL LOG: Diameter of well below o							
Black 3 - UNIT I SWINE	Depth drilled ft. Depth of completed w		ft.					
	Formation: Describe by color, character, size of materic show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each c	the materio	il in each ormation.					
	MATERIAL	FROM	то					
TYPE OF WORK (check):	BROWN CLAY	0	30					
w Well Deepening Reconditioning Abandon		30	225					
If abandonment, describe material and procedure in Item 12.	GRAY Clay & SWELLING DUMICE	225	235					
(4) PROPOSED USE (check): (5) TYPE OF WELL:	LAST 30 ET - DOU DOUS	235	302					
Domestic ☐ Industrial ☐ Municipal 🗷 Rotary ☐ Driven ☐	9RAY IN COLOR							
Irrigation   Test Well   Other   Cable	- TRAY TA COTOL							
(6) CASING INSTALLED: Threaded □ Welded ♥								
(7) PERFORATIONS: Perforated? ☐ Yes ♥ No Type of perforator used								
Size of perforations in by in.								
perforations fromft, toft								
perforations fromit toit			-					
perforations fromit. toit								
perforations fromft toftftft								
(8) SCREENS: Well screen installed  Yes X No								
acturer's Name								
Type Model No.  Diam Slot size Set from ft. to ft.	Work started MAY 10 1963 Completed Ju	ve. 3	10/3					
Diam. Slot size Set from ft. to ft.	Work started MAY 10 1963 Completed July Date well drilling machine moved off of well July		196.3					
,		-						
(9) CONSTRUCTION:	(13) PUMP:							
Weil seal—Material used in seal BENTON' LE  Depth of real 120 ft. Was a packer used? No	Manufacturer's Name		777. fastication (eq.					
Diameter of well bore to bottom of sealin.	Typo:	н.Р						
Were any loose strata comented off? Tas X No Depth	Water Well Contractor's Certification:							
Was a drive shoe used? ☐ Yes 🗭 No	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this	report is					
Was well gravel packed? Tyes No Size of gravel:	true to the best of my knowledge and belief.							
Gravel placed fromft. toft.	NAME GORDON GOERS							
Did any strata contain unusable water? 🔲 Yes 📆 No	Box 202 (Person, firm or corporation)	Type or prin	111 12					
Type of water?Depth of strata	Address Christmas Valley R.S. Si		way we					
Method of sealing strata off	Drilling Machine Operator's License No	6						
(10) WATER LEVELS:	[Signed] Gordon Govre	<b>7</b> -						
Static level /9 ft. below land surface Date 1/3-63	(Water Well Contractor)		/-					
Artesian pressure lbs. per square inch Date	Contractor's License No. 305 Date	ne 16	., 19.6.3					
(USE ADDITIONAL S	SHEETS IF NECESSARY	·						

RECEIVED
MAR 0 5 2021

### **Attachment 2**

RECEIVED
MAR 0 5 2021

OWRD

Oregon Water Resources Department Water Rights Division

Water Rights Application Number G-12864

# Final Order Extension of Time for Permit Number G-12660

Appeal Rights

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

The Department issued Permit G-12660 on August 14, 1996. The permit called for completion of construction by October 1, 1998, and complete application of water to beneficial use by October 1, 1999. On January 23, 2000, Christmas Valley Domestic Water Supply District submitted an application to the Department for an extension of time for Permit G-12660. In accordance with OAR 690-315-0050(2), on August 28, 2007, the Department issued a Proposed Final Order proposing to extend the time to fully apply water to beneficial use to October 1, 2020. The protest period closed October 12, 2007, in accordance with OAR 690-315-0060(1). No protest was filed.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, the permit may be extended subject to the following conditions:

#### CONDITIONS

#### 1. Development Limitations

Diversion of any water beyond 1.22 cfs under Permit G-12660 shall only be authorized upon issuance of a final order approving a WMCP under OAR Chapter 690, Division 86. The required WMCP shall be submitted to the Department within 3 years of an approved extension application. Use of water under Permit G-12660 must be consistent with this and subsequent WMCP's approved under OAR Chapter 690, Division 86 on file with the Department.

The deadline established in this PFO for submittal of a WMCP shall not relieve a permit holder of any existing or future requirement for submittal of a WMCP at an earlier date as

Proposed Final Order: Permit G-12660

Page 1 of 2

RECEIVED
MAR 0 5 2021

OWRD

established through other orders of the Department. A WMCP submitted to meet the requirements of this order may also meet the WMCP submittal requirements of other Department orders

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0080(3).

#### **Order**

The extension of time for Application G-12864, Permit G-12660, therefore, is approved subject to conditions contained herein. The deadline for completing construction is extended to October 1, 2020. The deadline for applying water to full beneficial use is extended to October 1, 2020.

DATED: October 25, 2007

Dwigh French, Administrator of Water Rights and Adjudications

Phillip C. Ward, Director

If you have any questions about statements contained in this document, please contact Kim R. French at (503) 986-0813.

If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900.

Proposed Final Order: Permit G-12660

Page 2 of 2

# **Attachment 3**

MAR 0 5 2021

#### STATE OF OREGON

#### COUNTY OF LAKE

#### PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CHRISTMAS VALLEY DOMESTIC WATER SUPPLY DISTRICT PO BOX 142

(541) 576-2665

CHRISTMAS VALLEY, OREGON 97641

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: G-12864

SOURCE OF WATER: WELL 4 IN CHRISTMAS LAKE VALLEY BASIN

PURPOSE OR USE: QUASI-MUNICIPAL USE

RATE OF USE: 1.25 CUBIC FEET PER SECOND

PERIOD OF ALLOWED USE: YEAR ROUND

DATE OF PRIORITY: APRIL 6, 1992

POINT OF DIVERSION LOCATION: NW 1/4 NE 1/4, SECTION 14, T27S, R17E, W.M.; 1260 FEET SOUTH & 80 FEET EAST FROM N 1/4 CORNER, SECTION 14

THE PLACE OF USE IS LOCATED AS FOLLOWS:

N 1/2 SW 1/4 SECTION 8 NE 1/4 SW 1/4 SECTION 9 ALL SECTION 10 SW 1/4 NW 1/4 SW 1/4 SE 1/4 SECTION 11 SW 1/4 SW 1/4 SECTION 12 NW 1/4 SECTION 13 NE 1/4 NW 1/4 N 1/2 SW 1/4 SW 1/4 SW 1/4 N 1/2 SE 1/4 SECTION 14 NE 1/4

Application G-12864 Water Res

Water Resources Department

PERMIT G-12660

PAGE 2

NW 1/4 NW 1/4 SW 1/4 N 1/2 SE 1/4 SECTION 15 NE 1/4 NW 1/4 W 1/2 SW 1/4 SECTION 16 ALLSECTION 17 ALL SECTION 18 NE 1/4 NE 1/4 SECTION 19 NE 1/4 SECTION 20 NW 1/4 NW 1/4 SECTION 23

TOWNSHIP 27 SOUTH, RANGE 17 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The use of water shall occur only when the level of the aquifer is less than 45 feet measured below the land surface at the well.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

Application G-12864 Water Resources Department

PERMIT G-12660

MAR 0 5 2021

PAGE 3

Within two years of permit issuance, the permittee shall submit a water management and conservation plan consistent with OAR Chapter 690, Division 86.

#### STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction of the well shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued August /4, 1996

Albun Almusti
Martha O. Pagel Director
Water Resources Department

Application G-12864 Water Resources Department Basin 13 Volume 2A FORT ROCK VALLEY AND MISC

MGMT.CODE 31W, 7BG, 7BR

PERMIT G-12660 District 12

RECEIVED
MAR 0 5 2021

OWRD

WR

## **OWRD**

# SECTION 8 REFERENCE INFORMATION FOR CWRE USE

(Please DO NOT submit these pages.)

Additional information is available at:

https://www.oregon.gov/OWRD/programs/WaterRights/COBU/Pages/default.aspx


Go to Page "Resources of Certified Water Right Examiners"

#### **MS Word Hints**

To add rows to a table, click outside the table on the far right and hit enter.



If you are having difficulty placing the curser outside the table, click on the Show/Hide (Paragraph) icon . This is found on the Standard toolbar (View =>Toolbars=>Standard) of some versions of Word.



To resolve page numbering issues, go to print preview. Page through the entire document (while in print preview), then print from print preview.

#### **Common Calculations**

The Department typically uses the following calculations to determine system capacities; many of which are available to download from the Department's Web Site.

**Pumps:** 

RECEIVED

MAR 0 5 2021

Efficiency factors:

NOTE:

Pump efficiency factor for centrifugal pump (75%) = 6.61

Pump efficiency factor for turbine pump (80%) = 7.04

Centrifugal Pump, 75% eff.  $(550 \text{ ft lb/sec/Hp})(.75) = 6.61 \text{ ft}^4/\text{sec/Hp}$ (62.4 lb/cu ft)

Turbine & Submersible Pumps, 80% eff.  $(550 \text{ ft lb/sec/Hp})(.80) = 7.04 \text{ ft}^4/\text{sec/Hp}$  (62.4 lb/cu ft)

Total head is the sum of suction lift, pressure head, and discharge lift.

If the operating pressure is not measured, varying the assumed operational pressure in the above formulas until the calculated outputs are equal, or nearly so, will generally give the most correct theoretical capacity of the system.

Efficiencies have been assumed to be 75% for centrifugal pump installations and 80% for turbine or submersible pumps. See the list below of converted psi's to feet of head. These figures account for minor friction losses. If the system involves unusually long pipelines friction losses should be accounted for by using standard charts and formulas.

#### Refer to the conversion table below to compute PSI to head for pump pressure in feet.

[(psi/.433)(1.1) = head (in feet/psi) = 2.54 feet head/psi]

PSI	HEAD	PSI	HEAD
25	63.5	55	139.7
30	76.2	60	152.4
35	88.9	65	165.1
40	101.6	70	177.8
45	114.3	75	190.5
50	127.0	80	203.2

### **Ditches/Canals:**

Manning's Formula:

$$v = \frac{1.486}{n} r^{2/3} s^{1/2}$$

v = mean velocity of flow in feet per second

r = hydraulic radius in feet

s = slope of the energy gradient

n = coefficient of roughness

RECEIVED

MAR 0 5 2021

OWRD

**Type of Conduit and Description** 

**Coefficient of Roughness** 

Dina	Minimum	Maximum
Pipe Cast Iron, Coated	0.01	0.014
Cast Iron, Uncoated	0.011	0.015
Wrought Iron, Galvanized	0.013	0.017
Wrought Iron, Black	0.013	0.015
Steel, Riveted and Spiral	0.012	0.017
Corrugated	0.013	0.0255
Wood Stave	0.021	0.0233
Neat Cement Surface	0.01	0.014
	0.01	
Concrete Vituified Source Bing	0.01	0.017
Vitrified Sewer Pipe		0.017
Clay, Common Drainage Tile	0.011	0.017
Lined Channels		
Metal, Smooth Semicircular	0.011	0.015
Metal, Corrugated	0.0228	0.0244
Wood, Planed	0.01	0.015
Wood, Unplaned	0.011	0.015
Neat Cement-Lined	0.01	0.013
Concrete	0.012	0.018
Cement Rubble	0.017	0.03
Vegetated, Small Channels,		
Shallow Depths		
Bermuda Grass; Long - 13", Green	0.042	
Bermuda Grass; Long - 13", Dormant	0.035	
Bermuda Grass; Short - 3", Green	0.034	
Bermuda Grass; Short - 3", Dormant	0.034	
Unlined Channels		
Earth; Straight and Uniform	0.017	0.025
Dredged	0.025	0.033
Winding and Sluggish	0.0225	0.03
Stoney Bed, Weeds on Bank	0.025	0.04
Earth Bottom, Rubble Sides	0.028	0.035
Rock Cuts; Smooth and Uniform	0.025	0.035
Rock Cuts; Jagged and Irregular	0.035	0.045

MAR 0 5 2021

OWRD

#### **Gravity flow pipe systems**

Hazen-William's Formula:

$$v = 1.31(c)(r^{0.63})(s^{0.54})$$

v = mean velocity of flow in feet per second

c = coefficient of roughness

r = hydraulic radius in feet

s = slope of energy gradient

Material	Coefficient of Roughness
Asbestos Cement	140
Brass	135
Brick sewer	100
Cast-Iron - new unlined (CIP)	130
Cast-Iron 10 years old	110
Cast-Iron 20 years old	95
Cast-Iron 30 years old	82
Cast-Iron 40 years old	74
Concrete	130
Copper	135
Ductile Iron Pipe (DIP)	140
Galvanized iron	120
Glass	140
Lead	135
Plastic	145
PVC, CPVC	150
Smooth Pipes	140
Steel new unlined	145
Steel	130
Steel riveted	110
Tin	130
Wood Stave	120





#### SPRINKLER CAPACITIES BY NOZZLE SIZE IN GALLONS PER MINUTE

This chart is comprised of information gathered from a number of sources and may differ slightly from the manufacturer's specifications.

Q Sprinklers = (number of heads)(rate in gallons per minute) = Q in cfs (448.8 gpm per cfs)

								("*)	*" desig		s.i. ompute	ed capac	city)						
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
	3/32				1.1	1.3	1.4	1.5	1.6	1.7	1.8								
	7/64				1.5	1.7	1.9	2	2.2										
	1/8				1.9	2.2	2.4	2.7	2.9	3	3.2								
	9/64				2.3	2.6	2.9	3.1	3.4	3.7	4								
	5/32				3	3.4	3.8	4.1	4.4	4.7	5								
	11/64	1.9	2.7	3.3	3.7	4.2	4.6	5	5.4	5.7	6	6.3	6.6						
	3/16	2.2	3.2	3.9	4.3	5	5.5	6	6.4	6.8	7.2	7.5	7.8						
	13/64	2.9	3.6	4.5	5.1	5.9	6.5	7.1	7.6	8.1	8.5	8.9	9.2						
SIZE	7/32		4.1	5.1	5.8	6.8	7.6	8.3	8.9	9.4	9.9	10.3	10.6						
S	15/64							8.8		10		11.2		12.4					
= =	1/4		5.2	6.4	7.4	8.9	9.8	10.6	11.4	12.1	12.8	13.4	13.9	14.8*	15.3*	15.9*	16.4*	16.9*	17.4*
NOZZLE	17/64								12.5		14		15.6		17.1				
Z	9/32					11.2	12.3	13.3	14.3	15.2	16	16.8	17.5	18.1	18.9	19.7	20.7*	21.4*	22*
	19/64									16.6		18.3		19.9		21.4			
	5/16					13.1	15.2	16.5	17.7	18.9	20	21	22	23	23.9	24.8	25.7	26.4*	27.1*
	21/64										20.8		22.7		24.6		26.4		
	11/32					16.5	18	19.7	21.1	22.5	23.8	25	26.2	27.4	28.5	29.6	30.6	31.9*	32.8*
	23/64										24.5		26.8		29.1		31.4		
	3/8					19	21	22.8	24.4	26	27.5	29.1	30.6	32	33.2	34.5	35.7	38*	39*
	13/32								29*	30.9*	32.7*	34.5*	36.2*	37.4*	38.9*	40.4*	41.9*	43.3*	44.7*
	7/16								33.5*	35.6*	37.7*	39.7*	41.7*	43.6*	45.3*	46.9*	48.4*	50.1*	51.6*
	1/2								42.5*	45.2*	47.7*	50.2*	52.5*	54.7*	56.8*	58.6*	60.6*	63.6*	66.7*

NOTE: Use the maximum number heads operating at any one time.

Use the maximum number heads operating at any one time.

Rate per head in gpm comes from either manufacturer's specifications using orifice size and operating pressure or from OWR Chart 3/2/2020

COBU Form Large Groundwater – Page 26 of 26


WR

DATE: 2/16/2021

JOB NO.: 2021-016

DWG. FILE: 2021-016

SHEET 1 OF 1



RANGE 17 EAST, W.M.

LAKE COUNTY, OREGON

WATER RIGHTS ONLY. IT HAS NO INTENT TO PROVIDE

LOCATIONS OR DIMENSIONS OF PROPERTY BOUNDARIES. OSED