



## **Water Right Application Initial Review**

March 19, 2021

BRIAN CUILTY  
TRACY E. CUILTY  
905 WOODRUFF MOUNTAIN RD  
ROSEBURG OR 97471

Reference: Application S-88920

This document is to inform you of the preliminary analysis of the water-use permit application and to describe your options. In determining whether an application may be approved, the Department must consider the factors listed below, all of which must be favorable to the proposed use if it is to be allowed. Based on the information supplied, the Water Resources Department has made the following preliminary determinations:

### **Preliminary Determinations (Oregon Administrative Rule (OAR) 690-310-0080)**

1. The application proposes the diversion of 0.01 cubic foot per second (CFS) of water from an unnamed stream, tributary to Umpqua River, for year-round domestic use expanded for one household.
2. The proposed use is not prohibited by law or rule except where otherwise noted below.
3. Domestic use expanded is allowable under the Umpqua Basin Program (OAR 690-516-0005(1) .
4. An assessment of water availability at 80% exceedance for the proposed use was completed using the Department's Water Availability Reporting System. A copy of this assessment is in the application file. This review is done consistent with OAR 690-410-0070(2)(a). The assessment established, during the period of use requested, surface water is only available **December 1 through July 31**. Oregon Revised Statute (ORS) 537.153(3)(b); OAR 690-310-0080(1)(b)
5. Surface water is not available in the amount requested during the entire period requested. However, by providing additional information you may request a limited permit for human consumption use (indoor use only: cooking, drinking, and sanitation), limited to 500 gallons per day. Please refer to the Additional Information Opportunity section below for details.
6. The proposed use is not located within or above any state scenic waterway.
7. Documentation has been submitted from the relevant land-use planning jurisdiction that indicates the proposed use is allowed outright.

## Summary of Preliminary Determinations

**The diversion of 0.01 CFS of water from an unnamed stream, tributary to Umpqua River, for domestic use expanded is not allowable.**

Not all determinations herein are favorable; **therefore it is unlikely that Application S-88920 will be approved.**

### **Additional Information Opportunity**

Due to requirements for existing water rights, water is not available in sufficient quantities to support the proposed use. However, human consumption of water (indoor use only: cooking, drinking and sanitation) from the proposed source may be considered a high public interest use if there is no reasonable alternative. If you can provide evidence that this is the case, we will work with the Oregon Department of Fish and Wildlife to attempt to determine conditions which will protect instream values during the months when instream flow requirements are not met. These conditions may include mitigation measures to offset the impact of the requested use.

Please complete and return the attached Application Supplement for Human Consumption & Livestock Uses form. **Please submit the information no later than April 22, 2021.** If you are unable to submit the information listed above, you may request an administrative hold for up to an additional 180 days. You must submit the request in writing, stating how much time you will need and why you need additional time. If an administrative hold is granted, your application will not be processed further until the requested information is received or the extended deadline has passed.

If we do not receive the items requested above or a request for an administrative hold by this date, the Department will likely proceed with a Proposed Final Order recommending denial of the application.

### **Public Comment & Further Review:**

Public interest issues and/or public comments will be addressed as the Department prepares a Proposed Final Order. If significant public interest issues are identified, they could have an impact on the eventual outcome of the application.

*Division 33 Review* – The Department’s Division 33 administrative rules (OAR 690-033) establish additional procedures and standards to aid the Department in determining whether a proposed use will impair or be detrimental to the public interest with regard to sensitive, threatened, or endangered (STE) fish species. This Initial Review does not address the potential impact that your proposed use may have on these species.

Your application will now undergo an additional review from numerous federal, state, local, and tribal governmental entities. This review may cause your application to be limited, conditioned, or denied. Depending on the proposed use, you may be required to mitigate for potential impacts identified in the review.

*Mitigation for impacts to STE Species* – Mitigation is often complicated, time consuming, and expensive, and may include, but is not limited to, actions such as replacing the proposed amount of water within the impacted reach through purchasing or transferring an existing water right. Following the Initial Review, you will be notified if mitigation is required, due to impacts to STE fish species.

If you choose to pursue mitigation, you will likely need to place your application on administrative hold in order to explore options. There will be an additional fee of \$670 required with any mitigation proposal submitted.

**At this time, you must decide whether to proceed or to withdraw the application.**

- To Proceed - If you choose to proceed with the application you do not have to notify the Department. The application will be placed on the Department's Public Notice to allow others the opportunity to comment. After the comment period the Department will complete a public interest review and issue a Proposed Final Order.
- To Withdraw - You may withdraw the application and receive a refund (minus a \$260 processing fee per application). You must notify the Department **in writing** by **April 1, 2021**. For your convenience you may use the enclosed "STOP PROCESSING" form.

**If a permit is issued, it will likely include the following conditions:**

1. Construction of the water system shall begin within five years of the date of permit issuance. The deadline to begin construction may not be extended. A permit is subject to cancellation proceedings if the begin construction deadline is missed.
2. **Water Use Measurement, Recording, and Reporting Condition:**
  - A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of diversion. The permittee shall maintain the device in good working order.
  - B. The permittee shall install a lockable control valve, with adjustable flow rate, on the supply line between the point of diversion and before any use of water from the delivery system.
  - C. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
  - D. The Director may require the permittee to keep and maintain a record of the volume of water diverted each month, and may require the permittee to report water-use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water-use information, the periods of water use and the place and nature of use of water under the permit.
  - E. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.
3. The water source identified in the application may be affected by an Agricultural Water Quality Management Area Plan. These plans are developed by the Oregon Department of Agriculture (ODA) with the cooperation of local landowners and other interested stakeholders, and help to ensure that current and new appropriations of water are done in a way that does not adversely harm the environment. You are encouraged to explore ODA's Water Quality Program web site at <http://www.oregon.gov/ODA> to learn more about the plans and how they may affect the proposed water use.

If you have any questions:

Feel free to contact me at Elisabeth.A.Graham@oregon.gov or 503-986-0808 if you have any questions regarding the contents of this letter or the application. Please include the application number in all correspondence. General questions about water rights and water use permits should be directed to our customer service staff at 503-986-0900. When corresponding by mail, please use this address: Lisa Graham, Oregon Water Resources Department, 725 Summer St NE Ste A, Salem OR 97301-1266. Our fax number is 503-986-0901.

Sincerely,

*Lisa Graham*

Lisa Graham  
Water Right Application Specialist  
Oregon Water Resources Department

Enclosures: Application Process Description and Stop Processing Request Form  
S-88920  
WAB: 31630301  
Proposed to Deny

# APPLICATION FACT SHEET

Application File Number: S-88920

Applicant: BRIAN CUILTY AND TRACY E CUILTY

County: DOUGLAS

Watermaster: SUSAN DOUTHIT, 15, SWR

Priority Date: FEBRUARY 16, 2021

Source: UNNAMED STREAM, TRIBUTARY TO UMPQUA RIVER

Purpose or Use: DOMESTIC USE EXPANDED

Rate: 0.01 CUBIC FOOT PER SECOND

Basin Name & Number: UMPQUA, # 16

WAB: UMPQUA R > PACIFIC OCEAN - AB WOLF CR

Points of Diversion:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
26 S	7 W	WM	13	SW NE	520 FEET NORTH AND 1558 FEET EAST FROM C1/4 CORNER, SECTION 13

Place of Use:

Twp	Rng	Mer	Sec	Q-Q
26 S	7 W	WM	13	SW NE

**PUBLIC NOTICE DATE: March 23, 2021**

**14 DAY STOP PROCESSING DEADLINE DATE: April 1, 2021**

**30 DAY COMMENT DEADLINE DATE: April 22, 2021**

# Mailing List for IR Copies

Application S-88920

---

IR Date: March 19, 2021

**Original and map mailed to applicant:**

BRIAN CUILTY  
TRACY E CUILTY  
905 WOODRUFF MOUNTAIN RD  
ROSEBURG OR 97471

**Sent via auto email:**

1. Applicant - bctrack1965@gmail.com
2. WRD – Watermaster District #15, Susan M. Douthit
3. WRD - Jake Johnstone SWR
4. WRD – SW Section
5. ODFW
6. DEQ

**Copies sent to:**

1. WRD - File S-88920

Application Specialist: Lisa Graham

Copies Mailed

By: \_\_\_\_\_  
(SUPPORT STAFF)

On: \_\_\_\_\_

(DATE)

## **APPLICATION PROCESS DESCRIPTION FOR GROUNDWATER, SURFACE WATER AND REGULAR RESERVOIR APPLICATIONS**

In order to use the waters of Oregon, an application must be submitted and a permit obtained from the Water Resources Department. The water must be used for beneficial purpose without waste. For more information about water right topics, weekly public notice, forms and fees please visit our web site at [www.wrd.state.or.us](http://www.wrd.state.or.us)

### ***1. Pre-application considerations***

- Follow instructions in the application packet.
- If you have questions about completing an application or would like to arrange a pre-application conference contact the Department's Water Rights Customer Service Group at (503) 986-0801.

### ***2. Application filing***

- Application with fee is received by the Department.
- Department determines completeness of application.
- If use is not allowed by statute (ORS 538), the application and fees are returned to the applicant.
- An incomplete application and fees are returned to the applicant.
- Only a complete application receives a tentative priority date, is assigned a caseworker, and moves forward for processing.

### ***3. Initial Review (IR)***

- Caseworker reviews application by considering basin plans, water availability, statutory restrictions, and all other appropriate factors.
- Caseworker sends IR report to Applicant.
- Contact the Caseworker if you have questions about the IR.
- Four days after date of the IR, it is included in Department's weekly Public Notice.
- Public comments must be submitted within 30 days after the Public Notice.
- **An administrative hold** may be requested in writing by Applicant.

### ***4. Proposed Final Order (PFO)***

- Caseworker evaluates application against required criteria and develops draft permit, if appropriate.
- PFO includes instructions for filing of protests.
- Caseworker considers public comments and mails PFO to Applicant.
- The PFO is included in Department's weekly Public Notice.
- Public protests to the PFO must be submitted within 45 days after the Public Notice.

### ***5. Final Order (FO)***

- If no protest is filed, Final Order is issued.

### ***The protest process***

If one or more protests are filed, the process consists of:

- settlement discussion;
- contested case hearing;
- proposed Order;
- period of time to file exceptions; or
- Possible hearing by Water Resources Commission.
- Final Order is issued.

### ***Permit holder responsibilities***

- Comply with all water use conditions of the permit.
- Advise Department of address change or assignment to new permit holder.
- If need arises, request extension of time or authorize cancellation of permit.
- Submit timely claim of beneficial use (COBU) to the Department.
- Most permits require COBU to be prepared by a Certified Water Right Examiner.
- Permits may be canceled by the permit holder or by the Department for failure to comply

**STOP PROCESSING REQUEST FORM**  
**FOR GROUNDWATER, SURFACE WATER AND REGULAR RESERVOIR**  
**APPLICATIONS**

---

- Stop processing deadline is within 14 days of Initial Review.

Applicant notification to withdraw Water Right Application **S-88920**.

After reviewing the Initial Review for my application, I request that processing be stopped and the fees be refunded (minus a \$260 examination fee.) I understand that without a valid permit I may not legally use the water as requested in my application.

Signature \_\_\_\_\_ Date \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

Under ORS 537.150 (5) and 537.620 (5) timely submission of this request authorizes that the water right application process be stopped and all filing fees (except \$260 processing fee) be returned.

- This notice must be received at Water Resources Department by:

**April 1, 2021**

- Return the notice to:

OWRD, Water Right Services Division  
STOP PROCESSING  
725 Summer Street, NE - Suite A  
Salem OR, 97301-1271

---