

**RESPONSE TO NOTICE OF MITIGATION OBLIGATION
CREDIT OR PROJECT OPTION**

A mitigation obligation may be satisfied by obtaining mitigation credits, providing for implementation of a mitigation project, or both (OAR 690-505-0610(2)). Please read and complete this acknowledgment of mitigation obligation and return it to the Department.

Applicant(s): TARTAN DRUIM HOME OWNERS ASSOCIATION

Applicant's agent (if applicable): JOHN SHORT – WATER RIGHT SERVICES

Application number: G-19004

Proposed Use: NURSERY USE ON 22.3 ACRES

Period of Use: JANUARY 1 THROUGH DECEMBER 31

Rate requested: 0.56 CUBIC FOOT PER SECOND

Volume requested: ^{4.2}~~8.4~~ ACRE-FEET

Mitigation Obligation: ^{4.2}~~8.4~~ ACRE-FEET

Zone of Impact: General Zone of Impact (located anywhere in the Deschutes Basin above the Madras gage, which is located on the Deschutes River below Lake Billy Chinook)

Please read and initial the following statements:

JS I/We intend to provide mitigation in the amounts noted above and in the appropriate zone of impact.

JS I/We understand that mitigation must be provided within five years of issuance of the final order.

The source of mitigation water will be (please check):

Purchase mitigation credits and / or A mitigation project resulting in credits

Please describe the type of project (e.g., transfer, etc.) and any associated water-right certificate, if known:


Tartan Druim owns 4.2 mitigation credits
from MP-91 being released from permit
G-16903.

I understand that I must provide mitigation credits in the amount noted, or a suitable replacement mitigation that meets the requirements of OAR 690-505-0610(2)-(5) in the appropriate zone of impact.

Applicant(s)

or

Applicant's agent



Date 4-22-2021

Telephone Number: 541-389-2837

Mail to: Attn: Kim French
 Oregon Water Resources Department
 725 Summer St NE Suite A
 Salem OR 97301-1266

OR

Email to: Kim.R.French@oregon.gov

From: HENDERSON Sarah A * WRD Sarah.A.Henderson@oregon.gov
Subject: Re: Mitigation obligation for Nursery Use
Date: June 30, 2020 at 8:15 AM
To: John Short johnshort@usa.com
Cc: FRENCH Kim R * WRD Kim.R.French@oregon.gov



Good Morning John,

The process that the Department uses for considering the consumptive use for a nursery use would be case by case... so you are correct in that this situation would probably be different and not be 100%.

If the application asked for 8.4 af on 22 acres, the consumptive use factor would be 4.2 af (mitigation obligation). $(8.4 * 50\% = 4.2)$

Max Volume of use = 8.4 af (equivalent to 0.4 af per acre)
Apply 50% consumptive use factor = $8.4 \text{ af} * 50\% = 4.2 \text{ af}$ (equivalent to 0.2 af per acre)
Consumptive use estimate is greater than the 1.8 af per acre minimum
Mitigation obligation amount = 4.2 af consumptive use

Good Morning Kim,

can you chime in if I have done this incorrectly or missed something. (please and thank you)

Let me know if there are any other questions.

Take care and stay safe.

sarah

[Sarah A. Henderson](#)
Flow Restoration Program Coordinator
Transfer and Conservation Section
725 Summer St. NE, Suite A | Salem, OR 97301 | Direct: 503-986-0884
Email sarah.a.henderson@oregon.gov

Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

RECEIVED

JUL 06 2020

OWRD

From: John Short
Sent: Monday, June 29, 2020 4:49 PM
To: HENDERSON Sarah A * WRD
Subject: Re: Mitigation obligation for Nursery Use

They're looking to pump 8.4 AF on those 22 acres.

Thx,
John

John A. Short CCB# 197121
541-389-2837

Water Right Services, LLC
PO Box 1830
Bend, OR 97709
johnshort@usa.com
oregonwater.us

On Jun 29, 2020, at 4:17 PM, HENDERSON Sarah A * WRD <Sarah.A.Henderson@oregon.gov> wrote:

Hi John,

I have to go for the day, but I will be answering email tomorrow. can you send me some additional info on how many of they will need

talk soon.

sarah

[Sarah A. Henderson](#)
Flow Restoration Program Coordinator
Transfer and Conservation Section
725 Summer St. NE, Suite A | Salem, OR 97301 | Direct: 503-986-0884
Email sarah.a.henderson@oregon.gov

Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

From: John Short
Sent: Monday, June 29, 2020 8:59 AM
To: HENDERSON Sarah A * WRD
Subject: Mitigation obligation for Nursery Use

Hello Sarah!

Hope life is fun for you!