EMERGENCY DROUGHT APPLICATION: GROUNDWATER REVIEW

									
TO:	Water Right	ts Section					Date: <u>4/18/2021</u>		
FROM	: Groundwate	er Section:		Thoma er's Name					
SUBJE	BJECT: Application G-19091 Re-review; date of original review:##/####								
evaluat ground Departi within	e an emergency reque water availability, sta ment may issue a dro the public interest as	est for groundw bility of the gro ought permit fo per OAR 690-0	ater use for on bundwater resort short-term e 019-0040(3).	e season under ource, and surf emergency use	t Mitigation rules. To a Governor's drought face water and Scenic provided that there is	t declaration. N Waterway con s no injury and	Notwithstanding nsiderations, the d that the use is		
	nent of temporary em nes for 2021 Emergeno				in part, on the attach ed April 12, 2021.	ed memorand	um: " <u>Processing</u>		
A. <u>GE</u> I	NERAL INFORMA	TION:							
Applicant's Name: Barron and Kristen Knoll County: Klamatl							Klamath		
A1. Applicant(s) seek(s) 17.8 cfs from 1 well(s) in the Klamath Basin Lost River Subbasin									
A2. Proposed use: <u>Irrigation: 2910.5 acres</u> Season						y: 2021 Irrigation Season			
A3. Well and aquifer data (attach and number logs for existing wells; mark proposed wells as such under LogID):									
Well	Well Report	Applicant's	Proposed	Proposed	Location;		cation;		
1	LogID KLAM0054078	Well #	Aquifer* VOLC ROCK	Rate (cfs) 17.8	(T/R-S QQ-Q) 40.00S-10.00E-17- NE SE	metes and bounds 46 FEET SOUTH AND 123 FEET WEST FROM E1/4 CORNER, SECTION 17			
If no w	ell report is availab	le or the well i	s proposed, fi	ill out the follo	owing table.				
Perforation Will 1971									

Comments: no comments

Well

1

Well Depth

(ft)

1551

Seal Interval

(ft)

0-336

Application G-19091 1 of 8

Casing Intervals (ft)

+2-336

Liner Intervals

(ft)

Well Yield

(gpm)

6300

or Screen Interval

(ft)

B. WATER AVAILIBILTY:

	Is there information that this drought groundwater use will injure senior spring or surface water rights during the duration of the drought declaration? (\boxtimes Yes) (\square No); If yes, explain:
	The proposed POD has the potential to impact the use of nearby surface water rights, specifically Crystal or Cougar Springs. However, based on observation made by the watermaster's office, which are codified in the attached memo dated 05/04/2021, this finding may be superseded.
	Is there information that this drought groundwater use will injure senior groundwater rights during the duration of the drought declaration? (\square Yes) (\boxtimes No); If yes, explain:
	Seasonal groundwater level fluctuations in response to pumping in this area are generally on the order of 10-20 feet and most wells on groundwater rights are deep enough to accommodate this seasonal interference. However, long-term groundwater level declines have been documented throughout the area and are punctuated by drought-related groundwater pumping. Pumping related to 2021 emergency drought use by this, and other wells, is expected to exacerbate these declines, which has the potential to impact shallow wells.
В3.	Groundwater (\square is) (\boxtimes is not) available within the capacity of the resource, Comments:
	Groundwater levels have declined noticeably across almost the entire Lost River Subbasin within the past 20 years and over 20 feet in some areas implying that the groundwater resource is over-appropriated as defined in OAR 690-400-0010. Increased use by drought-permit wells and supplemental groundwater rights are anticipated to continue these declines.
	There (\boxtimes is) (\square is not) a preponderance of evidence that the proposed short-term emergency groundwater use will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway.
	A preponderance of evidence exists to establish that groundwater development occurring in Oregon since 1995 in the Upper Klamath Basin and Lost River subbasin has "measurably reduced" surface water flows within the Klamath Scenic Waterway (refer to attached memo dated 2/19/2013). Short term emergency groundwater uses will further reduce surface water flows in the Klamath Scenic Waterway. The timing and degree (amount of reduction in flow) of additional impacts from the proposed short-term emergency groundwater use is beyond the scope of this review.
	At the time of this review, has evidence been provided to the Department that the proposed POD(s) have been equipped with a totalizing flowmeter or other devices suitable to measure the total volume of water pumped? (\boxtimes Yes) (\square No)

Application G-19091 2 of 8

C. PERMIT CONDITIONS:

If a permit is issued, include the following conditions:

Condition 7B (Interference Condition): Drought permits are junior to existing water rights and are subject to regulation

Condition 7P (Well Tag): If there is no existing OWRD Well ID Tag on the well, one shall be attached

<u>Large Water Use Reporting Condition</u>: totalizing flowmeter and reporting required. Include condition that "the readings must be reported to the Department by December 1, 2021."


Special Condition – Water-Level Measurement Access: "Prior to use, the well shall be configured to allow a strictly clean water (no oil) static water level measurements with an electric-tape. This can include measurement access via an unobstructed vertical discharge pipe that allows the groundwater level to fluctuate freely within the discharge pipe (no valves), or unobstructed access within the casing to the water level. Otherwise, a dedicated measuring tube must be installed prior to use that has a diameter of ¾ inch (0.75 inch) or greater, and pursuant to figure 200-5 in OAR 690-200."

Special Condition - Regulation: "Groundwater pumping under this permit shall discontinue or be reduced if area wells with permanent primary and/or supplemental groundwater rights are being regulated off due to groundwater level decline or interference with senior water rights unless the Department determines no action is necessary (pumping under this permit can continue) because the groundwater resource can sustain continued groundwater pumping without causing substantial interference with senior water rights."


Application G-19091 3 of 8

D. <u>SUPPORTING FIGURES AND DOCUMENTS:</u>

Hydrographs for Area Wells



Application Review Map



Application G-19091 4 of 8



Water Resources Department

725 Summer St. NE, Suite A Salem, OR 97302 (503) 986-0900

MEMO

To: Water Rights Section and Groundwater Section

From: Dani Watson, District 17 Watermaster Ivan Gall, Field Services Administrator

Alyssa Mucken, Water Rights Section Manager

Date: May 4, 2021

Re: Determining Injury to Crystal Springs and Cougar Springs for Emergency Drought Applications in

Klamath County

Under OAR 690-019, the Department shall approve an application for emergency water use upon findings that the proposed use will not cause injury to existing water rights and will not impair or be detrimental to the public interest. In making the determination of injury, the Department will consider whether the injured party is ready, willing, and able to make beneficial use of their permitted or customary quantity of water. If not, the watermaster would not validate the call, or the call may be considered futile, and no regulation would take place.

On 04/14/2021, the District 17 Watermaster observed the conditions of Crystal Springs (TRS: 39S/10E-22 SWSE) and Cougar Springs (TRS: 39S/10E-7 SENE) and determined that, in both cases, the water right holders on the springs were not equipped to divert and make beneficial use of the water because the water levels in the springs where too low. Therefore, the watermaster would be unable to validate a call from the users of these springs. The Watermaster will continue to monitor hydrologic conditions in the area as the season progresses.

Prior to the issuance of a Final Order, where the potential for injury to the above-mentioned springs exists, the Water Rights section staff shall confirm with the District 17 Watermaster as to any changes in the conditions of the springs or diversion infrastructure. If the conditions or infrastructure have not changed, a finding of injury cannot be made for the proposed emergency drought groundwater permit.

Application G-19091 5 of 8

Memorandum

Oregon Water Resources Department Field Services Division

To: Klamath Basin Drought Application Processing Staff

From: Ivan Gall

Date: April 12, 2021

Regarding: Processing guidelines for 2021 Emergency Drought Applications, Klamath Basin

The Bureau of Reclamation Project area in the Klamath Basin, Oregon and California, is facing an unprecedented water shortage for the 2021 irrigation season. In response to that shortage, the Oregon Water Resources Department (Department) is modifying the criteria we apply for emergency use groundwater permits.

Since 2001, there have been 13 years with a governor-declared drought for the Klamath Basin. Beginning in 2001, groundwater use increased in and around the Bureau of Reclamation project area to provide supplemental water supply during times of shortage. The increased groundwater use resulted in persistent groundwater level declines in and around the project area. There are broad areas with over 20 feet of decline, and some measured wells declined over 30 feet. In recent years, the groundwater declines caused the Department to put two types of limitations on issuance of emergency groundwater permits in and around the project area. First, no permits have been issued after 2015 in areas identified as having greater than 20 feet of groundwater level decline. Second, emergency use permits that have been issued were limited to an annual duty of one-acre foot (AF) per acre.

For the 2021 irrigation season, the Department will be allowing wells across the west side of the project area to apply for emergency use groundwater permits for a duty of 2.5 AF per acre. For the east side of the project area, in the Lost River Basin, some applications may be denied if wells are likely to injure water right holders with spring rights, or for wells near Bonanza Big Springs. Like prior years, no emergency groundwater permits will be issued for wells located in the Upper Basin around and above Upper Klamath Lake due to hydraulic connection with surface water. Groundwater Section drought application reviews will reflect these location criteria. Proof of flow meter installation on each well will be required prior to permit issuance.

Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

Application G-19091 6 of 8



Memorandum

To: Barry Norris – Administrator, Technical Services Division

Dwight French - Administrator, Waterights Division

Tom Paul - Deputy Director

Doug Woodcock - Administrator, Field Services Division

From: Ivan Gall - Manager, Groundwater Section

Date: February 19, 2013

Subject: Analysis of Groundwater Pumping Impacts on Klamath Scenic Waterway Flows

In 1971 the Oregon Legislature created the Scenic Waterway Act, codified by Oregon Revised Statutes 390.805 to 390.925, to preserve for the benefit of the public Waldo Lake and selected parts of the state's free-flowing rivers. The Klamath Scenic Waterway was part of the Act and includes the Klamath River from the John Boyle Dam powerhouse downstream to the Oregon-California border. Under the Act, the Water Resources Commission is allowed to allocate small amounts of surface water for human consumption and livestock watering, as long as issuing the water right does not significantly impair the free-flowing character of these waters in quantities necessary for recreation, fish and wildlife, and the amount allocated may not exceed a cumulative total of one percent of the average daily flow or one cubic foot per second (cfs), whichever is less.

In 1995 the Scenic Waterway Act was modified to address the impact of groundwater uses that, based upon a preponderance of evidence, would measurably reduce the surface water flows within a scenic waterway. "Measurably reduce" means that the use authorized will individually or cumulatively reduce surface water flows within the scenic waterway in excess of a combined cumulative total of one percent of the average daily flow or one cfs, whichever is less.

Application G-19091 7 of 8

In 2012 the United States Geological Survey (USGS), in cooperation with OWRD and the US Bureau of Reclamation, completed groundwater flow and management models for the Upper Klamath Basin. The 2012 groundwater flow model uses generally accepted hydrogeologic methods and the relevant field data to model the cumulative effects of groundwater pumping within the Klamath Scenic Waterway, and provides a comprehensive methodology for analyzing the relevant field data necessary to determine whether the cumulative use of groundwater in the Klamath Basin will measurably reduce the surface water flow necessary to maintain the free-flowing character of the Klamath Scenic Waterway.

In September 2012 the OWRD Groundwater Section conducted two model simulations. The two simulations used the 2012 USGS flow model, incorporating groundwater permits issued (61.96 cfs) since adoption of the 1995 Scenic Waterway Act amendment up through 2004. Each simulation was run to steady-state, where inflows and outflows for that model run balanced. An evaluation of the water budgets showed that groundwater discharge to the Klamath Scenic Waterway decreased by 5.88 cfs as a result of the 61.96 cfs of groundwater uses issued between 1995 and 2004. These results indicate to the OWRD that a preponderance of evidence exists to establish that groundwater development occurring in the Upper Klamath Basin in Oregon since 1995 has "measurably reduced" surface water flows within the Klamath Scenic Waterway.

In January 2013 the OWRD Groundwater Section conducted flow model simulations to evaluate impacts to streams from pumping groundwater within the Lost River subbasin. Groundwater pumping was simulated by placing wells in the model that correspond to the center of 39 townships in the southeast part of the Klamath Basin in Oregon. Each of the simulations was run to steady-state, where inflows and outflows for that model run balanced. These results indicate that the scenic waterway is impacted by pumping groundwater in all of the townships evaluated in Oregon in the Lost River subbasin. In summary, a preponderance of evidence exists to establish that groundwater development occurring in Oregon since 1995 in the Upper Klamath Basin and Lost River subbasin has "measurably reduced" surface water flows within the Klamath Scenic Waterway.

References:

Gannett, M.W., Lite, K.E., Jr., La Marche, J.L., Fisher, B.J., and Polette, D.J., 2007. Ground-water hydrology of the upper Klamath Basin, Oregon and California: U.S. Geological Survey Scientific Investigations Report 2007-5050, 84p.

Gannett, M.W., Wagner, B.J., and Lite, K.E., Jr., 2012. Groundwater simulation and management models for the upper Klamath Basin, Oregon and California: U.S. Geological Survey Scientific Investigations Report 2012-5062, 92p.

Application G-19091 8 of 8