

Name B.L. Davis Ranch, Inc.
By B.L. Davis, President
Address P.O. Box 159
Adams, Oregon 97810

Application No. G 7384
Permit No. G 6870
Certificate No. 51170

Stream Index, Page No. 8-44

U NIO 173

See files No. G-7385, G-7386

Date filed 26 May 1976
Priority 26 may 1976
Action suspended until OK cert

Return to applicant
Date of approval NOV 18 1976

CONSTRUCTION

Date for beginning NOV 18 1977
Date for completion OCT 1 1978
Extended to 10-7-79

Date for application of water OCT 1 1979
Extended to

PROSECUTION OF WORK

Form "A" filed Feb 7, 1978 (see letter of 2-2-78)
Form "B" filed 6-15-79
Form "C" filed 6-15-79

FINAL PROOF

Blank mailed JUN 11 1982
Proof received
Date certificate issued JUL 19 1982

FEES PAID

Date	Amount	Receipt No.
<u>5-26-76</u>	<u>69.00</u>	<u>52774</u>

Cert. Fee

FEES REFUNDED

Date	Amount	Check No.
------	--------	-----------

ASSIGNMENTS

Date	To Whom	Address	Volume	Page
------	---------	---------	--------	------

REMARKS

Card for AJAN 16 1978

CARD FOR B OCT 24, 1978

Form A

NOTICE OF BEGINNING OF CONSTRUCTION

Application No. 66870

I, B. L. DAVIS RANCH, INC.

to appropriate the public waters of the state of Oregon, began the actual construction of the works described therein on the 1st day of December, 1977, the holder of Permit No. 66870

Remarks: Work delayed due to weather and will resume as soon as driller can get in to the area

The appropriator should state the manner of beginning construction work, number of men employed, the amount of work completed up to the date of this statement, and any additional information which may tend to show the beginning of work in good faith.

IN WITNESS WHEREOF, I have hereunto set my hand this 19th day of January, 1978
B. L. DAVIS RANCH, INC. By Carrel Corder Adams, Oregon 97810
(Signature of Applicant) (Address)

SP-44006-119

Fill out, detach and mail to the State Engineer, Salem, Oregon 97310, when construction work is begun.

STATE OF OREGON

COUNTY OF

UNION

CERTIFICATE OF WATER RIGHT

This Is to Certify, That

B.L. DAVIS RANCH, INC.

of PO Box 159, Adams, State of Oregon 97810, has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of a well

a tributary of Willow Creek
irrigation of 122.0 acres

for the purpose of

under Permit No. G-6870 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from May 26, 1976

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 1.09 cubic feet per second

or its equivalent in case of rotation, measured at the point of diversion from the well. The well is located in the NW 1/4 NW 1/4, Section 36, T1S, R38E, WM; 1,320 feet South and 1,290 feet East from NW Corner, Section 36

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one-eightieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year;

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

31.0 acres NE 1/4 NW 1/4

31.0 acres NW 1/4 NW 1/4

30.0 acres SW 1/4 NW 1/4

30.0 acres SE 1/4 NW 1/4


Section 36

Township 1 South, Range 38 East, WM

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the Water Resources Director, affixed

this date. July 19, 1982


Water Resources Director

Recorded in State Record of Water Right Certificates, Volume 45, page 51170

0690B

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

WATER WELL REPORT

Page 1

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 13/38 E-36b

State Permit No.

(1) OWNER:

Name **B. L. Davis**Address **Adams, Oregon 97810**

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

 Rotary ☒ Driven ☐
 Cable ☐ Jetted ☐
 Dug ☐ Bored ☐

(4) PROPOSED USE (check):

 Domestic ☐ Industrial ☐ Municipal ☐
 Irrigation ☒ Test Well ☐ Other ☐

CASING INSTALLED:

Threaded ☐ Welded ☒

8" Diam. from +1 ft. to 362 ft. Gage .250
 12" Diam. from 0 ft. to 1026 ft. Gage .250
 10" Diam. from 1026 ft. to 1394 ft. Gage .250

PERFORATIONS:

Perforated? ☒ Yes ☐ No.

Type of perforator used

Machine

Size of perforations 1/4 in. by 2 in.
 4800 perforations from 1294 ft. to 1394 ft.
 perforations from ft. to ft.
 perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown in amount water level is
lowered below static levelWas a pump test made? ☐ Yes ☒ No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.

" " " "

" " " "

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow 1700 g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION: *SEE ATTACHMENT.

Well seal—Material used Neat cement

Well sealed from land surface to 18 ft.

Diameter of well bore to bottom of seal 26 in.

Diameter of well bore below seal 26 in.

Number of sacks of cement used in well seal 45 sacks

Number of sacks of bentonite used in well seal sacks

Brand name of bentonite

Number of pounds of bentonite per 100 gallons

of water lbs./100 gals.

Was a drive shoe used? ☐ Yes ☒ No Plugs Size: location ft.Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☒ Yes ☐ No Size of gravel: 3/8

Gravel placed from 18 ft. to 355 ft.

(10) LOCATION OF WELL:

County **Union** Driller's well number

1/4 NW 1/4 Section 36 T. 15. R. 38 E. W.M.

Bearing and distance from section or subdivision corner

Center of

(11) WATER LEVEL: Completed well.

Depth at which water was first found 100 ft.

Static level ft. below land surface. Date

Artesian pressure 32 lbs. per square inch. Date 12/11/78

(12) WELL LOG:

Cased to bottom.

Diameter of well below casing

Depth drilled 1394 ft. Depth of completed well 1394 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	3	
Clay browns	3	73	
Clay soft browns	73	100	
Clay and sand	100	105	
Clay and sandstone	105	112	
Clay blue	112	160	
Clay and sand	160	168	
Sand and clay	168	176	
Clay blue and sandstone	176	183	
Clay and sand	183	193	
Clay blue	193	206	
Sand	206	210	
Clay and sand	210	213	
Sand	213	223	
Clay blue and sand	223	228	
Clay browns	228	257	
Sand	257	270	
Clay and sand	270	284	
Sand and gravel	284	300	

Work started 12/1 1977 Completed 12/11 1978

Date well drilling machine moved off of well 12/11 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Steve Moore Date 6/11, 1979
(Drilling Machine Operator)

Drilling Machine Operator's License No. 755

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Steve Moore
(Person, firm or corporation) (Type or print)Address P. O. Drawer P, Moses Lake, Wa. 98837[Signed] Steve Moore
(Water Well Contractor)

Contractor's License No. 628 Date 6/11 1979

(USE ADDITIONAL SHEETS IF NECESSARY)

SP-44056-119

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

Page 3

JUN 1 1979

State Well No. 15/38E-366

Permit No.

SALEM, OREGON

11910/73

(1) OWNER:

Name B. L. Davis

Address Adams, Oregon

(2) TYPE OF WORK (check):

New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

CASING INSTALLED:

Threaded ☐ Welded ☐

" Diam. from ft. to ft. Gage

" Diam. from ft. to ft. Gage

" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☐ Yes ☐ No.

Type of perforator used

Size of perforations in. by in.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☐ No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☐ Yes ☐ No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.

" " " "

" " " "

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used

Well sealed from land surface to ft.

Diameter of well bore to bottom of seal in.

Diameter of well bore below seal in.

Number of sacks of cement used in well seal sacks

How was cement grout placed?

Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.

Did any strata contain unusable water? ☐ Yes ☐ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☐ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Driller's well number

1/4 1/4 Section T. R. W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.

Static level ft. below land surface. Date

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Basalt blk w/gray & grn clay	666	698	
Clay gray w/soft blk basalt	698	706	
Basalt blk broken w/clay	706	721	
Basalt black	721	724	
Basalt gray hrkn w/gray clay	724	771	
Basalt black soft	771	779	
Basalt blk w/grn clay	779	820	
Clay grn hard w/blk basalt	820	830	
Basalt gray hard	830	850	
Basalt gray with tan clay	850	859	
Basalt gray & green clay	859	864	
Clay brown soft	864	865	
Clay red w/blk basalt	865	897	
Clay red	897	902	
Basalt blk w/red & grn clay	902	903	
Basalt blk hard & broken	903	910	
Basalt black w/grn clay	910	945	
Basalt blk w/gray clay soft	945	951	
Clay red w/black basalt	951	973	

Work started 19 Completed 19

Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Date , 19

(Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date , 19

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

JUN 2 1979

State Well No.

Page 4

Permit No.

10/38E-366

11170 173

(1) OWNER:

Name B. L. Davis
Address Adams, Oregon

(2) TYPE OF WORK (check):

New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

CASING INSTALLED:

Threaded ☐ Welded ☐

" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☐ Yes ☐ No.

Type of perforator used

Size of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☐ No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☐ Yes ☐ No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.

" " " " " "

" " " " " "

Ball test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used

Well sealed from land surface to ft.

Diameter of well bore to bottom of seal in.

Diameter of well bore below seal in.

Number of sacks of cement used in well seal sacks

How was cement grout placed?

.....

.....

.....

Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.

Did any strata contain unusable water? ☐ Yes ☐ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☐ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Driller's well number
.....
.....
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.

Static level ft. below land surface. Date

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay gray soft	973	984	
Clay gray & red w/blk basalt	984	986	
Clay grn & red w/blk basalt	986	991	
Clay w/ black basalt	991	1028	
Basalt blk w/ green clay	1028	1107	
Basalt blk w/green clay	1107	1123	
Basalt black and red clay	1123	1133	
Basalt black & grn clay	1133	1161	
Basalt black & red clay	1161	1164	
Clay gray & brn w/blk basalt	1164	1168	
Clay red w/black basalt	1168	1182	
Clay red and green hard	1182	1186	
Basalt black and red clay	1186	1210	
Basalt blk hard & brkn w/clay	1210	1216	
Basalt blk broken w/ clay	1216	1222	
Basalt blk w/clay	1222	1224	
Basalt blk w/clay	1224	1241	
Basalt blk and clay	1241	1273	
Basalt gray hard	1273	1360	
Basalt gray hard & broken	1360	1394	

Work started Completed 19

Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Date, 19.....

(Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name
(Person, firm or corporation) (Type or print)

Address

[Signed]

(Water Well Contractor)

Contractor's License No. Date, 19.....

15/385 - 36

Attachment to B. L. Davis well:

Set 18" casing to 362'

18' surface seal and neat cement from 340' to 362'

Casing Set - 1026' of 12"
368' of 10"

A B & W float collar was welded in at 1284' with a cement basket at 1286' on the outside of the casing.

200 sacks of cement mixed with 5 gals. of water to the sack was pumped out through the float collar.

RECEIVED
JUNE 11 1979
WATER RESOURCES DEPT.
SALEM, OREGON

G-7384

STATE OF OREGON

COUNTY OF

UNION

RECEIVED

JUN 18 1982

WATER RESOURCES DEPT
SALEM, OREGON

Proof of Appropriation of Water

B.L. DAVIS RANCH, INC.

of PO Box 159, Adams
has applied beneficially the waters of
a well

, State of Oregon 97810 ,

a tributary of Willow Creek
irrigation of 122.0 acres

for the purpose of

under Permit No. G-6870 and that the use of said waters has been completed under the
terms of said permit; that the priority of the right dates from
May 26, 1976
that the amount of water for the purposes aforesaid, has been actually beneficially used in the
amount of
1.09 cubic feet per second

or its equivalent in case of rotation, measured at the point of diversion from the well.
The well is located in the NW 1/4 NW 1/4, Section 36, T1S, R38E, WM; 1,320 feet
South and 1,290 feet East from NW Corner, Section 36

The amount of water used for irrigation, together with the amount secured under any other
right existing for the same lands, shall be limited to one-eightieth of one cubic foot per second
per acre, or its equivalent for each acre irrigated and shall be further limited
to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated
during the irrigation season of each year;

and shall
conform to such reasonable rotation system as may be ordered by the proper state officer.
A description of the place of use under the right, and to which such right is appurtenant, is
as follows:

31.0 acres NE 1/4 NW 1/4
31.0 acres NW 1/4 NW 1/4
30.0 acres SW 1/4 NW 1/4
30.0 acres SE 1/4 NW 1/4
Section 36
Township 1 South, Range 38 East, WM

I have read the above and foregoing proof of appropriation of water; I know the contents
thereof, and that the facts therein stated are true.

IN WITNESS WHEREOF, I have hereunto set my hand this 15 day of June,

1982.

B. L. Davis Ranch Inc.

B. L. Davis Pres.
Title

December 9, 1991

Federal Bank of Spokane
B. L. Davis Ranch
Box 159
Adams OR 97810
Attn: John D. Steele

WATER
RESOURCES
DEPARTMENT

USER-ID: 9694

Dear Mr. Steele,

With regard to the pump test requirements for the following wells and associated water rights in Umatilla County:

POD-ID	Well	Application	Permit	Certificate	Status
23613	Morrison Home 1	U-568	U-520	53386 (T-5614)	Approved
"	"	"	"	53654 (T-5614)	"
"	"	G-3477	G-3278	53655 (T-5615)	"
"	"	G-3478	G-3279	53656 (T-5616)	"

The Water Resources Department has reviewed and accepted the pump test results you submitted. The Department requires no further testing of this well at this time. However, you will be required to submit a static water level measurement of the well on the ten-year anniversary of the test you conducted.

We are also in receipt of your exemption requests based on the test performed on POD-ID 23613 listed above. We can grant exemptions on the following wells because they and the tested well in Umatilla County are located within a five-mile radius, appear to be completed in the same water-bearing zone, and are owned by the same landowner:

POD-ID	Well	Application	Permit	Certificate	Status
23614	Morrison Home 2	G-11361	G-10540	65977	Exempt
"	"	G-4560	G-4284	0	"
"	"	G-6120	G-5794	46931	"
23615	Kirk Well	G-4736	G-4456	40923	Exempt
"	"	G-4737	G-4457	40924	"
"	"	G-4738	G-4458	0	"
"	"	G-4739	G-4459	56357 (T-5617)	"
23616	Davis Krebs	G-2779	G-2578	35172	Exempt
"	"	U-682	U-619	22896	"
23617	N. Morrison	G-4647	G-4371	40919	Exempt
20337	Lieuallen Krebs	G-5370	G-5305	44902	Exempt
23633	?	G-4555	G-4279	40906	Exempt

A careful review of our records has revealed a number of items needing clarification.

3850 Portland Rd NE
Salem, OR 97310
(503) 378-3739
FAX 378-8130

For example, you list Permit G-3279 as pertaining both to Morrison Well #1 and Morrison Well #2. Please note that the well associated with Permit G-3279 is in fact only Morrison Well #1, the tested well.

In the forms you sent us, you indicated that Permits G-5305 and G-4279 both pertain to the Lieuallen Krebs Well. Our records show that these two rights pertain to two distinct wells. Enclosed is a map showing the two well locations. We have exempted both POD-ID's from the testing requirements because both meet the exemption criteria but would very much appreciate more information from you on this matter and on the name of the well associated with Permit G-4279 (POD-ID 23633).

With regard to the pump test requirements for the following wells and associated water rights in Union County:

POD-ID	Well	Application	Permit	Certificate	Status
20397	Niemitalo 1	G-5650	G-5467	46736	Approved
"	"	G-6986	G-6492	56906	"
"	"	G-7261	G-6659	56907	"

The Water Resources Department has reviewed and accepted the pump test results you submitted. The Department requires no further testing of this well at this time. However, you will be required to submit a static water level measurement of the well on the ten-year anniversary of the test you conducted.

We are also in receipt of your exemption requests based on the test performed on POD-ID 20397 listed above. We can grant exemptions on the following wells because they and the tested well in Union County are located within a five-mile radius, appear to be completed in the same water-bearing zone, and are owned by the same landowner:

POD-ID	Well	Application	Permit	Certificate	Status
23618	Niemitalo 2	G-6354	G-5954	56905	Exempt
"	"	G-6986	G-6492	56906	"
"	"	G-7261	G-6659	56907	"
23619	Case Well 1	G-6580	G-6347	52088	Exempt
23620	Case Well 2	G-6580	G-6347	52088	Exempt
23621	West Place 1	G-7385	G-6871	52408	Exempt
23622	West Place 3	G-7508	G-7046	52409	Exempt
23627	West Place 4	G-7508	G-7046	52409	Exempt
23628	Andrews 1	G-4048	G-3470	42441	Exempt
23630	Andrews 2	G-12056	G-11116	0	Exempt

We must reject your exemption requests for the two wells listed below because both of these wells are drilled to depths much deeper than the others and therefore produce from different

aquifers. You will be notified regarding the due dates on the tests for these wells as they come due:

POD-ID	Well	Application	Permit	Certificate	Status
23631	Niemitalo 3 (950 ft.)	G-12055	G-11074	0	Due 12/1/92
23632	West ¼ (1394 ft.)	G-7384	G-6870	51170	Due 5/26/96

Finally, in looking through our records, we have found that there is no certificate for the West Place 2 Well referred to in your letter. Enclosed is a copy of Certificate 52409, and as you can see, only Wells 3 and 4 are noted. Please contact our Water Rights section for further investigation of this matter.

We appreciate your cooperation in this program. If you have any questions, please contact Sam Allison or Bill Ferber at the address below or by calling 378-8455.

Sincerely,

Sam Allison
For FRED LISSNER, Manager
Groundwater/Hydrology Section

cc: Water Rights Section

B. L. DAVIS RANCH, INC.

LIVESTOCK

Adams, Oregon

97810

RECEIVED

JUN 15 1979

**WATER RESOURCES DEPT.
SALEM, OREGON**

June 13, 1979

Water Resources Department
555 13th Street N. E.
Salem, Oregon 97310

Re:File G-7384

Completion of drilling subject well was December 11, 1978 and
application of water was made on June 11, 1979.


Sincerely,

B. L. Davis Ranch, Inc.

Carroll Corder

Carroll Corder

OK
"BIC"
LMT



Water Resources Department
MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE 378-8508

File G-7384

December 7, 1978

B. L. Davis Ranch, Inc.
P.O. Box 159
Adams, OR 97810

Dear Mr. Davis,

Your application for an extension of the time limit in which to complete construction under the terms of your permit numbered G-6870 has been received. We also have your check in the amount of \$10.00.

The application indicates reasonable diligence has been exercised toward completion of the proposed project; therefore, the time limit in which to complete construction is being extended to October 1, 1979.

Sincerely,

Bruce A. Estes, Supervisor
Survey-Certificate Section

BAE:jt
Encl. Receipt 7534

Application for Extension of Time

TO THE WATER RESOURCES DIRECTOR OF OREGON

I, B. L. DAVIS RANCH, INC.
Name

P. O. BOX 159
Mailing Address

ADAMS OREGON 97810
City State Zip

record owner of water right permit No. G6870, do hereby request that the time in which to:

☒ complete the construction of works and/or purchase and installation of the equipment necessary to the use of water, which time now expires on October 1, 19⁷⁸, be extended to October 1, 19⁷⁹; and/or the time in which to

☐ accomplish beneficial use of water to the full extent now intended under the terms of said permit, which time now expires on October 1, 19⁷⁸, be extended to October 1, 19⁷⁹.

I have accomplished the following described works and/or purchase and installation of equipment necessary to the use of water under said permit:

within the past year The well has been drilled to a depth of 1400 feet and water is flowing. The driller was installing the casing and hung his equipment. He now has the equipment operable and should complete the work soon.

prior to this past year Began drilling in November, 1977

and have accomplished beneficial use of water to the extent of (IF FOR IRRIGATION, STATE HOW MANY ACRES HAVE BEEN IRRIGATED) As soon as well is completed we will be able to install the equipment and begin applying water in the spring.

RECEIVED

NOV 17 1978

**WATER RESOURCES DEPT.
SALEM, OREGON**

(If additional space is required, attach separate sheet)

B. L. DAVIS RANCH, INC.

B. L. Davis

President

(If signing for a corporation please identify your title)

Dated November 16, 1978

MAIL COMPLETED APPLICATION AND STATUTORY FEE OF \$10.00 TO:

Water Resources Department
Mill Creek Office Park
555 13th Street, N.E.
Salem, Oregon 97310

*B
10-1-79
DAE*

*7534 \$10.00
slm 11-17-78*

PHONE 378-8508

October 27, 1978

B.L. David Ranch, Inc.
B. L. Davis, President
P.O. Box 159
Adamas OR 97810

File No. G-7384

Dear Mr. Davis,

I am enclosing a form for use in making application for an extension of time limits under permit number G-6870

The Water Resources Director is permitted by law to extend the time for completion of a project only upon a showing of reasonable diligence by the permittee. Therefore, you should fill out this application carefully and completely describing what has been accomplished.

The application must be executed before a notary public and submitted to this office with the statutory filing fee in the amount of \$10.00 for each permit.

Sincerely,



Bruce A. Estes, Supervisor
Certificate-Survey Section

B. L. DAVIS RANCH, INC.

**Adams :: Oregon
97810**

File No. G 7384

February 2, 1978

Thomas E. Shook
Water Resources Department
555 13th Street N. E.
Salem, Oregon 97310

Dear Mr. Shook:

In reply to your letter of January 27, 1978, Moore Drilling Company started drilling a well on November 10, 1977. At a depth of approximately 120 feet they determined it would be necessary to use a different drilling rig which was in use at that time. Due to wet ground they have been unable to move it in and plan on doing so as soon as the ground dries.

Should you require additional information please advise.

Sincerely,

B. L. Davis Ranch, Inc.

B. L. Davis

B. L. Davis

OK
A
JES

RECEIVED
FEB 7 1978
WATER RESOURCES DEPT
SALEM, OREGON

378-8508

File No. G 7384

January 27, 1978

B. L. Davis Ranch, Inc.
B. L. Davis, President
Box 159
Adams, OR 97810

Dear Mr. Davis,

Actual construction of the well for the project described in your permit G 6870 was to have been started By November 18, 1977. If you were unable to satisfy this requirement, your permit serves no purpose and will have to be canceled.

I have enclosed a form for your use in authorizing the cancellation of permit G 6870.

Sincerely,

Thomas E. Shook
Water Rights Engineer

TES/dw

378-3066

May 6, 1977

G-7384

Mr. B. L. Davis
B. L. Davis Ranch, Inc.
Adams, Oregon 97810

Dear Mr. Davis:

Thank you for your letter of April 27, 1977 requesting additional time for the project described in your permit number G-6870.

Under the terms of your permit, a substantial beginning of construction of the project must begin on or before November 18, 1977. This time limit is set by law and cannot be extended for any reason whatsoever. If you are unable to construct the well by November 18, 1977, your permit will have to be canceled, but you may submit an application for a new permit when you are in a better position to carry out the project.

Sincerely,

Thomas E. Shook
Water Rights Engineer

TES:cjw

B. L. DAVIS RANCH, INC.

Adams :: Oregon
97810

6-7384

April 27, 1977

Water Resources Department
1178 Chemeketa Street N. E.
Salem, Oregon 97310

Permit No. G-6870

Subject permit issued May 26, 1976 stipulates construction work will begin on or before May, 1977. At the present time we are not ready to begin construction and request an extension of 1 year.

Sincerely,

B. L. Davis Ranch, Inc.

B. L. Davis

B. L. Davis

RECEIVED
APR 28 1977
WATER RESOURCES DEPT
SALEM, OREGON

378-3066

G-7384, G-7385, G-7386

28 July 1976

B.L. Davis Ranch, Inc.
B.L. Davis, President
P.O. Box 159
Adams, Oregon 97810

Dear Mr. Davis:

This will acknowledge maps, fees of \$324.00 and 3 applications.

The application for a permit to appropriate 1000 gallons per minute of water from West 160 well for irrigation of 160 acres has been filed as No. G-7384.

The application for a permit to appropriate 8.5 cubic feet per second of water from West well for supplemental irrigation of 680 acres has been filed as No. G-7385. This application was not signed by you and is being returned for signature.

The application for a permit to appropriate 75 gallons per minute of water from Lieuallen Home well for irrigation of 10 acres has been filed as No. G-7386.

We do not have copies of the well drillers logs describing the construction of these wells in our files. Could you please provide us with a copy of the logs or the name of the contractor or driller who constructed the wells, the dates of construction and for whom the wells were drilled.

Upon receipt of the requested information and the properly signed application, your applications will be examined further. Your application No. G-7385 is endorsed so that in order to retain its priority date, it must be received in this office on or before September 28, 1976.

Sincerely,

Vestal R. Garner
Water Rights Engineer

VRG:lcm

ENCL: Receipts No. 52773, 52775, 52776

WATER WELL REPORT

Page 1

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 15/38 E-36b

State Permit No.

(1) OWNER:

Name B. L. Davis
Address Adams, Oregon 97810

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☒ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☒

18" Diam. from +1 ft. to 362 ft. Gage .250
12 1/4" Diam. from 0 ft. to 1026 ft. Gage .250
10" Diam. from 1026 ft. to 1394 ft. Gage .250

(6) PERFORATIONS:

Perforated? ☒ Yes ☐ No.

Type of perforator used Machine
Size of perforations 1/4 in. by 2 in.
4800 perforations from 1294 ft. to 1394 ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " "
" " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow 1700 g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

*SEE ATTACHMENT

Well seal—Material used Neat cement
Well sealed from land surface to 18 ft.
Diameter of well bore to bottom of seal 26 in.
Diameter of well bore below seal 26 in.
Number of sacks of cement used in well seal 45 sacks
Number of sacks of bentonite used in well seal sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.
Was a drive shoe used? ☐ Yes ☒ No Plugs Size: location ft.
Did any strata contain unusable water? ☐ Yes ☒ No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? ☒ Yes ☐ No Size of gravel: 3/8.....
Gravel placed from 18 ft. to 355 ft.

(10) LOCATION OF WELL:

County Union Driller's well number
1/4 NW 1/4 Section 36 T. 15. R. 38 E. W.M.
Bearing and distance from section or subdivision corner
Center of

(11) WATER LEVEL: Completed well.

Depth at which water was first found 100 ft.
Static level ft. below land surface. Date
Artesian pressure 32 lbs. per square inch. Date 12/11/78

(12) WELL LOG:

Cased to bottom.
Diameter of well below casing

Depth drilled 1394 ft. Depth of completed well 1394 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	3	
Clay brown	3	73	
Clay soft brown	73	100	
Clay and sand	100	105	
Clay and sandstone	105	112	
Clay blue	112	160	
Clay and sand	160	168	
Sand and clay	168	176	
Clay blue and sandstone	176	183	
Clay and sand	183	193	
Clay blue	193	206	
Sand	206	210	
Clay and sand	210	213	
Sand	213	223	
Clay blue and sand	223	228	
Clay brown	228	257	
Sand	257	270	
Clay and sand	270	284	
Sand and gravel	284	300	

Work started 12/1 19 77 Completed 12/11 19 78
Date well drilling machine moved off of well 12/11 19 78

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Steve Moore Date 6/11, 1979.
(Drilling Machine Operator)

Drilling Machine Operator's License No. 755

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Steve Moore
(Person, firm or corporation) (Type or print)

Address P. O. Drawer P, Moses Lake, Wa. 98837

[Signed] Steve Moore
(Water Well Contractor)

Contractor's License No. 628 Date 6/11, 19 79

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 15/SE-366

State Permit No.

(1) OWNER:

Name B. L. Davis
Address Adams, Oregon 97810

(2) TYPE OF WORK (check):

New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☐

" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? ☐ Yes ☐ No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☐ No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☐ Yes ☐ No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.
" " " "
" " " "

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal sacks
Number of sacks of bentonite used in well seal sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.
Did any strata contain unusable water? ☐ Yes ☐ No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? ☐ Yes ☐ No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Driller's well number
¼ ¼ Section T. R. W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.
Static level ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay tan	300	305	
Sand, gravel and clay	305	310	
Sand and clay	310	318	
Sand coarse & fine gravel	318	323	
Sand and clay	323	325	
Clay blue	325	335	
Basalt	335	362	
Basalt Brn Brken w/gr clay	362	370	
Basalt Blk w/ gr. clay soft	370	400	
Basalt Blk w/brn & grn clay	400	418	
Basalt blk 2/grn & brn clay	418	460	
Basalt Blk & brn with clay	460	490	
Basalt Gry hard brkn w/clay	490	507	
Basalt Blk soft w/grn clay	507	572	
Basalt gray hard & broken	572	594	
Basalt red	594	597	
Clay grn w/some basalt blk	597	603	
Basalt gray hard	603	632	
Basalt gray hard & broken	632	666	

Work started 19 Completed 19

Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Date 19.....
(Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date 19.....

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

Page 3

State Well No. 15/38E-36b

State Permit No.

(1) OWNER:

Name B. L. Davis
Address Adams, Oregon

(2) TYPE OF WORK (check):

New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☐

" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? ☐ Yes ☐ No.

Type of perforator used

Size of perforations	in. by	in.
..... perforations from ft. to ft.		
..... perforations from ft. to ft.		
..... perforations from ft. to ft.		

(7) SCREENS:

Well screen installed? ☐ Yes ☐ No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☐ Yes ☐ No If yes, by whom?

Yield:	gal./min. with	ft. drawdown after	hrs.
"	"	"	"
"	"	"	"

Bailer test	gal./min. with	ft. drawdown after	hrs.
Artesian flow	g.p.m.		

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal sacks
How was cement grout placed?

Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.

Did any strata contain unusable water? ☐ Yes ☐ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☐ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Driller's well number
..... 1/4 1/4 Section T. R. W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.

Static level ft. below land surface. Date

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Basalt blk w/gray & grn clay	666	698	
Clay gray w/soft blk basalt	698	706	
Basalt blk broken w/clay	706	721	
Basalt black	721	724	
Basalt gray brkn w/gray clay	724	771	
Basalt black soft	771	779	
Basalt blk w/grn clay	779	820	
Clay grn hard w/blk basalt	820	830	
Basalt gray hard	830	850	
Basalt gray with tan clay	850	859	
Basalt gray & green clay	859	864	
Clay brown soft	864	865	
Clay red w/blk basalt	865	897	
Clay red	897	902	
Basalt blk w/red & grn clay	902	903	
Basalt blk hard & broken	903	910	
Basalt black w/grn clay	910	945	
Basalt blk w/gray clay soft	945	951	
Clay red w/black basalt	951	973	

Work started 19 Completed 19

Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Date, 19.....
(Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name
(Person, firm or corporation) (Type or print)

Address

[Signed]
(Water Well Contractor)

Contractor's License No. Date, 19.....

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

Page 4

State Well No.

State Permit No.

(1) OWNER:

Name B. L. Davis
Address Adams, Oregon

(2) TYPE OF WORK (check):

New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☐
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? ☐ Yes ☐ No.

Type of perforator used

Size of perforations	in. by	in.
..... perforations from ft. to ft.		
..... perforations from ft. to ft.		
..... perforations from ft. to ft.		

(7) SCREENS:

Well screen installed? ☐ Yes ☐ No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☐ Yes ☐ No If yes, by whom?

Yield:	gal./min. with	ft. drawdown after	hrs.
"	"	"	"
"	"	"	"

Bailer test	gal./min. with	ft. drawdown after	hrs.
Artesian flow	g.p.m.		

Temperature of water	Depth artesian flow encountered	ft.

(9) CONSTRUCTION:

Well seal—Material used
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal sacks
How was cement grout placed?

Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.
Did any strata contain unusable water? ☐ Yes ☐ No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? ☐ Yes ☐ No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Driller's well number
..... 1/4 Section T. R. W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.
Static level ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay gray soft	973	984	
Clay gray & red w/blk basalt	984	986	
Clay grn & red w/blk basalt	986	991	
Clay w/ black basalt	991	1028	
Basalt blk w/ green clay	1028	1107	
Basalt blk w/green clay	1107	1123	
Basalt black and red clay	1123	1133	
Basalt black & grn clay	1133	1161	
Basalt black & red clay	1161	1164	
Clay gray & brn w/blk basalt	1164	1168	
Clay red w/black basalt	1168	1182	
Clay red and green hard	1182	1186	
Basalt black and red clay	1186	1210	
Basalt blk hard & brkn w/clay	1210	1216	
Basalt blk broken w/ clay	1216	1222	
Basalt blk w/clay	1222	1224	
Basalt blk w/clay	1224	1241	
Basalt blk and clay	1241	1273	
Basalt gray hard	1273	1360	
Basalt gray hard & broken	1360	1394	

Work started Completed
Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Date, 19.....
(Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name
(Person, firm or corporation) (Type or print)

Address

[Signed]
(Water Well Contractor)

Contractor's License No. Date, 19.....

Attachment to B. L. Davis well:

Set 18" casing to 362'

18' surface seal and neat cement from 340' to 362'

Casing Set - 1026' of 12"
368' of 10"

A B & W float collar was welded in at 1284' with a cement basket at 1286' on the outside of the casing.

200 sacks of cement mixed with 5 gals. of water to the sack was pumped out through the float collar.

RECEIVED
JUN 11 1979
U. S. DEPT. OF COMMERCE
SELEM, OREGON

A

Certificate No.

963 9551

Number of acres 160. 1320'S & 1290'E from NW cor sec 36

cc

Willow Creek Hills

60 PS
4909 PM

W. H. R. 17


LOW PRESS C.P

0690B

Basin 8, Volume 3A

T15 R. 38 E W.M.
Section 36

NW 200.



TWP 15 R 38 SEC. 36

Scale - 4" = 1 mile

Application No. G-7384
Permit No. G 6870

RECEIVED
MAY 26 1976
WATER RESOURCES DEPT
SALEM, OREGON