

C4

ASSIGNED FILE#: G 13834

DELORES R MCCLARIN
COPLEY, RACHEL L
85 W WASHINGTON
BURNS, OR 97720

Application No. G13834
Permit No. G12532
Certificate No. _____

Stream Index, Page No. 12
V2 Part 1 same as C & Msc

FEES PAID		
Date	Amount	Receipt No.
9-28-94	440.-	117194
assign. 4-19-96	10 ⁰⁰	001599
Ext. of Time 8/10/98	100.00	23554
8-3-99	25.00	31727
5/29/03	25.00	60172
2-14-08	50.00	91458
FEES REFUNDED		
Date	Amount	Check No.

Date filed _____
Priority _____
Action suspended until C 04
Return to applicant _____
Date of approval _____

ASSIGNMENTS				
Date	ASSIGNED	To Whom	Address	Volume Page
4-19-96		Theresa Romasko	hp 495-2249 wk 573-4467 POB 1354 - Hines, OR 97738	7 387
8-3-99		Wayne + Midge Smith	ph. 542-2819 HC 30-Box 3437 - Burns, OR 97720	8 476
5/29/03	ASSIGNED	Steve Hoyt JR	PO Box 1411, Hines, OR 97738	

CONSTRUCTION
JUL 24 1997
Date for beginning _____
Date for completion OCT 01 1998
Extended to 10-1-03
Date for application of water OCT 01 1999
Extended to 10-1-04

118 sent 3/31/97

REMARKS ASSIGNMENTS

2/15/2008 Northwest Farm Credit Services
P.O. Box 279
Ontario OR 97914
and
Stephen A Hoyt & Amanda M Hoyt
P.O. Box 1411
Hines OR 97738

9-28-15 \$175.00 117541

PROSECUTION OF WORK
Form "A" filed 3/25/97
Form "B" filed _____
Form "C" filed _____

FINAL PROOF
Blank mailed _____
Proof received C.B.W 9/28/2015
Date certificate issued _____

612532

Form A (690-9-77)

Application No. G-13834

NOTICE OF BEGINNING OF CONSTRUCTION

I, Theresa Romasko, the holder of Permit No. G-12532
to appropriate the public waters of the state of Oregon, began the actual construction of the works described
herein on the 4th day of August, 1994.

Remarks: This well was constructed prior to my purchase of the
property and reassigned to me. Contractor started drilling August 4, 1994.
The appropriator must state the manner of beginning of construction, the amount of work completed and the type of equipment
acquired for the water system up to the date of this statement, and any additional information which shows a substantial beginning of construction as
authorized by your permit. this day construction of an irrigation well was started.
on August 15, 1994 the well was completed

IN WITNESS WHEREOF, I have hereunto set my hand this 5th day of March, 1997.

Theresa J. Romasko
(Signature of Applicant)

P.O. Box 1354, Nines, OR 97138
(Address)

Fill out, detach and mail to the Water Resources Department, Salem, OR 97310, when construction work is begun.

SP*35567-690

RECEIVED

MAR 25 1997

WATER RESOURCES DEPT
SALMON, OREGON

OK
DSM



Oregon

John A. Kitzhaber, MD, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

December 6, 2019

STEPHEN A HOYT
AMANDA M HOYT
PO BOX 1411
HINES OR 97738

Reference: Application G-13834 Permit G-12532

The Department has been reviewing the Claim of Beneficial Use (claim) report and map, received on September 28, 2015. The Department is prepared to issue a proposed certificate for this permit; however the Department has identified an issue that must be resolved before the issuance of a certificate.

The Pump Test requirement for the permit has not yet been satisfied. Oregon Administrative Rule 690-217-0020(1) requires that ground water permit holders with a priority date on or after December 20, 1988 submit the results of a pump test for each well listed in your claim of beneficial use before a water right certificate can be issued. These rules also allow the well owner to request one of two types of exemptions related to the testing of the well(s). The first type of exemption request is for an "Unreasonable Burden." This exemption can be requested if testing the well(s) would place an unreasonable burden on the well owner (OAR 690-217-0015(3) and (4)). Examples could include a) an economic hardship or b) the test would cause an interruption of services to customers or possible other necessary uses from the well (domestic, livestock, ect.). The second exemption request allows an owner with multiple wells to request that a qualifying, previously approved pump test on one of their wells be used to satisfy the requirement for additional wells under their ownership (OAR 690-217-0020(3)). No fee is required to request either type of exemption. Exemptions must be requested in writing using one of the two exemption forms before being considered. A one page description of the Pump Test Program along with the necessary forms to request either type of exemption or perform the test is attached. Should you have any additional questions concerning the Pump Test requirements, please contact Halley Barnett at 503-986-0879 or send an email to: wrd_dl_pumptestsupport@oregon.gov

Please see enclosures which include 1) a Pump Test Packet and 2) draft certificate for Application G-13834. Please contact the Department and let us know how you wish to proceed. If you have any questions please contact me at 503-986-0813.

Sincerely,

Jonnine Skaug
Certificate Section

enclosures

Cc: File G-13834
WM # 10
Scott Montgomery, CWRE – All Points Engineering & Surveying Inc.
Northwest Farm Credit Services, PO Box 279, Ontario OR 97914

STATE OF OREGON

COUNTY OF HARNEY

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

STEPHEN A HOYT
AMANDA M HOYT
PO BOX 1411
HINES OR 97738

NORTHWEST FARM CREDIT SERVICES
PO BOX 279
ONTARIO OR 97914

confirms the right to the use of water perfected under the terms of Permit G-12532. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-13834

SOURCE OF WATER: A WELL IN COFFEYPOT CREEK BASIN WITHIN THE MALHEUR LAKE BASIN

PURPOSE or USE: IRRIGATION OF 66.5 ACRES

MAXIMUM RATE: 0.83 CUBIC FOOT PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: SEPTEMBER 28, 1994

The well is located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
23 S	32 E	WM	2	SW NE	1346 FEET SOUTH AND 465 FEET WEST FROM E1/16 CORNER, SECTION 2

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
23 S	32 E	WM	2	NW NE	2	31.5
23 S	32 E	WM	2	SW NE		35.0

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW


This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

FINAL PROOF MAP

TO ADD POINTS OF APPROPRIATION &
PLACE OF USE FOR APPLICATION G-13834

STEVE & AMANDA HOYT

TOWNSHIP 23 SOUTH, RANGE 32 EAST, SECTION 2, W.M.
TAX LOTS: 400 & 900



RECEIVED BY OWRD

JUL 27 2015

SALEM, OR

RECEIVED BY OWRD


SEP 28 2015

SALEM, OR



71.0 ACRES PRIMARY IRRIGATION
AUTHORIZED FROM POA #1 BY
PERMIT G-12532

- #1 (HARN 2044)
LOCATED IN THE SW 1/4 NE 1/4 SECTION 2, T23S R32E,
W.M. AND 1346 FEET SOUTH AND 465 FEET WEST FROM
THE E 1/16 TOWNSHIP CORNER OF SAID SECTION.
FLOW METER IS 6.0' EAST OF WELL.



RENEWAL DATE: 12/31/2016

THIS MAP IS FOR THE PURPOSE OF LOCATING A WATER
RIGHT ONLY AND HAS NO INTENT TO PROVIDE LEGAL
DIMENSIONS OR THE LOCATION OF PROPERTY LINES.

PREPARED FOR:

STEVE & AMANDA HOYT
P.O. BOX 1411
HINES, OR 97738

PREPARED BY:



ALL POINTS ENGINEERING AND SURVEYING, INC.
P.O. BOX 767
(541) 548-5833
TERREBONNE, OR 97760
www.APEandS.com


FINAL PROOF MAP

TO ADD POINTS OF APPROPRIATION &
PLACE OF USE FOR APPLICATION G-13834

STEVE & AMANDA HOYT

TOWNSHIP 23 SOUTH, RANGE 32 EAST, SECTION 2, W.M.


TAX LOTS: 400 & 900



71.0 ACRES PRIMARY IRRIGATION
AUTHORIZED FROM POA #1 BY
PERMIT G-12532

● #1 (HARN 2044)

LOCATED IN THE SW 1/4 NE 1/4 SECTION 2, T23S R32E,
W.M. AND 1346 FEET SOUTH AND 465 FEET WEST FROM
THE E 1/16 TOWNSHIP CORNER OF SAID SECTION.
FLOW METER IS 6.0' EAST OF WELL.



RENEWAL DATE: 12/31/2016

THIS MAP IS FOR THE PURPOSE OF LOCATING A WATER
RIGHT ONLY AND HAS NO INTENT TO PROVIDE LEGAL
DIMENSIONS OR THE LOCATION OF PROPERTY LINES.

PREPARED FOR:

STEVE & AMANDA HOYT
P.O. BOX 1411
HINES, OR 97738

PREPARED BY:



ALL POINTS ENGINEERING AND SURVEYING, INC.
P.O. BOX 767 TERREBONNE, OR 97760
(541) 548-5833 www.APEandS.com

G

Harney County Project

MEMO -Proof to Satisfaction (March 17, 2014)

Application #	G-13834	Permit #	G-12532	Transfer #	
WRD Reviewer	J Skaug	Date	11-22-19		
WRD Peer Reviewer	Amey	Date	12/4/19		

Research

- ☒ Organize file in chronological order
- ☒ Pull CBU Report & Map(s), Application Map, relevant Permit, Certificate, or Transfer Order, most recent Assignments, Extension Orders, SWL Measurements, Fish Screen Certification Documents, Water Use Reports & Pump Tests
- ☒ Search for Water Right Location using Interactive Mapper. Identify Tax Lots & check for Area of Interest (AOI)
- ☒ Water Organization identified using AOI? ☒ No ☐ Yes
If "Yes" cc: _____ & Add to Mailing List
- ☒ Print Tax Lot Map from ormap.net for the original Place of Use, and confirm Current Ownership & Address with County Assessor *tax lot 400 same name & address*
- ☒ If there is a new owner, Add to Mailing List, including the owner(s) name & tax lot number
- ☒ Print Platcard & check for Place of Use Conflict? ☒ No ☐ Yes
If "Yes", provide copy of certificate & relevant map
- ☒ Print BLM Cadastral Survey *G lot 2*
- ☒ Does Claim Map identify correct DLC, Gov't Lots, QQ's? ☐ No ☒ Yes
If "No", either _____ WRD amend map OR _____ prepare Order of Certification

Reviewing Claim

Have conditions on relevant permit, certificate, or transfer order been complied with? Yes, No, OR N/A

- ☒ Fish Conditions
- ☒ Meter/measuring device *- claim says one was installed*
- ☒ Water Use Reporting
- ☒ Pump Test (post December 19, 1988) *No Pump Test Submitted*
- ☒ Other Conditions _____
- ☒ SWL
- ☒ C-Date *10-1-1999 ext 10/1/2004 (June of 2004 claim says)*
- ☒ Run Capacity Calculator and Print Findings (for pump, sprinklers, pipes, ditches, as appropriate)

NOTES:

Assignment: Stephen A Hoyt
Amanda M Hoyt
PO Box 1411
Hines OR 97738
Northwest Farm Credit Services
PO Box 279
Ontario OR 97914

1) Scott Montgomery, CORE - All Points Engineering & Surveying Inc

* No Pump Test

Pump Capacity Calculator

using Department designed formula:

$(hp)(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP = 40
Efficiency = 7.04
Lift = 205
PSI = 40

Results Calculated

$(hp)(\text{efficiency}) = 281.6$
Head based on psi = 101.6
Total dynamic head = 306.6
(head + lift)

Pump Capacity = 0.918 cubic feet per second

$\frac{1}{80} \times 71 = \underline{\underline{0.89 \text{ cfs}}}$

Sprinkler
System
0.985

Data Entry (fill in underlined blanks)

Sprinkler group 3 Nozzle size = _____ inch (type an apostrophe before the size)
(if applicable) Pressure = _____ PSI
Number of heads = _____

Results calculated

Total sprinkler capacity = 38 gpm, or 0.085 cfs

(Source: rainbird.com)

$$0.085 + 0.45 + 0.45 = 0.985$$



Tax Lots

Identify Tax Lots

[OR Map](#)

- ☐ Off
☒ On

County: Harney
 Taxlot: 23S32E000000400
 Owner1: HOYT, STEPHEN A JR & AMANDA M
 Owner2:
 Owner Address: P O BOX 1411, HINES OR 97738
 Site Address: 36128 HIGHWAY 20 E, BURNS, OR 97720
 Acres: 82.1
 TRSQQ: WM23.00S32.00E0XXXX
 Effective Date: May 1, 2019

Note: Tax lot information provided here is for general query purposes. It may not be up to date or may not be an official record. Please contact the respective county tax assessor's office for more current and specific information.

It is recommended to zoom to a detailed extent before query.

THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY

T.23S. R.32E. W.M.

HARNEY COUNTY

1" = 2000'

23S32E



Cancelled Nos.
300
600
700
800
2400
2500
2600
2700
3201 (2011)
5401 (2013)



PRINTED ON 7/16/2018

23S32E

HARNEY County Assessor's Summary Report

Real Property Assessment Report

FOR ASSESSMENT YEAR 2020

NOT OFFICIAL VALUE

November 26, 2019 2:42:44 pm

Account # 5380
Map # 23S32E000000400
Code - Tax # 0120-5380

Tax Status ASSESSABLE
Acct Status ACTIVE
Subtype NORMAL

Legal Descr Metes & Bounds - See legal report for full description.

Mailing Name HOYT, STEPHEN A JR & AMANDA M

Deed Reference # See Record

Agent

Sales Date/Price See Record

In Care Of

Appraiser TAMMY ATTLEBERGER

Mailing Address P O BOX 1411
HINES, OR 97738


Prop Class 551 MA SA NH Unit
RMV Class 551 02 00 012 1997-1

Situs Address(s)	Situs City
ID# 36128 HIGHWAY 20 E	BURNS

Code Area	RMV	MAV	Value Summary AV	RMV Exception	CPR %
0120 Land	185,615			Land	0
Impr.	250,210			Impr.	0
Code Area Total	435,825	300,610	287,030		0
Grand Total	435,825	300,610	287,030		0

Code Area	ID#	RFPD	Ex	Plan Zone	Value Source	TD%	LS	Size	Land Class	LUC	Trended RMV
0120	4	☐		EFRU-2	Farm Use Zoned	100	A	62.30	2	006*	155,750
0120	5	☐		EFRU-2	Farm Use Zoned	100	A	18.79	5	006*	10,340
0120	6	☐		EFRU-2	Farm Use Zoned	100	A	1.00	HS	006*	1,525
0120	8	☐		EFRU-2	Farm Use Zoned	100	A	0.00	IW	006*	6,000
0120					SITE AMENTIES	100					12,000
Grand Total								82.09			185,615

Code Area	ID#	Yr Built	Stat Class	Description	Improvement Breakdown	TD%	Total Sq. Ft.	Ex%	MS Acct #	Trended RMV
0120	12		302	CORRAL		100	0			250
0120	14		334	HOBBY STABLES		100	144			2,550
0120	13		303	GP SHED		100	384			5,140
0120	4		312	MAINLINE 6"		100	1,455			10,140
0120	7		110	Residential Other Improvements		100	0			9,930
0120	2	1991	131	One story		100	0			22,520
0120	1	2005	141	One story		100	2,583			199,680
Grand Total							4,566			250,210



Plot 2

reset

pan

blowup


reduce

enlarge

print

4105

Township No. 23 South Range No. 32 East Willamette Meridian, Oregon.



Total number of Acres 22 870 67

EXACT DESIGNATION	BY WHOM SURVEYED	NO.	DATE OF CONTRACT	AMOUNT OF SURVEY	WARRANTED	BEAR DECLARATION
Township Lines Subdivisions	By Wm K. Stevens	179	July 10 1883	59 61 25	Sept. 1 to 7, 1883	20° E

Scale, 20 Chas to an Inch.

The above map of the Subdivisions of Township No. 23 South, of Range No. 32 East, of the Willamette Meridian, Oregon, is strictly conformable to the Field Notes of the survey hereon filed in this office, which have been examined and approved.

E. S. Surveyor-General's Office,
Portland, Oregon,

Feb. 23, 1884 J. M. McMan
Survey General



Oregon Water Resources Department
Water Rights in the Same Area

no conflict

- Main
- Help
- Return
- Contact Us

Places of Use from Water Rights in the Same Area

The following rights have acreage in the same quarter-quarter as Permit: G 12532 *

Right	Name	Decree	App	Permit	Cert	Priority	Status	Use	T-R-S-QQ	DLC	Gov't Lot	Acres
APP: P 82207 *	THERESA L ROMASKO		P-82207			1/31/1997	NC	LV	23.00S-32.00E-02-NWNE			
								WI	23.00S-32.00E-02-NWNE			

STATE OF OREGON

COUNTY OF **HARNEY**

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

THERESA ROMASKO
P.O. BOX 1354
HINES, OR 97738

Assigned:
Stephen A Hayt
Amanda M Hayt
PO Box 1411
Hines OR 97738
Northwest Farm Credit Services
PO Box 279
Ontario OR
97914
(541) 495-2249

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: **G-13834**

SOURCE OF WATER: **A WELL IN COFFEEPOT CREEK BASIN** within the Malheur Lake basin

PURPOSE OR USE: **IRRIGATION OF 79.7 ACRES** *71.0 acres*

RATE OF USE: **0.996 CUBIC FEET PER SECOND** *1/80 x 71.0 = 0.89 CFS*

PERIOD OF ALLOWED USE: **MARCH 1 THROUGH OCTOBER 31**

DATE OF PRIORITY: **SEPTEMBER 28, 1994**

POINT OF DIVERSION LOCATION: **SW 1/4 NE 1/4, SECTION 2, T23S, R32E, W.M.; 1330 FEET SOUTH & 1833 FEET WEST FROM NE CORNER, SECTION 2.**

1346 *465* *E 1/16 Corner*
The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of **ONE-EIGHTIETH** of one cubic foot per second (or its equivalent) and **3.0 acre-feet** for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

610+2 **NW 1/4 NE 1/4 39.7 ACRES** *31.5*
SW 1/4 NE 1/4 40.0 ACRES *35.0*
SECTION 2

TOWNSHIP 23 SOUTH, RANGE 32 EAST, W.M.

610+3 NE NW 0.3
SE NW 4.2

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.

Claim says a meter was installed

Application G-13834 Water Resources Department


PERMIT G-12532

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction of the well shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued July 24, 1996

for 
Martha O. Pagel, Director
Water Resources Department

Bφ3
Cφ4

*Cdate
10/1/99
ext 10/2004 Claim
says June 2004*

Application # G-13834 9/28/15 - Transfer # _____
Date Received 9/27/2015
CWRE Name Scott Montgomery Claim Logged yes
File Marked yes
Oversized Map # _____
Reviewer C.U.

Map Review:

- ☒ Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b))
- ☒ Application & permit #; or transfer # (OAR 690-014-0100(1))
- ☒ Disclaimer (OAR 690-014-0170(5))
- ☒ North arrow (OAR 690-310-0050(2)(c))
- ☒ CWRE stamp and signature (OAR 690-014 & 310-0050)
- ☒ Appropriate scale (1" = 1320', 1" = 400', or the original full-size scale of the county assessor map) (014 & 310)
- ☒ Township, range, section, and tax lot numbers (OAR 690-310-0050(4))
- ☐ Source illustrated if surface water (OAR 690-014-0170(3))
- ☐ Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050)
- ☐ Point(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050)
- ☐ Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050)
- ☐ Description of the location, in relation to the point of diversion or appropriation, of any fish screens, by-pass devices, and measuring devices required (OAR 690-014-0170(4))
- ☐ Place of use (1/4 1/4, or projected 1/4 1/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dwelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010)

Report Review:

- ☒ On form or format provided by the Department (OAR 690-014-0100(1))
- ☒ Application & permit #; or transfer # (OAR 690-014)
- ☒ Ownership information (OAR 690-014)
- ☒ Date of survey (OAR 690-014)
- ☒ Person interviewed (OAR 690-014)
- ☒ County (OAR 690-014)
- ☐ Description of conveyances system (from POD to POU) (OAR 690-014-0100)
- ☐ Source(s) of water (OAR 690-014-0100)
- ☐ Place of use location (OAR 690-014-0100)
- ☐ Type of use (OAR 690-014-0100)
- ☐ Extent of use (OAR 690-014-0100)
- ☐ Rate and Duty (OAR 690-014-0100)
- ☐ Diversion rate for each use (OAR 690-014-0100)
- ☐ Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100)
- ☐ System capacity (OAR 690-014-0100)
 - ☐ Calculated capacity of system (required)
 - ☐ Measured amount of use (optional)
- ☐ Permit/Transfer Final Order Conditions (OAR 690-014-0100)
 - ☐ Time limits
 - ☐ Initial water level measurements
 - ☐ Annual static water level measurements
 - ☐ Measurement, recording, and reporting
 - ☐ Meter/measuring device
 - ☐ Water use reporting
 - ☐ Fish screening and/or by-pass
 - ☐ Pump test (ground water)
 - ☐ Other conditions
- ☒ CWRE stamp and signature (OAR 690-014-0100)
- ☐ Signature(s) of permittee of transfer holder (OAR 690-014-0100)

RECEIVED BY OWRD

SEP 28 2015

SALEM, OR

DEF = deficient

N/A = Not Applicable

S:\groups\wr\certs\Resource Center\Forms_Checklists_Mailing Instructions\COBU Checklist 11-20-2012.rtf

**CLAIM OF
BENEFICIAL USE
for Permits claiming more
than 0.1 cfs and All Transfers**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

**A fee of \$175 must accompany this form for permits
with priority dates after July 8, 1987.**

**A fee of \$175 must accompany this form for any Transfer final orders
including a water right with a priority date of July 9, 1987, or later.**

**Example – A transfer involves 5 rights and one of the rights
has a priority date of July 9, 1987, or later, the fee is required.**

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:
http://www.oregon.gov/owrd/pages/wr/cwre_info.aspx

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see
http://www.oregon.gov/owrd/pages/mgmt_reimbursement_authority.aspx

SECTION 1

GENERAL INFORMATION

RECEIVED BY OWRD

SEP 28 2015

SALEM, OR

1. File Information

APPLICATION # (G, R, S or T)	PERMIT # (IF APPLICABLE)	PERMIT AMENDMENT # (IF APPLICABLE)
G-13834	G-12532	

RECEIVED BY OWRD

JUL 27 2015

SALEM, OR

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME Stephen & Amanda Hoyt		PHONE NO. 541-589-1024	ADDITIONAL CONTACT NO.
ADDRESS PO Box 1411			
CITY Hines	STATE OR	ZIP 97738	E-MAIL

If the current property owner is not the permit or transfer holder of record, it is recommended that an assignment be filed with the Department. ***Each** permit or transfer holder of record must sign this form.*

3. Permit or transfer holder of record (this may, or may not, be the current property owner)

PERMIT OR TRANSFER HOLDER OF RECORD Same as above		
ADDRESS		
CITY	STATE	ZIP

ADDITIONAL PERMIT OR TRANSFER HOLDER OF RECORD NA		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection: **May 18, 2015**

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Stephen Hoyt	May 18, 2015	Owner/Permit Holder

6. County: **HARNEY**

7. If any property described in the place of use of the permit or transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(4)):

OWNER OF RECORD NA		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

RECEIVED BY OWRD

SEP 28 2015

SALEM, OR

RECEIVED BY OWRD


JUL 27 2015

SALEM, OR

SECTION 2 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.




CWRE NAME Scott D. Montgomery	PHONE NO. 541-548-5833	ADDITIONAL CONTACT NO. 541-420-0401
ADDRESS PO Box 767		
CITY Terrebonne	STATE OR	ZIP 97760
E-MAIL scott@apeands.com		

Permit or Transfer Holder's of Record Signature or Acknowledgement

Each permit or transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Stephen Hoyt	Owner/Permit Holder	7/10/15
	Amanda Hoyt	Owner/Permit Holder	7/10/15
	Jerry Wroten Relationship Manager I Northwest Farm Credit Services, FLCA	Assignment Holder	9/4/15

RECEIVED BY OWRD

SEP 28 2015

SALEM, OR

RECEIVED BY OWRD

JUL 27 2015

SALEM, OR

SECTION 3

CLAIM DESCRIPTION

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
#1	HARN 2044	

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA NAME OR NUMBER	SOURCE	TRIBUTARY
#1	Well	Malheur Lake Basin

3. Developed use(s), period of use, and rate for each use:

POD/POA NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
#1	IR		Mar 1 to Oct 31	210 AF
Total Quantity of Water Used				210 AF

4. Provide a general narrative description of the distribution works. This description must trace the water system from **each point of diversion or appropriation to the place of use:**

Water is pumped from the well & conveyed by buried pipe to two center pivot sprinklers to irrigate the place of use.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

5. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below. NO

(e.g. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

The permit allows 79.7 ac. The water user only developed 71.0 acres with 4.5 acres on the neighboring taxlot 900.

6. Claim Summary:

POD / POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
#1	0.875 cfs	0.93 cfs		IR	79.7	70.0

RECEIVED BY OWRD

SEP 28 2015

SALEM, OR

RECEIVED BY OWRD

JUL 27 2015

SALEM, OR

SECTION 4

SYSTEM DESCRIPTION

Are there multiple PODs or POAs?

NO

A. Place of Use

1. Is the right for municipal use?

NO

TWP	RNG	MER	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
23S	32E	WM	2	NW NE	2		IR	31.5	
23S	32E	WM	2	SW NE			IR	35.0	
23S	32E	WM	2	NE NW	3		IR	0.3	
23S	32E	WM	2	SE NW			IR	4.2	
Total Acres Irrigated								71.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLOT), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLOT, and QQ.

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of 7.04 ft⁴/hpx5 x hp

1. Is a pump used?

YES

2. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Unknown			Submersible	6"	6"

3. Motor Information

MANUFACTURER	HORSEPOWER
Unknown	40

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
40	40	200'	5'	0.93

5. Provide pump calculations:

RECEIVED BY OWRD

$$Q = \frac{7.04 \text{ ft}^4/\text{hpxS} \times \text{hp}}{\text{Total Head, ft}} = \frac{(7.04)(40)}{(302.1)} = 0.93 \text{ cfs}$$

$$\text{Total Head, ft} = 101.6 + 200 + 5 = 302.1'$$

SEP 28 2015

JUL 27 2015

SALEM, OR

SALEM, OR

6. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
6"	746 LF	Steel	Buried
6"	623 LF	Steel	Buried

9. Lateral or Handline Information

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
NA			

10. Sprinkler Information

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
3/8"	25	20	2	2	0.13

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Pivot Information

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
Greenfield/Oasis	717	40	200	0.45
Oasis	662	40	200	0.45

12. Additional notes or comments related to the system:

--

C. Groundwater Source Information (Well and Sump)

1. Is the appropriation from ground water (well or sump)?

YES

2. Describe the access port (type and location) or other means to measure the water level in the well:

1" threaded hole in SE top of casing

3. If well logs are not available, provide as much of the following information as possible:

CASING DIAMETER	CASING DEPTH	TOTAL DEPTH	COMPLETION DATE OF ORIGINAL WELL	COMPLETION DATES OF ALTERATIONS	WHO THE WELL WAS DRILLED FOR	WELL DRILLED BY
See well log						

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

--

5. Is the appropriation from a dug well (sump)?

NO

RECEIVED BY OWRD

RECEIVED BY OWRD

SEP 28 2015

JUL 27 2015

SALEM, OR

SALEM, OR

D. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)

NO

E. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

F. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

NO

G. Reservoir

1. Does the claim involve a reservoir modified through a transfer?

NO

SECTION 5

CONDITIONS

All conditions contained in the permit, permit amendment, transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits, transfer final orders, and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit, extension or transfer final order:

	DATE FROM PERMIT OR TRANSFER	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	July 24, 1996		
BEGIN CONSTRUCTION (A)	Not mentioned	NA	NA
COMPLETE CONSTRUCTION (B)	Not mentioned	NA	NA
COMPLETE APPLICATION OF WATER (C)	October 1, 2004	June 2004	Field has been irrigated since June 2004 by aerial imagery

* MUST BE WITHIN PERIOD BETWEEN PERMIT, TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

YES

3. If for a transfer extension order, provide the following information:

VOLUME	PAGE	DATE EXTENDED TO
		Oct 1, 2004

RECEIVED BY OWRD

RECEIVED BY OWRD

SEP 28 2015

JUL 27 2015

SALEM, OR

SALEM, OR

4. Initial Water Level Measurements:

a. Was the water user required to submit an initial static water level measurement? NO

5. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements? NO

6. Pump Test (Required for most ground water permits prior to issuance of a certificate)

a. Did the permit require the submittal of a pump test? YES

b. Has the pump test been previously submitted to the Department? NO

c. Is the pump test attached to this claim? NO

d. Has the pump test been approved by the Department? NO

e. Has a pump test exemption been approved by the Department? NO

** Claims will not be reviewed until a pump test or exemption has been approved by the Department

7. Measurement Conditions:

a. Does the permit, permit amendment, transfer final order, or any extension final order require the installation of a meter or approved measuring device? YES

b. Has a meter been installed? YES

c. Meter Information

POD/POA NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
#1	Aquamaster 900	50133	Not running	0019965	Unknown

RECEIVED BY OWRD

8. Recording and reporting conditions

a. Is the water user required to report the water use to the Department? JUL 27 2015 NO

9. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? SALEM, OR NO

10. By-pass Devices

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? NO

11. Other conditions required by permit, permit amendment final order, extension final order, or transfer final order:

a. Were there special well construction standards? RECEIVED BY OWRD NO

b. Was submittal of a ground water monitoring plan required? SEP 28 2015 NO

c. Was the water user required to restore the riparian area if it was disturbed? NO

d. Was a fishway required? SALEM, OR NO

e. Was submittal of a letter from an engineer required prior to storage of water? NO

f. Was submittal of a water management and conservation plan required? NO

g. Other conditions? NO

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

SECTION 6
ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Well log	HARN 2044
Aerial imagery A	2014 NRCS aerial imagery
Aerial Imagery B	2004 NRCS aerial imagery

SECTION 7
CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The well, pipe, sprinklers and place of use were tied to approx.. property lines using survey-grade GPS equipment & compared to 2014 NRCS aerial imagery.

Map Checklist

RECEIVED BY OWRD

Please be sure that the map you submit includes ALL the items listed below.
(Reminder: Incomplete maps and/or claims may be returned.)

SEP 28 2015

SALEM, OR

- ☒ Map on polyester film
- ☒ Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- ☒ Township, Range, Section, Donation Land Claims, and Government Lots
- ☒ If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- ☒ Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- ☒ Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- ☒ Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- ☒ Point(s) of diversion or appropriation (illustrated and coordinates)
- ☒ Tax lot boundaries and numbers
- ☒ Source illustrated if surface water
- ☒ Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- ☒ Application and permit number or transfer number

RECEIVED BY OWRD

JUL 27 2015

SALEM, OR

- ☒ North arrow
- ☒ Legend
- ☒ CWRE stamp and signature

RECEIVED BY OWRD

SEP 28 2015

SALEM, OR

RECEIVED BY OWRD

JUL 27 2015


SALEM, OR

FINAL PROOF MAP

TO ADD POINTS OF APPROPRIATION &
PLACE OF USE FOR APPLICATION G-13834

STEVE & AMANDA HOYT

TOWNSHIP 23 SOUTH, RANGE 32 EAST, SECTION 2, W.M.
TAX LOTS: 400 & 900



RECEIVED BY OWRD

SEP 28 2015

SALEM, OR

RECEIVED BY OWRD

JUL 27 2015

SALEM, OR



71.0 ACRES PRIMARY IRRIGATION
AUTHORIZED FROM POA #1 BY
PERMIT G-12532

● #1 (HARN 2044)

LOCATED IN THE SW 1/4 NE 1/4 SECTION 2, T23S R32E,
W.M. AND 1346 FEET SOUTH AND 465 FEET WEST FROM
THE E 1/16 TOWNSHIP CORNER OF SAID SECTION.
FLOW METER IS 6.0' EAST OF WELL.



RENEWAL DATE: 12/31/2016

THIS MAP IS FOR THE PURPOSE OF LOCATING A WATER
RIGHT ONLY AND HAS NO INTENT TO PROVIDE LEGAL
DIMENSIONS OR THE LOCATION OF PROPERTY LINES.

PREPARED FOR:

STEVE & AMANDA HOYT
P.O. BOX 1411
HINES, OR 97738

PREPARED BY:



ALL POINTS ENGINEERING AND SURVEYING, INC.
P.O. BOX 767 TERREBONNE, OR 97760
(541) 548-5833 www.APEandS.com

T23S R 32E, W.M.



0 0.25 0.5 1 Miles

June 2014 aerial imagery from NRCS Gateway website imported into ArcMap GIS software in statewide Lambert projection.

RECEIVED BY OWRD RECEIVED BY OWRD


SEP 28 2015

JUL 27 2015

SALEM, OR

SALEM, OR

T23S R 32E, W.M.



June 2004 aerial imagery from NRCS Gateway website imported into ArcMap GIS software in statewide Lambert projection.

RECEIVED BY OWRD
RECEIVED BY OWRD

SEP 28 2015

JUL 27 2015

SALEM, OR

SALEM, OR

NOV 1 1994
STATE OF OREGON
WATER WELL REPORT
Form 527 (65)

RECEIVED

AUG 26 1994

(START CARD) # 60647

Instructions for completing this report are on the last page of this form.

(1) OWNER:

Name Delores McClarin
Address 85 W Washington
City Burns State OR Zip 97720

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:

☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger
☐ Other

(4) PROPOSED USE:

☐ Domestic ☐ Community ☐ Industrial ☒ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No Depth of Completed Well 240 ft.
Explosives used ☐ Yes ☒ No Type _____ Amount _____

HOLE			SEAL			Sacks or pounds
Diameter	From	To	Material	From	To	
24	0	18	bentonite	0	18	24 sacks
20	18	240				

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E

☒ Other poured & tamped
Backfill placed from _____ ft. to _____ ft. Material _____

Gravel placed from 240 ft. to 0 ft. Size of gravel 3/8 pea

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	20	+1	20	2.50	☒	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
Liner:	12	+1	240	5c40	☐	☒	☐	☐
					☐	☐	☐	☐

Final location of shoe(s)

(7) PERFORATIONS/SCREENS:

From	To	Slot size	Number	Diameter	Material	Casing	Liner
60	240	.085	28800	12	factor cut	☐	☒
						☐	☐
						☐	☐
						☐	☐
						☐	☐

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem at	Time
100	6		1 hr.

Temperature of water 60° Depth Artesian Flow Found _____
Was a water analysis done? ☐ No ☐ Yes By whom _____
Did any strata contain water not suitable for intended use? ☐ Too little
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _____
Depth of strata: _____

(9) LOCATION OF WELL by legal description:

County Harney Latitude _____ Longitude _____
Township 23 S N or S Range 32 E E or W. WM. _____
Section 2 SW 1/4 NE 1/4
Tax Lot _____ Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) HC 73 Box 14234 Hwy 20

(10) STATIC WATER LEVEL:

30 ft. below land surface. Date 8-16-94
Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found _____

From	To	Estimated Flow Rate	SWL
40	240	800	30

(12) WELL LOG:

Ground Elevation SALEM, OR

Material	From	To	SWL
clay loam topsoil	0	1	
clay grey	1	4	
clay brn	4	16	
clay grey	16	27	
clay sand grey	27	32	
clay brn	32	40	
clay brn/sand coarse	40	55	30
sand med brn	55	63	30
clay green	63	80	30
sand, fine, blk	80	87	30
sand fine clay grey	87	112	30
sand fine brn	112	135	30
gravel, med sand fine	135	160	30
gravel, sand, clay	160	175	30
sandstone, gravel	175	190	30
gravel, clay	190	196	30
claystone, gravel, sand	196	235	30
clay brn	235	240	30

Date started 8-4-94 Completed 8-15-94

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number _____
Signed _____ Date _____

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1424
Signed Timothy K. Rife Date 8-16-94

HARN 2014



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

August 3, 2015

Stephen and Amanda Hoyt
PO Box 1411
Hines, OR 97738

RE: Application G-13834, Permit G-12532

Dear Stephen and Amanda,

On July 27, 2015, the Department received the Claim of Beneficial Use that you submitted for the above referenced file.

The Department is returning your Claim at this time for the following reason:

1. The Claim was not signed by all the permit holders of record. On February 15, 2008, the file was assigned Stephen and Amanda Hoyt and Northwest Farm Credit Services. In order for the Department to file the Claim, the Claim must also be signed by Northwest Farm Credit Services.

Enclosed you will find your Claim material and check in the amount of \$175.00. Upon Northwest Farm Credit Services signing the Claim form, the Claim materials and check can be resubmitted.

If you have any additional questions, please feel free to contact me at 503-986-0811.

Sincerely,

Gerry Clark
Water Rights Specialist
Certificates

cc: file
Scott Montgomery, CWRE
NW Farm Credit Services, Ontario Or

enclosures

RECEIVED BY OWRD

SEP 28 2015

SALEM, OR



ALL POINTS
ENGINEERING & SURVEYING, INC.
P.O. Box 767 (CRR)
Terrebonne, Oregon 97760

TRANSMITTAL

To:
ATTN: Oregon Water Resources Dept
725 Summer St NE, Suite A
Salem, OR 97301-1266

Date: 7/23/15
Attention: COBU
RE: COBU for Steve & Amanda Hoyt

☒ Prints ☐ Plans ☐ Plat ☐ Specifications ☐ Change order x Other

Hello

Attached is Claim of Beneficial Use & Final proof map on Permit G-12532 for Steve & Amanda Hoyt.

If you have any questions please call or email me.

Copies	No.	Description
1	1	COBU (10 pages letter bond)
1	2	Check for \$175.00
1	3	COBU Map (1 page mylar)
1	4	Well log (1 page letter bond)
1	5	2004 & 2014 Aerial Imagery (2 pages letter bond)

Signed:

Deuse A. Montgomery

RECEIVED BY OWRD

SEP 28 2015

SALEM, OR

RECEIVED BY OWRD

JUL 27 2015

SALEM, OR

Oregon Water Resources Department
Water Rights Division

Water Rights Application
Number G-13834

Final Order

Application History


On September 28, 1994, DELORES R MCCLARIN & L RACHEL COPLEY submitted an application to the Department for a water use permit. On April 19, 1996 the application was assigned to THERESA ROMASKO. The Department issued a Proposed Final Order on March 12, 1996. The protest period closed April 26, 1996, and no protest was filed.

The proposed use would not impair or be detrimental to the public interest.

Order


Application G-13834 therefore is approved as proposed by the Proposed Final Order, and Permit Number G-12532 is issued as limited by the conditions proposed by the Proposed Final Order.

DATED July 24, 1996

for 
Martha O. Page
Director

Appeal Rights

Under the provisions of ORS 183.484, the applicant may appeal this order by filing a petition for review in the Circuit Court for Marion County or the circuit court for the county in which the applicant resides or has a principal business office. The petition for review must be filed within 60 days after the date this order is served.



- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

August 3, 2015

Stephen and Amanda Hoyt
PO Box 1411
Hines, OR 97738

RE: Application G-13834, Permit G-12532

Dear Stephen and Amanda,

On July 27, 2015, the Department received the Claim of Beneficial Use that you submitted for the above referenced file.

The Department is returning your Claim at this time for the following reason:

1. The Claim was not signed by all the permit holders of record. On February 15, 2008, the file was assigned Stephen and Amanda Hoyt and Northwest Farm Credit Services. In order for the Department to file the Claim, the Claim must also be signed by Northwest Farm Credit Services.

Enclosed you will find your Claim material and check in the amount of \$175.00. Upon Northwest Farm Credit Services signing the Claim form, the Claim materials and check can be resubmitted.

If you have any additional questions, please feel free to contact me at 503-986-0811.

Sincerely,

Geffry Clark
Water Rights Specialist
Certificates

cc: file
Scott Montgomery, CWRE
NW Farm Credit Services, Ontario Or

enclosures

Oregon

Water Resources Department
North Mall Office Building
725 Summer St NE, Suite A
Salem, OR 97301-1266

ADDRESS SERVICE REQUESTED

G 13834

Presort
First Class Mail
CombisPrice



U.S. POSTAGE PITNEY BOWES



ZIP 97301 \$ 000.39¹
02 1W
0001398599 AUG. 04. 2015

RECEIVED BY OWRD

AUG 20 2015

SALEM, OR


NW Farm Credit Services
PO Box 279
Ontario OR 97044

GLB-TSP 97914
97301-1266

NIXIE 841 DC 1260 0008/16/15 / 15

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

BC: 97301126673 *2136-09423-09-19 19





Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

October 1, 2015

Stephen & Amanda Hoyt
PO box 1411
Hines OR 97738

On September 28, 2015, the Water Resources Department received the Claim of Beneficial Use (COBU) for the following file(s):

Application G-13834 Permit G-12532

The COBU included a report and map. In the future the Department will review your submittal. At that time we will review these items and provide a final certificate, proposed certificate, or a request for additional information.

If you are interested in having your COBU reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at: http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml

Customer Service phone: (503) 986-0801

If you sell the property, please contact the Department, or have the new owners contact the Department about the need to file an assignment.

Cc: file

CLARK Gerry E

From: CLARK Gerry E
Sent: Monday, August 03, 2015 4:57 PM
To: 'Scott'
Subject: RE: Returning CBU for Hoyt (Application G-13834, Permit G-12532)

Scott,

I wish I knew the answer. The office Assigned to the permit was the Ontario office. I am not sure how they work between offices. You, or the Hoyts will need to check with them.

Gerry

From: Scott [mailto:Scott@apeands.com]
Sent: Monday, August 03, 2015 4:14 PM
To: CLARK Gerry E
Subject: RE: Returning CBU for Hoyt (Application G-13834, Permit G-12532)

Gerry,
Do we need a signature from NW Farm Credit Services in Ontario or can I get the signature from the Redmond office?
thanks,
Scott

From: CLARK Gerry E [gerald.e.clark@state.or.us]
Sent: Monday, August 03, 2015 4:09 PM
To: Scott
Cc: Neecee
Subject: Returning CBU for Hoyt (Application G-13834, Permit G-12532)

Scott,

We are returning the Claim for the above referenced file. The Claim needs to be signed by NW Farm as they are a permit holder of record. I have attached a copy of the letter that is being mailed to the Hoyt's.

Please let me know if you have any questions.

Gerry

Gerry Clark
Water Right Services Division
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301

Phone: 503-986-0811



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

August 3, 2015

Stephen and Amanda Hoyt
PO Box 1411
Hines, OR 97738

RE: Application G-13834, Permit G-12532

Dear Stephen and Amanda,

On July 27, 2015, the Department received the Claim of Beneficial Use that you submitted for the above referenced file.

The Department is returning your Claim at this time for the following reason:

1. The Claim was not signed by all the permit holders of record. On February 15, 2008, the file was assigned Stephen and Amanda Hoyt and Northwest Farm Credit Services. In order for the Department to file the Claim, the Claim must also be signed by Northwest Farm Credit Services.

Enclosed you will find your Claim material and check in the amount of \$175.00. Upon Northwest Farm Credit Services signing the Claim form, the Claim materials and check can be resubmitted.

If you have any additional questions, please feel free to contact me at 503-986-0811.

Sincerely,


Gerry Clark
Water Rights Specialist
Certificates

cc: file
Scott Montgomery, CWRE
NW Farm Credit Services, Ontario Or

enclosures



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

August 3, 2015

Stephen and Amanda Hoyt
PO Box 1411
Hines, OR 97738

RE: Application G-13834, Permit G-12532

Dear Stephen and Amanda,

On July 27, 2015, the Department received the Claim of Beneficial Use that you submitted for the above referenced file.

The Department is returning your Claim at this time for the following reason:

1. The Claim was not signed by all the permit holders of record. On February 15, 2008, the file was assigned Stephen and Amanda Hoyt and Northwest Farm Credit Services. In order for the Department to file the Claim, the Claim must also be signed by Northwest Farm Credit Services.

Enclosed you will find your Claim material and check in the amount of \$175.00. Upon Northwest Farm Credit Services signing the Claim form, the Claim materials and check can be resubmitted.

If you have any additional questions, please feel free to contact me at 503-986-0811.

Sincerely,


Gerry Clark
Water Rights Specialist
Certificates

cc: file
Scott Montgomery, CWRE
NW Farm Credit Services, Ontario Or

enclosures



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.wrd.state.or.us

Request for Assignment

If for multiple rights, a separate form and fee for each right will be required.

I, Stephen A. Hoyt, Jr. and Amanda M. Hoyt, husband and wife
(Name of Applicant / Permit / Transfer Holder)

P.O. Box 1411 Hines, OR 97738 541-493-2719
(Mailing address) (City) (State) (Zip) (Phone #)

- ☒ ...hereby assign all my interest in and to application/permit/transfer;
- ☐ ...hereby assign all my interest in and to a portion of application/permit/transfer;
(You must include a map showing the portion of the application/permit to be assigned.)
- ☐ ...hereby assign a portion of my interest in and to the entire application/permit/transfer;

Application # 613834, Permit # G-12532; Transfer # _____
-OR-
GR Statement # _____, GR Certificate of Registration # _____

RECEIVED

FEB 14 2008

**WATER RESOURCES DEPT
SALEM, OREGON**

as filed in the office of the Water Resources Director, to:

Northwest Farm Credit Services, FLCA and Stephen A. Hoyt, Jr. and Amanda M. Hoyt, husband & wife
(Name of New Owner)

P.O. Box 279 Ontario OR 97914 541-823-2660
(Mailing address) (City) (State) (Zip) (Phone #)

NOTE: If there are other owners of the property described in this Application, Permit, Transfer or Certificate of Ground Water Registration, you must provide a list of all other owners' names and mailing addresses and attach it to this form.

I hereby certify that I have notified all other owners of the property described in this Application, Permit or Certificate of Registration of this request for assignment.

Witness my hand this 7 day of February, 20 08.

Applicant/Permit holder Stephen A. Hoyt, Jr.

Applicant/Permit holder Amanda M. Hoyt

DO NOT WRITE IN THIS BOX

This certifies assignment and record change at Oregon Water Resources Department effective 8:00 a.m. on date of receipt at Salem, Oregon.
Fee receipt # 91458
For Director by Jerry Sauter, Program Analyst in Water Rights Division Jerry Sauter

The completed "Request for Assignment" form *must* be submitted to the Department along with a recording fee of \$50.

O.R. REC 164
2.15.2008
J. Sauter

Attachment to: **REQUEST FOR ASSIGNMENT**

Address for Stephen A. Hoyt, Jr. and Amanda M. Hoyt, husband and wife:

P.O. Box 1411

Hines, OR 97738

541-589-1024

RECEIVED

FEB 14 2008

WATER RESOURCES DEPT
SALEM, OREGON

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **91458**

INVOICE # _____

RECEIVED FROM: Farm Credit Services

APPLICATION	<u>613834</u>
PERMIT	
TRANSFER	

BY: _____

CASH: ☐ CHECK: # 52019512 OTHER: (IDENTIFY) _____

TOTAL REC'D \$ 50.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES	\$
OTHER: (IDENTIFY) _____	\$

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES	\$
0410 RESEARCH FEES	\$
0408 MISC REVENUE: (IDENTIFY) <u>Assignment</u>	\$ <u>50.00</u>
TC162 DEPOSIT LIAB. (IDENTIFY) _____	\$
0240 EXTENSION OF TIME	\$

WATER RIGHTS:

0201 SURFACE WATER	EXAM FEE	0202	RECORD FEE
0203 GROUND WATER	\$	0204	\$
0205 TRANSFER	\$		

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR	EXAM FEE	0219	LICENSE FEE
LANDOWNER'S PERMIT	\$	0220	\$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE	\$	CARD #
0210 MONITORING WELLS	\$	CARD #

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)		\$
0231 HYDRO LICENSE FEE (FW/WRD)		\$
HYDRO APPLICATION		\$

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$ _____

RECEIPT: **91458**

DATED: 2/14/08 BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

February 15, 2008

Northwest Farm Credit Services, FLCA
P.O. Box 279
Ontario, Oregon 97914

Reference: Application G-13834, Permit G-12532

The assignment from Steve Hoyt Jr. to Northwest Farm Credit Services, FLCA and Stephen A. Hoyt, Jr. and Amanda M. Hoyt, has been recorded in the records of the Water Resources Department.

Our records have been changed accordingly and the original request is enclosed. Receipt number 91458 covering the recording fee of \$50 is also enclosed.

Sincerely,

Jerry Sauter
Water Rights Program Analyst

Enclosure: receipt 91458

cc: Watermaster 10

Stephen A. Hoyt, Jr. and Amanda M. Hoyt
Data Center, OWRD (Complete Copy of Assignment Request)
File



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97301-4172
503-378-3739
FAX 503-378-8130

June 2, 2003

Wayne and Midge Smith
71957 Prather Creek Road
Burns, Oregon 97720

Reference: Application G-13834, Permit G-12532

The assignment from Wayne and Midge Smith to Steve A. Hoyt Jr., has been recorded in the records of the Water Resources Department.

Our records have been changed accordingly and the original request is enclosed. Receipt number 60172 covering the recording fee of \$25.00 is also enclosed.

Sincerely,

Jerry Sauter
Water Rights Program Analyst

Enclosure

cc: Watermaster 10
Steve A. Hoyt Jr.
Data Center, OWRD
Julie Forsgren
File



RECEIVED

MAY 29 2003

WATER RESOURCES DEPT.
SALEM, OREGON

REQUEST FOR ASSIGNMENT

I, Wayne & Midge Smith
(Name of Applicant / Permit Holder)

21957 Prather Crk rd Burns OR 97770 541-573-1510
(mailing address) (City) (State) (Zip) (Phone #)

CHECK ONE

- ☒ ...hereby assign **all my interest** in and to application/permit;
- ☐ ...hereby assign **all my interest** in and to a **portion** of application/permit;
(You must include a map showing the portion of the application/permit to be assigned.)
- ☐ ...hereby assign **a portion of my interest** in and to the **entire** application/permit;

Application # 6-13834, Permit # 6-12530;
-OR-

GR Statement # _____, GR Certificate of Registration # _____

as filed in the office of the Water Resources Director, to:

Steve A Hoyt Jr
(Name of New Owner)

P.O. Box 1411 Hines OR 97738 493-2719
(mailing address) (City) (State) (Zip) (Phone #)

NOTE: If there are other owners of the property described in this Application, Permit or Certificate of Ground Water Registration, you must provide a list of all other owners' names and mailing addresses and attach it to this form.

I hereby certify that I have notified all other owners of the property described in this Application, Permit or Certificate of Registration of this request for assignment.

Witness my hand this 24 day of May, 2003.

Applicant/Permit holder Wayne Smith

Applicant/Permit holder Midge Smith

DO NOT WRITE IN THIS BOX

- This certifies assignment and record change at Oregon Water Resources Department effective 8:00a.m. on date of receipt at Salem, Oregon.
- Fee receipt # 60172
- For Director by Jerry Sauter, Program Analyst in Water Rights Division [Signature]

The completed "Request for Assignment" form *must be* submitted to the Department along with the appropriate recording fees:

- ◆ \$25 for the first page, and
- ◆ \$5 for **each** additional page.
(as required by ORS 536.050(1)(d))

WATER RESOURCES DEPARTMENT
158 12TH STREET NE
SALEM, OREGON 97301-4172

OK. ASSIGN 6/02/2003

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

158 12TH ST. N.E.
SALEM, OR 97301-4172
378-8455 / 378-8130 (FAX)

RECEIPT # **60172**

INVOICE # _____

RECEIVED FROM: Wayne Smith

APPLICATION	<u>G 13834</u>
PERMIT	
TRANSFER	

BY: _____

CASH: ☐ CHECK:# 2610 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 25.00

0401 TREASURY 0417 WRD MISC CASH ACCT

0407	COPIES		\$
	OTHER: (IDENTIFY)		\$
	OTHER: (IDENTIFY)		\$

0427 WRD OPERATING ACCT

MISCELLANEOUS

0407	COPY & TAPE FEES		\$
0410	RESEARCH FEES		\$
0408	MISC REVENUE: (IDENTIFY)	<u>Assign</u>	\$ <u>25.00</u>
TC162	DEPOSIT LIAB. (IDENTIFY)		\$
0240	EXTENSION OF TIME		\$

WATER RIGHTS:

0201	SURFACE WATER	\$	0202	\$
0203	GROUND WATER	\$	0204	\$
0205	TRANSFER	\$		

WELL CONSTRUCTION

0218	WELL DRILL CONSTRUCTOR	\$	0219	\$
	LANDOWNER'S PERMIT		0220	\$
	OTHER (IDENTIFY)			

RECORD FEE
\$
\$

LICENSE FEE
\$
\$

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD #	
0210	MONITORING WELLS	\$	CARD #	
	OTHER (IDENTIFY)			

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)		\$
0231	HYDRO LICENSE FEE (FW/WRD)		\$
	HYDRO APPLICATION		\$

TREASURY OTHER / RDX

FUND	TITLE	
OBJ. CODE	VENDOR #	
DESCRIPTION		\$

RECEIPT: **60172**

DATED: 5/29/03 BY: Connie Vance

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

Oregon Water Resources Department
Water Rights Division

Water Rights Application
Number G 13834

Final Order
Extension of Time for Permit Number G 12532

Application History


On January 21, 1999, Theresa Romasko submitted an application to the Department for an extension of time for permit number G 12532. The Department issued Permit number G 12532 on July 24, 1996. The permit called for completion of construction of the water development project by October 1, 1998 and complete application of water to the full beneficial use by October 1, 1999. In accordance with OAR 690-320-0010(8), on May 11, 1999, the Department issued a Proposed Final Order proposing to extend the time to complete development of the water development project to October 1, 2003, and the time to fully apply water to beneficial use to October 1, 2004. The protest period closed June 25, 1999. No protest was filed.

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.230, 537.248, 537.630 and 539.010(5).

Order


The extension of time for Application G 13834, Permit Number G 12532, therefore, is approved. The deadline for completing construction is extended to October 1, 2003. The deadline for applying water to full beneficial use is extended to October 1, 2004.

DATED January 26, 2000


Martha C. Pagel, Director

Appeal Rights

Under the provisions of ORS 536.075, the applicant may appeal this order by filing a petition for review in the Circuit Court for Marion County or the circuit court for the county in which the applicant resides or has a principal business office. The petition for review must be filed within 60 days after the date this order is served. ORS 183.484.



Oregon Water Resources Department
Water Rights Division

Water Rights Application
Number G 13834

DRAFT

Final Order
Extension of Time for Permit Number G 12532

Application History

On January 21, 1999, Theresa Romasko submitted an application to the Department for an extension of time for permit number G 12532. The Department issued Permit number G 12532 on July 24, 1996. The permit called for completion of construction of the water development project by October 1, 1998 and complete application of water to the full beneficial use by October 1, 1999. In accordance with OAR 690-320-0010(8), on May 11, 1999, the Department issued a Proposed Final Order proposing to extend the time to complete development of the water development project to October 1, 2003, and the time to fully apply water to beneficial use to October 1, 2004. The protest period closed June 25, 1999. No protest was filed.

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.230, 537.248, 537.630 and 539.010(5).

Order

The extension of time for Application G 13834, Permit Number G 12532, therefore, is approved. The deadline for completing construction is extended to October 1, 2003. The deadline for applying water to full beneficial use is extended to October 1, 2004.

DATED August , 1999

DRAFT


Martha O. Pagel, Director

Appeal Rights

Under the provisions of ORS 536.075, the applicant may appeal this order by filing a petition for review in the Circuit Court for Marion County or the circuit court for the county in which the applicant resides or has a principal business office. The petition for review must be filed within 60 days after the date this order is served. ORS 183.484.

**Oregon Water Resources Department
Water Rights Division**

Water Right Permit Extension Application
for Permit Number G 12532



Water Right Application Number G 13834

Proposed Final Order

This Proposed Final Order applies only to permit number G 12532.

Summary of Recommendation

The Department proposes to:

grant the extension for complete construction of the water system from October 1, 1998 to October 1, 2003, and

grant the extension for complete application of water from October 1, 1999 to October 1, 2004.

Application History

Permit no. G 12532 was granted by the Water Resources Department on July 24, 1996.

The permit authorizes use of 0.996 cfs of water from a well for irrigation of 79.7 acres in the Coffeepot Creek basin. It specified that construction must be completed by October 1, 1998, and water applied to full beneficial use by October 1, 1999. A copy of permit no. G 12532 is attached.

On January 21, 1999, the Department received an application from Theresa Romasko for an extension of time to complete construction and to apply water to full beneficial use. The applicant has requested until October 1, 2003 to complete construction of the water system and until October 1, 2004 to apply water to full beneficial use. This is the first permit extension request.

Findings of Fact

ORS 537.230(2) and 537.630 (1) allows the Department to grant an extension of time to perfect a water right for good cause. In evaluating good cause, the Department has considered the written record in the permit application file in relation to the requirements of ORS 537.230(2), ORS 537.630 (1) and ORS 539.010(5) and makes the following

construction and until October 1, 2004 to complete the application of water.


Recommendation

The Department proposes to issue an order to:

extend the permit time to complete construction from October 1, 1998 to October 1, 2003
and

extend the permit time to complete application of water from October 1, 1999 to October 1, 2004.

DATED: May 11, 1999


Dwight French
Water Rights Section Manager

*If you have any questions,
please check the information
box on the last page for the
appropriate names and
phone numbers.*

Protest Rights and Comments

1. Under the provisions of OAR 690-320-0010(8) you have the right to protest this proposed final order. Your protest must be in writing and must include the following:
 - a) Your name, address and telephone number;
 - b) Your interest in this proposed final order, and if you claim to represent the public interest, a precise statement of the public interest represented;
 - c) A detailed description of how the action in the proposed final order would impair or be detrimental to your interest;
 - d) A detailed description of how the proposed final order is in error or deficient and how to correct the alleged error or deficiency;
 - e) Any citation of legal authority supporting your protest, if known; and
 - f) If you are not the applicant, the \$25 protest fee required under ORS 536.050 (1)(j).
2. Each person submitting a protest shall raise all reasonably ascertainable issues and all reasonably available arguments supporting the person's position by the close of the comment period.
3. The Water Resources Department must receive written protests or written comments no later than **June 25, 1999**.
4. After the close of the comment and protest period, the Director will either issue a final order, or schedule a contested case hearing if the Director finds there are significant disputes related to the use of water.

STATE OF OREGON

COUNTY OF HARNEY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

THERESA ROMASKO
P.O. BOX 1354
HINES, OR 97738

(541) 495-2249

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: G-13834

SOURCE OF WATER: A WELL IN COFFEEPOT CREEK BASIN within the Malheur Lake basin

PURPOSE OR USE: IRRIGATION OF 79.7 ACRES

RATE OF USE: 0.996 CUBIC FEET PER SECOND

PERIOD OF ALLOWED USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: SEPTEMBER 28, 1994

POINT OF DIVERSION LOCATION: SW 1/4 NE 1/4, SECTION 2, T23S, R32E, W.M.; 1330 FEET SOUTH & 1833 FEET WEST FROM NE CORNER, SECTION 2.

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NW 1/4 NE 1/4 39.7 ACRES

SW 1/4 NE 1/4 40.0 ACRES

SECTION 2

TOWNSHIP 23 SOUTH, RANGE 32 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Mailing List for PFO Extension Copies

Application #

G 13834

PFO Date 5/4/99

Original mailed to:

Applicant:

Theresa Romasko

Mailed
(support staff)

on: 5/11/99
(date)

Copies sent

Regional Manager

EASTERN

Watermaster

10

ODFW

Wayne Bowers, Hines

DEQ

Tom Rozetta, Portland

Copies sent to Other Interested Persons (CWRE, Agent, Well Driller, Commenter, etc.)

"\$10 LETTER" sent to Interested Persons who have not protested or paid for copies

Water Resources Department

MEMO

February 5, 1996

TO Application G- 13834

FROM GW: Michael Zwart
(Reviewer's Name)

SUBJECT Scenic Waterway Interference Evaluation

☐ Yes

☒ No

The source of appropriation is within or above a Scenic Waterway.

☐ Yes

☒ No

Use the Scenic Waterway condition (Condition 7J).

PREPONDERANCE OF EVIDENCE FINDING: (Check box only if statement is true)

☒

At this time the Department is unable to find that there is a preponderance of evidence that the proposed use of ground water will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife.

FLOW REDUCTION: (To be filled out only if Preponderance of Evidence box is not checked)

Exercise of this permit is calculated to reduce monthly flows in _____ Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec

13834

**Water Right Conditions
Tracking Slip**

Groundwater/Hydrology Section

FILE ## G-13834

ROUTED TO: Water Rights

TOWNSHIP/

RANGE-SECTION: T23S/R32E-2

CONDITIONS ATTACHED? ☐ yes ☒ no

REMARKS OR FURTHER INSTRUCTIONS:

Reviewer: Michael Zwart

13834

Water Right Conditions
Tracking Slip

Groundwater/Hydrology Section

FILE ## G-13834

ROUTED TO: WATER RIGHTS

TOWNSHIP/

RANGE-SECTION: 23 S / 32 E - 2

CONDITIONS ATTACHED? [☒] yes [☐] no

REMARKS OR FURTHER INSTRUCTIONS:

Reviewer: D. Woodcock

TO: Water Rights Section

Nov 29, 1994

FROM: Groundwater/Hydrology Section D. Woodcock
Reviewer's Name

SUBJECT: Application G- 13834

GROUNDWATER/SURFACE WATER CONSIDERATIONS

1. ~~PER THE~~ Basin rules, one or more of the proposed POA's is/is not within _____ feet/mile of a surface water source (_____) and taps a groundwater source hydraulically connected to the surface water.
2. BASED UPON OAR 690-09 currently in effect, I have determined that the proposed groundwater use
- a. ___ will, or have the potential for substantial interference with the nearest
 - b. ☒ will not surface water source, namely _____; or
 - c. ___ will if properly conditioned, adequately protect the surface water from interference:
 - i. ___ The permit should contain condition #(s) _____;
 - ii. ___ The permit should contain special condition(s) as indicated in "Remarks" below;
 - iii. ___ The permit should be conditioned as indicated in item 4 below; or
 - d. ___ will, with well reconstruction, adequately protect the surface from substantial interference.

GROUNDWATER AVAILABILITY CONSIDERATIONS

3. BASED UPON available data, I have determined that groundwater for the proposed use
- a. ___ will, or likely be available in the amounts requested without injury to prior rights
 - b. ___ will not and/or within the capacity of the resource; or
 - c. ☒ will if properly conditioned, avoid injury to existing rights or to the groundwater resource:
 - i. ☒ The permit should contain condition #(s) 4I;
 - ii. ___ The permit should contain special condition(s) as indicated in "Remarks" below;
 - iii. ___ The permit should be conditioned as indicated in item 4 below; or
- 4.
- a. ___ THE PERMIT should allow groundwater production from no deeper than _____ ft. below land surface;
 - b. ___ The permit should allow groundwater production from no shallower than _____ ft. below land surface;
 - c. ___ The permit should allow groundwater production only from the _____ groundwater reservoir between approximately _____ ft. and _____ ft. below land surface;
 - d. ___ Well reconstruction is necessary to accomplish one or more of the above conditions.
 - e. ___ One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.

REMARKS: _____

(Well Construction Considerations on Reverse Side)

WATER RESOURCES DEPARTMENT MEMORANDUM

TO: Groundwater/Hydrology Files

Date Nov 29, 1994

FROM: D. Woodcock

SUBJECT: Groundwater Application G- 13834 Phone: _____

Name: McCLARIN & Copley

Applicant(s) seek _____ gpm (1.0 cfs) from _____ well(s) in the _____ basin

Proposed use: IRRIGATION _____ sub basin

Pertinent 7 1/2 - minute quads NINEMILE SLOUGH _____

Well _____ WRD# HARN 2044 T 23S R 32E S 2 QQ SW NE County HARNEY

Legal Description 1330' S + 1833' W OF NE COR SEC 2

Well is _____ ft from TRIB TO NINEMILE SLOUGH (river/stream)

Well is _____ ft from _____ (river/stream)

Well elevation 4132 ft. River/stream elevation SAME ft.

Well elevation - river/stream elevation _____

Well depth 240 SWL 30 on 8-16-94

Sealed to 20 Depth first water found 40

Cased to 20 Perforations/screens 60-240 LINER

Lined to 240 Perforations/screens _____

Well tests and types 100 GPM BAILEY TEST

Confined or unconfined? UNCONFINED Hydraulically connected? YES (INDIRECTLY)

Potential to cause substantial interference? No

Well _____ WRD# _____ T _____ R _____ S _____ QQ _____ County _____

Legal Description _____

Well is _____ ft from _____ (river/stream)

Well is _____ ft from _____ (river/stream)

Well elevation _____ ft. River/stream elevation _____ ft.

Well elevation - river/stream elevation _____

Well depth _____ SWL _____ on _____

Sealed to _____ Depth first water found _____

Cased to _____ Perforations/screens _____

Lined to _____ Perforations/screens _____

Well tests and types _____

Confined or unconfined? _____ Hydraulically connected? _____

Potential to cause substantial interference? _____

Conditioned water rights in area: _____

Other nearby water rights of record: SEE ATTACHED REVIEW CHECKLIST

Density of nearby wells of record: _____

Comments: WELL IS DEVELOPED IN UNCONFINED SAND & GRAVEL OF LACILSTRINE &

FLUVIAL VALLEY FILL. WATER BEARING ZONES CONSIST OF PERMEABLE GRAVELS

SANDWICHED BETWEEN CLAY ZONES. THE FIRST FEET OF THIS WELL IS IDENT-

IFIED AS CLAYS. THIS APPEARS COMMON IN WELLS LOCALLY, AND REDUCES THE POTENT-

IAL FOR SW INTERFERENCE. THIS APPLICATION NEAR NORTH VALLEY MARGIN, POSSIBLY

IN FAN COMPLEX. LEONARD (1970) INDICATES STREAMS IN THIS VICINITY ARE UNDER LOSING


References used: _____

LEONARD (1970) GW RESOURCES IN HARNEY VALLEY.

STREAM CONDITIONS, RAPIDLY LOSING THEIR WATER TO THE GW SYSTEM.

DUE TO LARGE USES IN AREA, CONDITIONAL W/ 41.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



REVIEW CHECKLIST

FOR G- 13834

- ☒ Xerox appropriate parts of the stream index.
- ☒ Estimate number of wells within one mile radius and identify types.
- ☒ Verify that the well log is in application file. If not, provide one.
- ☒ List of state observation wells within five mile radius.
- ☒ List groundwater permits within five mile radius with extraordinary conditions.

WELLS:

Harney # 12

	do	ir	un				
23S 32E 2 NE	2	5					7
23S 32E 1							—
23S 32E 12	1	1					2
23S 32E 11		1	1				2
23S 32E 10	1	1	1				3
23S 32E 3	4	3	1				8
22S 32E 34	2	2	1				5
22S 32E 35	3	2					5
22S 32E 36	1	1					2

14

15

5

34

OBSERVATION WELLS:

APPLICATIONS WITH PERMIT CONDITONS:

1094
168
169
206
162

G 12614
12160
12169
12425
13702


RVW.CKLST

RECEIVED

SEP 28 1994

WATER RESOURCES DEPT.
SALEM, OREGON

T23 S, R 32 E, WM




THE PURPOSE OF THIS MAP IS TO
IDENTIFY THE LOCATION OF THE
WATER RIGHT. IT IS NOT INTENDED
TO PROVIDE INFORMATION RELATIVE
TO THE LOCATION OF PROPERTY
OWNERSHIP.

Application No. G-138134
Permit No.

DELORES MCCLARIN / L. RACHEL COPLEY

WATER RIGHT APPLICATION MAP



Scale: 4" = 1 MILE

Date: SEPT 1994

Job: 1531

Dsn: —

M.A.P.'s

M. A. PALMER & SONS, INC.
ENGINEERING & SURVEYING
254 N. Alder - Box 61
Burns, Oregon 97720

Sht. No.

Drn: CHRIS

Ckd: —

of 1



Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

August 16, 1999

WAYNE & MIDGE SMITH
HC 30 BOX 3437
BURNS OR 97720

REFERENCE: File G-13834

The assignment of Permit G-12532 from Theresa Romasko to you has been recorded in the records of the Water Resources Department. Our records have been changed accordingly and the original assignment is enclosed.

Our receipt number 31727 covering the \$25 recording fee has been sent to Theresa Romasko.

Sincerely,

Dallas S. Miller
Water Rights Specialist

DSM:jh

enclosure

cc: Mitch Lewis, Watermaster
Data Center, OWRD
Chris Palmer, CWRE
Theresa Romasko - P.O. Box 802, Lakeview, OR 97650



**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT #

31727

158 12TH ST. N.E.
SALEM, OR 97310-0210
378-8455 / 378-8130 (FAX)

INVOICE # _____

RECEIVED FROM:

Theresa L. Romasko

BY: _____

APPLICATION

G-13834

PERMIT

TRANSFER

CASH:

☐

CHECK: #

963282

OTHER: (IDENTIFY)

☐

TOTAL REC'D

\$ 25.00

0417 WRD MISC CASH ACCT

ADJUDICATIONS

\$

PUBLICATIONS / MAPS

\$

OTHER: (IDENTIFY)

\$

OTHER: (IDENTIFY)

\$

REDUCTION OF EXPENSE

CASH ACCT.

\$

PCA AND OBJECT CLASS

VOUCHER #

0427 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

\$

0410 RESEARCH FEES

\$

0408 MISC REVENUE: (IDENTIFY)

\$ 25.00

(New) TC162 DEPOSIT LIAB. (IDENTIFY)

\$

WATER RIGHTS:

0201 SURFACE WATER

EXAM FEE

\$

0202

RECORD FEE

\$

0203 GROUND WATER

\$

0204

\$

0205 TRANSFER

\$

0206

\$

WELL CONSTRUCTION

EXAM FEE

\$

0219

LICENSE FEE

\$

0218 WELL DRILL CONSTRUCTOR

0220

\$

LANDOWNER'S PERMIT

OTHER (IDENTIFY)

0437 WELL CONST. START FEE

0211 WELL CONST START FEE

\$

CARD #

0210 MONITORING WELLS

\$

CARD #

OTHER (IDENTIFY)

0539 LOTTERY PROCEEDS

1302 LOTTERY PROCEEDS

\$

0467 HYDRO ACTIVITY

LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)

\$

0231 HYDRO LICENSE FEE (FW/WRD)

\$

HRDRO APPLICATION

\$

RECEIPT #

31727

DATED:

8-3-99

BY:

Roger Wright

Distribution-White Copy-Customer, Yellow Copy-Fiscal, Blue Copy-File, Buff Copy-Fiscal

RECEIVED

AUG - 3 1999

REQUEST FOR ASSIGNMENT

WATER RESOURCES DEPT.
SALEM, OREGON

I, (permit holder, applicant) Theresa L. Romasko
PO BOX 802 Lakeview Or 97650
 (mailing address) (city) (state) (zip) (phone)

CHECK ONE

☒ - hereby assign all my interest in and to application/permit;

☐ - hereby assign all my interest in and to a portion of application/permit (include a map showing portion of application assigned);

☐ - hereby assign a portion of my interest in and to the entire application/permit;

Application # 6-13834, Permit # 6-12532;
 OR GR Statement # _____, GR Certificate of Registration # _____
 as filed in the office of the Water Resources Director, to:

Wayne Smith and Midge Smith
 (name of new owner)

HC 30 BOX 3437 BURNS Or 97720 541-542-2819
 (address) (city) (state) (zip) (phone)

(Note: If there are other owners of the property described in this Application, Permit or Certificate of Groundwater Registration you must attach a list of their names and addresses to this form.)

I hereby certify that I have notified all other owners of the property described in this Application, Permit or Certificate of Registration of this request for assignment.

Witness my hand this 16th day of July, 19 99.

Witness:
Olana Muller - 7/16/99 applicant/permit holder Theresa L. Romasko
 applicant/permit holder _____

DO NOT WRITE IN THIS BOX

STATE OF OREGON,)	
County of Marion.)	ss
I certify that the within was	
received by me on the <u>3rd</u>	day of
<u>August</u> , 19 <u>99</u>	at <u>8</u> o'clock
A. m., and was recorded in the	
Miscellaneous Records, Vol. <u>8</u>	
Page <u>476</u>	
Water Resources Director	

The completed assignment must be submitted to the Water Resources Department together with a recording fee of \$25. Additional pages will cost \$5 per page.

WATER RESOURCES DEPARTMENT
 158 12TH STREET NE
 SALEM, OREGON 97310-0210

OK
 7/21/99

RECEIVED

JAN 21 1999

WATER RESOURCES DEPT.
SALEM, OREGON

APPLICATION FOR EXTENSION OF TIME

TO THE WATER RESOURCES DIRECTOR OF OREGON

I, Theresa L. Romasko

<u>P.O. Box 802</u>	<u>NAME</u>	<u>LAKEVIEW</u>	<u>OR</u>	<u>97630</u>	<u>541-947-2174 work</u>
<u>ADDRESS</u>	<u>CITY</u>	<u>STATE</u>	<u>ZIP</u>	<u>PHONE</u>	

record owner of application No. G-13837 permit No. G-12532, do hereby request that the time in which to:

☒ complete the construction of works and/or purchase and installation of the equipment necessary to the use of water, which time now expires on October 1, 1998, be extended to October 1, 2003, and/or the time in which to

☒ accomplish beneficial use of water to the full extent under the terms of the permit, which time, now expires on October 1, 1999, be extended to October 1, 2004.

The extension of time requested should be long enough to finish the project. Should this request be approved, it will be the Department's expectation that you will complete your project within the new time period allowed. Future extensions may not be granted.

1-Did water system construction/well drilling begin within the time specified in the permit [yes/no]? yes

2-Have you put any water to use under this permit [yes/no]? no
If yes, has that use been made consistent with the terms and conditions of the permit [yes/no]? n/a If no, please explain.
Which terms and/or conditions have not been completely fulfilled at this time. n/a

3-I have accomplished the following described works, purchases and installation of equipment necessary to the use of water under said permit.

(a) within past year _____

(b) prior to this past year drilling well, casing, gravel pack
& 6 hour pump test to determine feasibility of water source

✓ Jh 6/29/99

RECEIVED

JAN 21 1999

WATER RESOURCES DEPT.
SALEM, OREGON

10-Will the income or use from this project provide reasonable returns against the investment in this project? (please explain)

in the long term this project can provide reasonable returns
80 acres @ 4 tons/acre = 120 ton @ \$90/ton = 10,800.00 income/year

11-If the extension request is denied, is the current level of water use economically feasible? (please explain)

the current level ^(not using water at this time) is not feasible, at least some

use of water right is feasible could be to a lesser degree
than applied for. Uncertain at this point

12-Is there an alternative source of water available [yes/no please explain]? No, house well will not provide

enough water for irrigation. No other water to this
land

13-Has the use of water under the permit caused an adverse impact on the surface/groundwater resource in the area ? (please explain)

no, haven't seen any problem from testing of
well & water source.

All items must be completed or the application will be returned. Please feel free to provide the Department with any additional information you might have that would aid us in making our decision. Please use an additional sheet of paper, if needed.

I am the permittee or have authorization from the permittee to apply for an extension of time under this permit. I understand that false or misleading statements in this extension application are grounds for the Department to suspend processing of the request and/or reason to deny the extension.

Signature Theresa S. Lomasko

MAIL COMPLETED APPLICATION TO:
WATER RIGHT PERMIT EXTENSIONS
WATER RESOURCES
158 12TH ST NE
SALEM, OREGON 97310

Theresa Ronasko
P.O. Box 802
Lakewood, OR 97636



Dallas Miller
Water Right Permit Extension
Water Resources Department
158 12th Street NE
Salem, Oregon 97310

97310/0703





Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

October 29, 1998

FILE# G-13837

THERESA ROMASKO
PO BOX 802
LAKEVIEW, OR
97630

Dear Water Right Permit Extension Applicant:

The Water Resources Commission has adopted new administrative rules that govern the processing of permit extension requests. New rules were necessary to make the permit extension process consistent with advice received from the Attorney General's office last summer. Many permit holders held their extension requests until the new rules are in place. Because of the Attorney General's advice, extensions will no longer be limited to one year in length for most permits and five years for municipalities and irrigation districts. You should request to extend your permit for the amount of time necessary to fully complete your project and put the water to beneficial use. Should the permit extension be approved, it is the Department's expectation that it will be the last extension granted.

In order to help staff to complete the processing of your extension application, we will need you to fill out the enclosed form. The new rules require that the Department consider this information when determining whether or not to approve an extension request. It is important for you to complete a response to all items on the form. If additional space is needed for your responses, please use a separate sheet of paper.

Please send the completed form at your earliest convenience to the following address:

Dallas Miller
Water Right Permit Extensions
Water Resources Department
158 12th Street NE
Salem, Oregon 97310

I would be happy to send you a copy of the new permit extension rules, upon request. If you have any questions, please contact me at 1-800-624-3199 extension 272. If I am not available, you may contact either Pat Lee (ext. 276) or Dwight French (ext 268).

Sincerely,


Dallas Miller
Water Rights Specialist



Oregon

John A. Kitzhaber, M.D., Governor

A# G-13834

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

August 13, 1998

THERESA ROMASKO
PO BOX 802
LAKEVIEW, OR 97630

Reference: Files G 13837, Permit G 12616

Dear Extension Applicant:

We have received your request for extension of time limits under your permit.

Because of action taken by the Oregon Attorney Generals Office the Water Resources Department is working on new administrative rules affecting the extension process. Anticipating this change in the rules, we will hold your application until the new rules are in effect. We estimate that the rules will be adopted in late 1998.

If it is necessary that you have an extension of time before that, it may be possible if you can make the statement that water can be fully used within one year.

Your patience is appreciated and we will process your request as soon as possible.

If you have questions please contact me at the address below or phone 1-800-624-3199 ext. 272.

Sincerely,

Dallas Miller
Natural Resource Specialist 2

cc: Watermaster Dist 12

RECEIVED

AUG 10 1998

File No. G 13837 G13834

WATER RESOURCES DEPT.
SALEM, OREGON

APPLICATION FOR EXTENSION OF TIME

TO THE WATER RESOURCES DIRECTOR OF OREGON

I, Theresa L. Romasco

P.O. Box 802 Lakeview OR 97630 541-947-4280 home
address city state zip phone
947-2177 work

record owner of permit No. G12532 G12616; do hereby request that the time in which to:

☒ complete the construction of works and/or purchase and installation of the equipment necessary to the use of water, which time now expires on October 1, 1998, be extended to October 1, 192003, and/or the time in which to

☒ accomplish beneficial use of water to the full extent under the terms of the permit, which time, now expires on October 1, 1998, be extended to October 1, 192003

I have accomplished the following described works and/or purchase and installation of equipment necessary to use of water under said permit.

(1) within past year _____

(2) prior to this past year Drilled well, cased well,
conducted six hour pump test for feasibility of project

(3) and have accomplished beneficial use of water to the extent of
(if for irrigation, state how many acres have been irrigated)

(4) unable to complete construction and/or application of water within the permit time limits because I have been out of

the area for the last year and am in process of financing
further construction
Theresa L. Romasco
signature date August 7, 1998

MAIL APPLICATION AND STATUTORY FEE OF \$100 FOR EACH PERMIT TO:

WATER RESOURCES DEPARTMENT

158 12TH ST NE

SALEM, OREGON 97310

C:\WP51\FORMS\EXTFORM



Oregon

John A. Kitzhaber, M.D., Governor

A# G-13834

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

July 28, 1998

THERESA ROMASKO
PO BOX 802
LAKEVIEW, OR 97630

S.B. 13834

REFERENCE: File G 13837

Dear Ms. Romasko:

In answer to your letter of 6/19/98 about extending the time limits of permit G 12616, it is necessary to fill out the enclosed application for extension. There is also a \$100 fee that must accompany the application.

12532

We will then examine your application and let you know if it is allowed. A two year extension is certainly possible, you can request as much time as you think it will take to complete the project.

If you have questions please contact me at the address below or phone (503)378-3739 ext. 272.

Sincerely,

Dallas Miller
Water Rights Specialist

cc: Watermaster, District 16

A#G-13834

RECEIVED

JUL 24 1998

WATER RESOURCES DEPT.
SALEM, OREGON

Theresa L. Romasto

P.O. Box 802

Lakeview, OR 97630

June 19, 1998

Water Rights Division
Water Resources Department
3850 Portland Road NE
Salem, OR 97310

Water Rights Division:

I am requesting an extension of time to complete construction of the water system on my property in Harney County. This request is for two reasons.

- 1) I completed construction of the well, and am in the process of determining how to finance further construction.
- 2) I have been out of the State of Oregon for the last year, and was unable to complete the construction.

If possible I would like a two year extension of time to complete construction. Please reference Application G-13837 and Permit 12532. Can you please let me know if you recieved this request and your determination. I will be at the address above for the next few months.

Sincerely,

Theresa L. Romasto
Theresa L. Romasto

Theresa L. Komasko
P.O. Box 802
Lakeview, OR 97630



Water Rights Division
Water Resources Department
3850 Portland Road NE
Salem, OR 97310

97303/2300



#902



Permit
G-12532
App. G-13834

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **23554**

158 12TH ST. N.E.
SALEM, OR 97310-0210
378-8455 / 378-8130 (FAX)

INVOICE # _____

RECEIVED FROM: <u>Theresa L. Romasko</u>	APPLICATION <u>G-13834</u>
BY: _____	PERMIT _____
	TRANSFER _____

CASH: ☐ CHECK: # 96-2030 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 100.00

0417 WRD MISC CASH ACCT

ADJUDICATIONS	\$
PUBLICATIONS / MAPS	\$
OTHER: (IDENTIFY) _____	\$
OTHER: (IDENTIFY) _____	\$

REDUCTION OF EXPENSE

CASH ACCT. \$ _____
VOUCHER # _____

0427 WRD OPERATING ACCT

MISCELLANEOUS			
0407	COPY & TAPE FEES		\$
0410	RESEARCH FEES		\$
0408	MISC REVENUE: (IDENTIFY) _____		\$ <u>100.00</u>
(New) TC165	DEPOSIT LIAB. (IDENTIFY) _____		\$
(Existing) TC168	WATER RIGHTS:		
0201	SURFACE WATER	EXAM FEE	RECORD FEE
0203	GROUND WATER	\$	0202 \$
0205	TRANSFER	\$	0204 \$
	WELL CONSTRUCTION	\$	0206 \$
0218	WELL DRILL CONSTRUCTOR	EXAM FEE	LICENSE FEE
	LANDOWNER'S PERMIT	\$	0219 \$
			0220 \$
	OTHER (IDENTIFY) _____		

PCA # 66111
Extension of Time

0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD # _____
0210	MONITORING WELLS	\$	CARD # _____
	OTHER (IDENTIFY) _____		

0539 LOTTERY PROCEEDS

1302	LOTTERY PROCEEDS	\$
------	------------------	----

0467 HYDRO ACTIVITY

		LIC NUMBER	
0233	POWER LICENSE FEE (FW/WRD)		\$
0231	HYDRO LICENSE FEE (FW/WRD)		\$
	HRDRO APPLICATION		\$

RECEIPT # **23554**

DATED: 8/10/98 BY: M. Mungler

Distribution-White Copy-Customer, Yellow Copy-Fiscal, Blue Copy-File, Buff Copy-Fiscal

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **23554**

158 12TH ST. N.E.
SALEM, OR 97310-0210
378-8455 / 378-8130 (FAX)

INVOICE # _____

RECEIVED FROM: Theresa L. Romasick
BY: _____

APPLICATION	G-13834
PERMIT	
TRANSFER	

CASH: ☐ CHECK: # 96-7030 OTHER: (IDENTIFY) ☐

TOTAL REC'D	\$ <u>20.00</u>
-------------	-----------------

0417 WRD MISC CASH ACCT

ADJUDICATIONS

PUBLICATIONS / MAPS

OTHER: (IDENTIFY) _____

OTHER: (IDENTIFY) _____

\$
\$
\$
\$

REDUCTION OF EXPENSE

CASH ACCT.

PCA AND OBJECT CLASS

VOUCHER #

\$

0427 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

0410 RESEARCH FEES

0408 MISC REVENUE: (IDENTIFY) _____

(New) TC165 DEPOSIT LIAB. (IDENTIFY) _____

(Existing) TC168

WATER RIGHTS:

0201 SURFACE WATER

0203 GROUND WATER

0205 TRANSFER

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR

LANDOWNER'S PERMIT

OTHER (IDENTIFY) _____

PCA # 66111
Extension of Time

\$
\$
\$ 100.00
\$

EXAM FEE	
\$	0202
\$	0204
\$	0206
EXAM FEE	
\$	0219
	0220

RECORD FEE
\$
\$
\$
LICENSE FEE
\$
\$

0437 WELL CONST. START FEE

0211 WELL CONST START FEE

0210 MONITORING WELLS

OTHER (IDENTIFY) _____

\$
\$

CARD #	
CARD #	

0539 LOTTERY PROCEEDS

1302 LOTTERY PROCEEDS

\$

0467 HYDRO ACTIVITY

LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)

0231 HYDRO LICENSE FEE (FW/WRD)

HRDRO APPLICATION

\$
\$
\$

RECEIPT # **23554**

DATED: 8/1/98 BY: M. Muehle

Distribution-White Copy-Customer, Yellow Copy-Fiscal, Blue Copy-File, Buff Copy-Fiscal

OREGON WELL REPORT

(required by ORS 537.765)

MAR 25 1997
WATER RESOURCES DEPT.
SALEM, OREGON

(START CARD) # 60647

Instructions for completing this report are on the last page of this form.

(1) OWNER:

Name Deborah McClarin Well Number _____
Address 85 W Washington
City Burns State OR Zip 97720

(2) TYPE OF WORK

☐ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:

☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger
☐ Other _____

(4) PROPOSED USE:

☐ Domestic ☐ Community ☐ Industrial ☒ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other _____

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No Depth of Completed Well 240 ft.

Explosives used ☐ Yes ☐ No Type _____ Amount _____

HOLE

SEAL

Diameter	From	To	Material	From	To	Sacks or pounds
24	0	18	bentonite	0	18	24 sacks
20	18	240				

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E

☒ Other poured & tamped

Backfill placed from _____ ft. to _____ ft. Material _____

Gravel placed from 240 ft. to 0 ft. Size of gravel 3/8" open

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 20	+1	20	2.5	☒	☐	☐	☐
Liner: 12	+1	240	5.4	☐	☐	☐	☐

Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:

☒ Perforations Method factor cut

☐ Screens Type _____ Material _____

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
60	240	.085	28800	12		☐	☒

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☒ Bailer ☐ Air ☐ Flowing

Yield gal/min _____ Drawdown _____ Drill stem at _____ Time _____

100 6 1 hr.

Temperature of water _____ Depth Artesian Flow Found _____

Was a water analysis done? ☐ Yes By whom _____

Did any strata contain water not suitable for intended use? ☐ Too little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _____

Depth of strata: _____

(9) LOCATION OF WELL by legal description:

County Harney Latitude _____ Longitude _____
Township 23 S N or S Range 32 E E or W. WM.
Section 2 1/4 NE 1/4
Tax Lot _____ Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) HC 73 Box 14234 Hwy 2

(10) STATIC WATER LEVEL:

30 ft. below land surface. Date 8-16-94

Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found _____

From	To	Estimated Flow Rate	SWL
40	240	800	30

(12) WELL LOG:

Ground Elevation _____

Material	From	To	SWL
clay loam topsoil	0	1	
clay grey	1	4	
clay brn	4	16	
clay grey	16	27	
clay sand grey	27	32	
clay brn	32	40	
clay brn/sand coarse	40	55	30
sand med brn	55	63	30
clay green	63	80	30
sand, fine, blk	80	87	30
sand fine clay grey	87	112	30
sand fine brn	112	135	30
gravel, med sand fine	135	160	30
gravel, sand, clay	160	175	30
sandstone, gravel	175	190	30
gravel, clay	190	196	30
claystone, gravel, sand	196	235	30
clay brn	235	240	30

Date started 8-4-94 Completed 8-15-94

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number _____

Signed _____ Date _____

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1424

Signed Timothy K. Raby Date 8-16-94

COPY CHECK-OFF SHEET FOR PROPOSED FINAL ORDERS

8

CC: FILE # G-13834

WATERMASTER # 10

REGIONAL MANAGER:

EASTERN REGION

ODF&W - Harney County:

CWRE (if agent):

DEO

OTHER STATE AGENCY IF NECESSARY:

DIVISION 33 LIST: _____ COLUMBIA RIVER INTERTRIBAL FISH COMMISSION; U.S. FISH & WILDLIFE;
(CHECK ONLY IF APPLICABLE) _____ NORTHWEST POWER PLANNING COUNCIL & NATIONAL MARINE FISHERIES

POWER BUILDER UPDATER; FRONT COUNTER

OTHER ADDRESSES OF PEOPLE WHO PAID THE \$10 FEE:

PEOPLE WITH OBJECTIONS, COMMENTS OR REQUESTED COPY W/O \$10 (SEND THE \$10 LETTER):

CASEWORKER : RWK

R

interoffice
M E M O R A N D U M

RECEIVED

OCT 23 1995

WATER RESOURCES DEPT.
SALEM, OREGON

to: Cindy Smith
from: william beal
subject: Waterwatch Objection
date: October 19, 1995

In reply to the objection by waterwatch to Application G-13834, by Delores McClarin and Application G-13822 by Jett Blackburn in the Malheur Lake Basin. I have been contacted to give my input in their behalf.

The nearest surface water is ½ mile east from the McClarin well and over 1 mile from the Blackburn well. The surface water is from Coffeepot Creek and is usually dry by the end of April one mile north of their land. The ground water use in this area usually starts in mid April to the first part of May.


ODFW does not have concerns for fish in the small streams north of highway 20 because they all go dry early in the year. They only have concerns in the streams before they enter the valley.

See the attached copy of the quad map Ninemile Slough.

WATER RESOURCES DEPT.
SALEM, OREGON

$$43^{\circ} 37' 30'' \quad 118^{\circ} 52' 30''$$

350000mE



FO CHECKLIST

78 AC

PFO TO FO CONVERSION

FILE # 613834

REVIEW DATE: 5 /28/1996

WEEK # 33

INITIALS: LLS

In preparing the FO, you should check the following:

1. Y / N Were comments or protests received in response to the PFO?
2. List names and addresses of **ALL** commentors (regardless of comment date) on the PFO CC list.
3. Verify payment of recording fees (circle the appropriate option)
 - (1) Issue FO w/permit if fees are paid Prepare refund request for excess fees
 - (2) Issue FO w/o permit if fees are lacking
 - (3)
4. Y / N Has the applicant signed an oath of accuracy for the application? 2x70 200
100
120
420
5. Y / N Has ODFW asked for self certification on screening condition?
6. Y / N Is water use prohibited for one or more months of the normal use period?
7. Y / N If #6 = "Y", is short season letter on file?
8. Assign permit numbers to files with oath, fees, and no protests or other unresolved issues

		Route to: (circle one)	
DENIAL	FO w/o PERMIT	FO & PERMIT	COMMENTS
LARRY	CORY	JERRY	DOUG

Modify FO as needed to:

INITIALS: JG

9. x Respond to significant comments, issues, or disputes related to the proposed use of water
10. x Include or exclude permit conditions and management codes
11. x Notify applicant of additional information or fees required prior to permit issuance (Use standard wording from M:\T\FO\TOOLS if possible)
12. x Correct PFO errors (such as POD or POU location (verify from map), Permit format)
13. Y / N Is further processing possible? If not state reason: _____

Once FO document is completed:

14. x Save WordPerfect document in M:\T\FO\WEEK 39 & delete duplicates
15. x Print final draft of document and submit to team leader for review
16. Y / N Team leader review completed

May 5, 1996

THERESA ROMASKO
PO BOX 1354
HINES OR 97738

REFERENCE: File G-13834

Recently we processed an assignment request for you on the above application. We returned the original assignment to you with the Volume and Page number recorded on the bottom.

Please amend the page number to read 3187. It was incorrectly recorded as 3183 and has since been corrected to 3187.

If you have any questions, please contact me at the number below.

Sincerely,

Janet Halladey
Water Rights Section



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

April 29, 1996

THERESA ROMASKO
PO BOX 1354
HINES OR 97738

WATER
RESOURCES
DEPARTMENT

REFERENCE: File G-13834

The assignment of Application G-13834 from Delores McClarin and Rachel Copley to you has been recorded in the records of the Water Resources Department.

Our records have been changed accordingly and the original is enclosed along with our receipt number 001599 covering the recording fee of \$10 you submitted.

Sincerely,

DALLAS S. MILLER
Water Rights Specialist

DSM:jh

Enclosure

cc: William Beal, Watermaster
Chris Palmer, CWRE
Delores McClarin and Rachel Copley



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

STATE OF OREGON
WATER RESOURCES DEPARTMENT

RECEIPT #

158 12TH ST. N.E.
SALEM, OR 97310-0210
378-8455 / 378-8130 (FAX)

INVOICE # **001599**

RECEIVED FROM: Simple Food

BY: _____

APPLICATION	513834
PERMIT	
TRANSFER	

CASH: ☐ CHECK: # 24-12 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 1000

0417 WRD MISC CASH ACCT

ADJUDICATIONS

\$

PUBLICATIONS / MAPS

\$

OTHER: (IDENTIFY) _____

\$

OTHER: (IDENTIFY) _____

\$

REDUCTION OF EXPENSE

CASH ACCT.

\$

PCA AND OBJECT CLASS

VOUCHER #

0427 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY FEES

\$

0410 RESEARCH FEES

\$

0408 MISC REVENUE: (IDENTIFY) assignment

\$ 1000

TC165 DEPOSIT LIAB. (IDENTIFY) _____

\$

WATER RIGHTS:

0201 SURFACE WATER

EXAM FEE
\$

0202

RECORD FEE
\$

0203 GROUND WATER

\$

0204

\$

0205 TRANSFER

\$

0206

\$

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR

EXAM FEE
\$

0219

LICENSE FEE
\$

LANDOWNER'S PERMIT

0220

\$

OTHER (IDENTIFY) _____

0437 WELL CONST. START FEE

0211 WELL CONST START FEE

\$

CARD # _____

0210 MONITORING WELLS

\$

CARD # _____

OTHER (IDENTIFY) _____

0539 LOTTERY PROCEEDS

1302 LOTTERY PROCEEDS

\$

0467 HYDRO ACTIVITY

LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)

\$

0231 HYDRO LICENSE FEE (FW/WRD)

\$

HRDRO APPLICATION

\$

RECEIPT # **001599**

DATED: 4-19-96 BY: Fla J

Distribution-White Copy-Customer, Yellow Copy-Fiscal, Blue Copy-File, Buff Copy-Fiscal

PFO CHECKLIST

Application #: C 13834 Vol 2 Subbasin Rattlesnake Crk & Misc

Basin: 12

WAB: _____

Township 23 S Range 32 E Section 2 1/4 1/4 NW NE, SW NE

- ☒ 1. Completeness checklist verified? (Y) / N
- ☒ 2. Indicators that the process should not continue (ie - protest, items missing, letter to file indicating hold, other) Y (N)
- ☒ 3. Groundwater review A (B) C D
 - ☐ a. convert 4 series macro conditions to 7 series (Y) / N
 - ☐ b. Is second groundwater review necessary? Y / N reason _____
 - ☐ c. Is the well located in a groundwater limited area? Y / N
 - ☒ d. SWW Y (N)
- ☒ 4. SWW restrictions Y (N)
- ☒ 5. TMDL Basin? NONE or Tualatin, Yamhill, Pudding
- ☒ 6. Basin Program limitations? Y (N)
- ☒ 7. Withdrawal? Y (N) season allowed _____
- ☒ 8. Basin Maps have been checked. The River Mile is _____
- ☒ 9. Water Availability (50% < July 17, 1992 OR 80% [50% storage] > July 17, 1992)
 - a. Notify Ken Stahr due to change in Q, Duty, or Season Y / N
- ☒ 10. Rate .996 Duty 3 Season MARCH - OCT 31
- ☒ 11. Use 77.7 IR Period of Allowed Use →
- ☒ 12. Priority Date(s) 9/28/94 TR mail date 12/8/94
- ☒ 13. B.O.R. project Y (N) contract # _____
- ☒ 14. Division 33 Y (N) (Abv Bonn > July 17, 1992 & Blw Bonn > April 18, 1994 or June 3, 1994)
- ☒ 15. Conflicts Y (N)
- ☒ 16. Objections? (Y) / N WV IR or TR modified? Y (N)
- ☒ 17. Additional conditions _____
- ☒ 18. Land use approval OK'd needs approval county notified NA
- ☒ 19. SIZE Small (≤ 0.1 cfs, ≤ 9.2 AF), Medium (> 0.1 or < 1.5 cfs, > 9.2 or < 100 AF) Large (≥ 1.5 cfs, ≥ 100 AF)?
- ☒ 20. Permit conditions from TR/IR (Y) / N 7B (4E)
- ☒ 21. Watermaster District #: 10
- ☒ 22. Regional Office (NWR, NCR, ER, SCR, or SWR)
- ☐ 23. PFO has been saved and moved to m:\t\pfo\done\week#\app# from m:\t\pfo\work\week#\app#

Name: Ruk Date: 3/28/96

STATE OF OREGON
WATER RESOURCES DEPARTMENT
WATER RIGHTS DIVISION

Before the Director of the Water Resources Department

In the matter of	)	PROPOSED
Groundwater Application	)	FINAL
G-13834 submitted by	)	ORDER
DELORES R MCCLARIN & RACHEL COPLEY		

FINDINGS OF FACT

Water Use Request

1. DELORES R MCCLARIN & RACHEL COPLEY requested use of 1.0 CUBIC FOOT PER SECOND of water from A WELL IN COFFEEPOT CREEK BASIN for IRRIGATION OF 79.7 ACRES within the Malheur Lake basin.
2. The area of proposed use is in Harney County within SECTION 2, TOWNSHIP 23 SOUTH, RANGE 32 EAST, W.M.
3. The water delivery system is described by the applicant as follows: A 45 HP pump will deliver water to (3) 1/4 mile wheel lines via a 6 inch mainline.
4. The request was made in Application G-13834 which was received by the Water Resources Department on September 28, 1994.

Affected Waters

1. This proposed use of groundwater is not within or above a State Scenic Waterway.
2. There are no senior water rights from this point of appropriation.

Department Actions


1. The application was determined to be complete and not defective.
2. The Department determined, based upon OAR 690-09, that the proposed groundwater use will not have the potential for substantial interference with the nearest surface water source.
3. A technical review of the application was completed and a report of the results of that review was mailed to the applicant on December 8, 1994.
4. The technical review determined:
 - a. IRRIGATION OF 79.7 ACRES is allowed under the Malheur Lake Basin Program.
 - b. The use is not prohibited by Statute.
 - c. Water for the proposed use is available in the amounts requested for the period March 1 through October 31.
 - d. The use would not injure existing water rights.

9. Therefore, the proposed use, as conditioned, and described in the attached draft permit, would not impair or be detrimental to the public interest.

PROPOSED ORDER

IT IS PROPOSED that Application G-13834 in the name of DELORES R MCCLARIN & RACHEL COPLEY be approved for IRRIGATION OF 79.7 ACRES as provided in the attached draft permit.

DATED March 12, 1996



Steven P. Applegate
Administrator
Water Rights and Adjudications Division

NOTICE:

This Proposed Final Order is issued by the Department pursuant to Chapter 416, Oregon laws, 1995, enacted by the 68th Oregon Legislative Assembly.

To seek changes in this proposed final order, you must file a formal protest.

Formal protests to this proposed final order must be made in proper form and accompanied by the statutory fee in the amount of \$200. Note: The applicant is not subject to this fee.

For other than the applicant, if you agree with the findings in this proposed order, but wish to maintain your right to participate in any contested case proceeding or judicial review, you must file a written request for standing. Requests for standing in proceedings relating to this application must be made in the proper form and accompanied by the statutory fee in the amount of \$50.

Protests or requests for standing, along with the appropriate fees must be received by the Water Resources Department in Salem, Oregon by 5:00 pm on April 26, 1996.

Only the applicant and any persons who timely file a protest or request for standing may participate in further proceedings before the Department or the Commission which deal with this Application.

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

Application No. G-13834



State of Oregon
WATER RESOURCES DEPARTMENT

Application for a Permit to Appropriate Groundwater

Applicant(s) DELORES R. Mc CLARIN & L. RACHEL COPLEY
(Please print or type - use dark ink)

Mailing Address: 85 W. WASHINGTON
BURNS OR 97720 503 573 7872
City State Zip Daytime Phone No.

I (We) make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. **THE DEVELOPMENT** (number of wells, tile lines, infiltration galleries, etc.):
ONE WELL

If development is less than one mile from a natural stream, give the following:

Distance from development to stream: N/A

Elevation difference between streambed and development: N/A

NOTE: Wells must be constructed according to standards set by the department for the construction and maintenance of water wells. If the well is already constructed, please enclose a copy of the well driller's log with this application, and skip to Section 2 below. WELL LOG ENCLOSED

Diameter of well: _____ Depth in feet: _____

Type and size of well casing: _____ No. of feet: _____

Estimated depth to water: _____

Type of access port or measuring device: _____

Wells to be drilled by: _____

Address: _____

If the water well is flowing artesian, describe your water control and conservation works: _____

2. **TOTAL AMOUNT OF WATER** to be applied to beneficial use: 1.00 cubic feet per second, OR 447.8 gallons per minute. If water is to be used from more than one groundwater source, give the quantity of water from each: N/A

3. **INTENDED USE(s) OF WATER:** IRRIGATION

If for more than one use, give the quantity of water from each source for each use; N/A

If for **DOMESTIC** use, state the number of households to be supplied; N/A

If for **MUNICIPAL OR QUASI-MUNICIPAL** use, state the present population to be served, and an estimate of the future requirements; (List population projections, water needs, anticipated areas to be provided water.)

N/A

If for **MINING** use, state the nature (gold, silver, etc.) of the mines to be served; N/A

If for **IRRIGATION**, or other land area use, state the **TOTAL** number of acres to be developed under each use;

Irrigation 79.7 ACRES

Other (describe) _____

4. **DESCRIPTION OF WATER DELIVERY SYSTEM:** Include dimensions and type of construction of diversion works, length and dimensions of supply ditches or pipelines, size and type of pump and motor. If for irrigation, describe the type of system (i.e., flood, wheel line, hand line, drip, other).

3 - QUARTER MILE ALUMINUM WHEEL LINES
6 INCH P.V.C. MAIN LINE - HALF MILE
40-45 H.P. TURBINE

5. **PROJECT SCHEDULE:** (List month and year)

Proposed date construction work will begin IN PROCESS AUG 1994

Proposed date construction work will be completed APRIL 1996

Proposed date water use will be completed APRIL 1996

NOTE: A map prepared by a Certified Water Right Examiner (CWRE) and a complete legal description of the subject property are required under ORS 537.140 and OAR 690 as a part of your application. The legal description may be copied from your deed, title insurance policy, or land sales contract.

6. a) In the event any deficiencies are noted involving the application map enclosed herein, please return the map with instructions for correction to (check one):

 Applicant ✓ CWRE Other (Identify in REMARKS section)

b) In the event any deficiencies are noted involving the application, please return the application with instructions for correction to (check one):

✓ Applicant CWRE Other (Identify in REMARKS section)

7. Are all lands involved (including the proposed diversion site, place of use, and access for conveying the water) under your ownership? YES. If not, list in the REMARKS section below, or on an attached sheet, the names and mailing addresses of the legal owners of all property involved in the proposed development.

NOTE: Prior to receiving a certificate of water right, the permit holder must submit to the Water Resources Department the results of a pump test meeting the department's standards. The Director will require water level or pump test results every ten years thereafter.

REMARKS: _____

I/We certify that the information I have provided in this application is an accurate representation of the proposed water use and is true and correct to the best of my knowledge:

Delores R Mc Clarin
Signature
Rachel Copley
Signature

9-21-94
Date
9-21-94
Date

NOTE: The permit, when issued, is for the beneficial use of water without waste. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible the land use you propose may not be allowed if it is not in keeping with the goals and acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Delores R Mc Clarin
Signature of Applicant

9-21-94
Date

Rachel Copley
Signature of Co-Applicant, if any

9-21-94
Date

FOR WATER RESOURCES DEPARTMENT USE ONLY

Dear Applicant:

I certify that I have examined the foregoing application, together with the accompanying information, and am returning it to you for:

In order to retain its tentative priority, this application must be returned with the requested corrections or additions on or before:

_____, 19____.

WITNESS my hand this _____ day of _____, 19____.

Water Resources Director

By: _____

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 28th day of September, 1994, at 8:00 o'clock, A M.

APPLICATION NO: G-13834

December 8, 1994

WATER
RESOURCES
DEPARTMENT

DELORES R MCCLARIN
COPLEY, L RACHEL
85 W WASHINGTON
BURNS, OR 97720

Reference: File G 13834

Dear Applicant:

The Water Resources Department has finished the first step of its analysis of your application. Enclosed is a copy of this first report, which is called the Report of Technical Review.

The technical review is the Department's legal and scientific analysis of the application, including a calculation of the expected availability of water for your proposed use, an analysis of whether the use would conflict with other existing water rights, and if the use is compatible with the Department's river basin programs and local land use plans. Step two, is the 60-day public review period.

In the case of your application, the Technical Review was satisfactory, and it concluded that water would be available for this use for the time period described in the permit conditions of the attached Report. The Report also includes other conditions which may be placed in the water right permit to protect other water users, the public or fish and wildlife resources.

The Report of Technical Review is only the first step of the review process and does not authorize you to construct a water system or to use the public waters. The Report does not represent any commitment by the Department ultimately to approve your application. Before a permit may be granted, the Department must complete a public interest review.

In this second step of the review process, state regulations require that other water users and the general public be given an opportunity to object to your proposed water use. You also may object to any of the Department's findings or proposed permit conditions contained in the technical report. If you wish to object, you must file your objection with the Department in writing by 5 p.m. on or before **FEBRUARY 16, 1995**. Interested parties must also submit their objections before the same deadline.

Please review the enclosed informational sheet which describes the appeals process and the steps that must be taken by any party objecting to your Report of Technical Review or by parties wishing to protest issuance of the permit.



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

Report Date: December 8, 1994

OREGON WATER RESOURCES DEPARTMENT

SATISFACTORY REPORT OF TECHNICAL REVIEW
FOR WATER USE PERMIT(S)

OBJECTIONS TO THE PROPOSED WATER USE AS DESCRIBED BELOW MUST BE RECEIVED IN WRITING BY THE OREGON WATER RESOURCES DEPARTMENT, 158 12th ST N.E., SALEM, OREGON 97310, BY 5 P.M. ON OR BEFORE: FEBRUARY 16, 1995

1. APPLICATION FILE NUMBER -G 13834
2. MINIMUM APPLICATION INFORMATION

Applicant name/address/county/phone:

DELORES R MCCLARIN
COPLEY, L RACHEL
85 W WASHINGTON
BURNS, OR 97720
COUNTY OF HARNEY

503-573-7872

Date application received for filing and/or tentative date of priority: 9/28/1994

SOURCE: A WELL IN COFFEEPOT CREEK BASIN

Purpose and/or use: IRRIGATION OF 79.7 ACRES.

Flow: 1.0 CUBIC FOOT PER SECOND

Point of Diversion Location:

SW 1/4 NE 1/4, SECTION 2, T 23 S, R 32 E, W.M.;
1330 FEET SOUTH & 1833 FEET WEST FROM NE CORNER, SECTION 2.

Place of use:

LOT 2 39.7 ACRES
SW 1/4 NE 1/4 40.0 ACRES
SECTION 2
TOWNSHIP 23 SOUTH, RANGE 32 EAST, W.M.

PROPOSED PERMIT CONDITIONS

Application: G 13834

The following conditions will apply to water use under the permit, and will appear in the permit, if issued.

1. Use of water under this permit is subject to all prior rights.
2. Period of allowed use: BETWEEN MARCH 1 AND OCTOBER 31
3. Rate of use: 1.0 CFS
4. Water use development requirements:
 - A. Begin construction by (one year from issuance of permit).
 - B. Complete construction by October 1, 1996.
 - C. Completely apply the water to beneficial use by October 1, 1997.
5. Measurement, recording and reporting conditions:
 - A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
 - B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
 - C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

**Water Right Conditions
Tracking Slip**

Groundwater/Hydrology Section

FILE ## G-13834

ROUTED TO: Water Rights

TOWNSHIP/

RANGE-SECTION: T23S/R32E-2

CONDITIONS ATTACHED? ☐ yes ☒ no

REMARKS OR FURTHER INSTRUCTIONS:

Reviewer: Michael Zwart

McClain / Copley
COMPLETENESS DETERMINATION CHECKLIST

Application #	Review Date	Reviewer
G-13834	11/14/95	D

COMPLETED

A checkmark (✓) indicates that the item is incomplete or defective.

- ☒ 1. Examination fees (and recording fees, if for PFO/FO). *paid!*
- ☒ 2. Name and address of the applicant, and title if applicable.
- ☒ 3. Source of water.
- ☒ 4. Use of water.
- ☒ 5. Amount of water.
- ☒ 6. Description of delivery system.
- ☒ 7. A statement of whether the applicant has written authorization or easements permitting access to lands owned by others. *NA*
- ☒ 8. Name(s) and address(es) of the owners of any lands involved, but not owned by the applicant. *NA*
- ☒ 9. Proposed dates of beginning and completion of construction, and complete application of water.
- ☒ 10. If for **municipal use**, the present population to be served and expected future water requirements.
- ☒ 11. If for **mining use**, the type of mines and methods of supplying & utilizing the water.
- ☒ 12. If for a **reservoir**:
 - ☒ a. The height of the dam.
 - ☒ b. The storage capacity.
 - ☒ c. The area submerged.
 - ☒ d. The maximum depth.
 - ☒ e. The construction method (earthfill, concrete, flashboard, etc.).
 - ☒ f. A description of the outlet conduit.
 - ☒ g. A description of the spillway.
- ☒ 13. If for **groundwater**, the horizontal distance from the well to the nearest surface water source (if within one mile), and the difference in land surface elevation between them. *NA*
- ☒ 14. If the application was made under **HB 2107**:
 - ☒ a. Name and address of each adjacent property owner and verification that each owner has been mailed a copy of the completed notice.
 - ☒ b. A description of the proposed water used and related project, the condition it will address, and the benefits that are expected to result from the project.
 - ☒ c. The number of reservoirs per application is appropriate as per OAR 690-11-049 (3)(b)
- ☒ 15. An oath that the application information is true and correct.
- ☒ 16. The signature of the applicant(s).
- ☒ 17. A satisfactory map of the proposed POD & POU.
- ☒ 18. A Land Use Information Form or receipt.
- ☒ 19. A legal description of the property where water will be used.

TO: Water Rights Section

Nov 29, 1994

FROM: Groundwater/Hydrology Section D. Woodcock

Reviewer's Name

SUBJECT: Application G- 13834

GROUNDWATER/SURFACE WATER CONSIDERATIONS

1. PER THE _____ Basin rules, one or more of the proposed POA's is/is not within _____ feet/mile of a surface water source (_____) and taps a groundwater source hydraulically connected to the surface water.
2. BASED UPON OAR 690-09 currently in effect, I have determined that the proposed groundwater use
 - a. _____ will, or _____ have the potential for substantial interference with the nearest
 - b. ☒ will not _____ surface water source, namely _____; or
 - c. _____ will if properly conditioned, adequately protect the surface water from interference:
 - i. _____ The permit should contain condition #(s) _____;
 - ii. _____ The permit should contain special condition(s) as indicated in "Remarks" below;
 - iii. _____ The permit should be conditioned as indicated in item 4 below; or
 - d. _____ will, with well reconstruction, adequately protect the surface from substantial interference.

GROUNDWATER AVAILABILITY CONSIDERATIONS

3. BASED UPON available data, I have determined that groundwater for the proposed use
 - a. _____ will, or _____ likely be available in the amounts requested without injury to prior rights
 - b. _____ will not _____ and/or within the capacity of the resource; or
 - c. ☒ will if properly conditioned, avoid injury to existing rights or to the groundwater resource:
 - i. ☒ The permit should contain condition #(s) 4I;
 - ii. _____ The permit should contain special condition(s) as indicated in "Remarks" below;
 - iii. _____ The permit should be conditioned as indicated in item 4 below; or
4.
 - a. _____ THE PERMIT should allow groundwater production from no deeper than _____ ft. below land surface;
 - b. _____ The permit should allow groundwater production from no shallower than _____ ft. below land surface;
 - c. _____ The permit should allow groundwater production only from the _____ groundwater reservoir between approximately _____ ft. and _____ ft. below land surface;
 - d. _____ Well reconstruction is necessary to accomplish one or more of the above conditions.
 - e. _____ One or more POA's commingle 2 or more sources of water. The applicant must select one source of water per POA and specify the proportion of water to be produced from each source.

REMARKS: _____

(Well Construction Considerations on Reverse Side)

WATER RESOURCES DEPARTMENT MEMORANDUM

TO: Groundwater/Hydrology Files Date Nov 29, 1994
 FROM: D. Woodcock
 SUBJECT: Groundwater Application G- 13834 Phone: _____
 Name: McCLARIN & COPLEY
 Applicant(s) seek _____ gpm (1.0 cfs) from ONE well(s) in the _____ basin
HARNEY sub basin
 Proposed use: IRRIGATION _____ sub basin.

Pertinent 7 1/2 - minute quads NINEMILE SLOUGH

Well _____ WRD# HARN 2044 T 23S R 32E S 2 QQ SWNE County HARNEY
 Legal Description 1330'S & 1833'W OF NE COR SEC 2
 Well is 2000 ft from TRIB TO NINEMILE SLOUGH (river/stream)
 Well is _____ ft from _____ (river/stream)
 Well elevation 4132 ft. River/stream elevation SAME ft.
 Well elevation - river/stream elevation _____
 Well depth 240 SWL 30 on B-16-94
 Sealed to 20 Depth first water found 40
 Cased to 20 Perforations/screens 120-240 LINER
 Lined to 240 Perforations/screens _____
 Well tests and types 100 GPM BAILER TEST
 Confined or unconfined? UNCONFINED Hydraulically connected? YES (INDIRECTLY)
 Potential to cause substantial interference? No

Well _____ WRD# _____ T _____ R _____ S _____ QQ _____ County _____
 Legal Description _____
 Well is _____ ft from _____ (river/stream)
 Well is _____ ft from _____ (river/stream)
 Well elevation _____ ft. River/stream elevation _____ ft.
 Well elevation - river/stream elevation _____
 Well depth _____ SWL _____ on _____
 Sealed to _____ Depth first water found _____
 Cased to _____ Perforations/screens _____
 Lined to _____ Perforations/screens _____
 Well tests and types _____
 Confined or unconfined? _____ Hydraulically connected? _____
 Potential to cause substantial interference? _____

Conditioned water rights in area: _____
 Other nearby water rights of record: SEE ATTACHED REVIEW CHECKLIST
 Density of nearby wells of record: _____

Comments WELL IS DEVELOPED IN UNCONFINED SAND & GRAVEL OF EICHSTINE & FLUVIAL VALLEY FILL. WATER BEARING ZONES CONSIST OF PERMEABLE GRAVELS SANDWICHED BETWEEN CLAY ZONES. THE FIRST FORTY FEET OF THIS WELL IS IDENTIFIED AS CLAYS. THIS APPEARS COMMON IN WELLS LOCALLY, AND REDUCES THE POTENTIAL FOR SW INTERFERENCE. THIS APPLICATION NEAR NORTH VALLEY MARGIN, POSSIBLY A FAN COMPLEX. LEONARD (1970) INDICATES STREAMS IN THIS VICINITY ARE UNDER LOSING
 References used: LEONARD (1970) GW RESOURCES IN HARNEY VALLEY.

STREAM CONDITIONS, RAPIDLY LOSING THEIR WATER TO THE GW SYSTEM. DUE TO LARGE USES IN AREA, CONDITIONAL W/ Q.I.

REVIEW CHECKLIST

FOR G- 13834

- ☒ Xerox appropriate parts of the stream index.
- ☒ Estimate number of wells within one mile radius and identify types.
- ☒ Verify that the well log is in application file. If not, provide one.
- ☒ List of state observation wells within five mile radius.
- ☒ List groundwater permits within five mile radius with extraordinary conditions.

WELLS:

Harney # 12

23S 32E 2 NE	2	5					7
23S 32E 1							—
23S 32E 12	1	1					2
23S 32E 11		1	1				2
23S 32E 10	1	1	1				3
23S 32E 3	4	3	1				8
22S 32E 34	2	2	1				5
22S 32E 35	3	2					5
22S 32E 36	1	1					2

14 15 5 34

OBSERVATION WELLS:


APPLICATIONS WITH PERMIT CONDITONS:


1094
168
169
206
162

G 12614
12160
12169
12425
13702

RVW.CKLST

Summary of Water Right Filings in Township 23 S, Range 32 E





**Water Right Conditions
Tracking Slip**

Groundwater/Hydrology Section

FILE ## G-13834

ROUTED TO: WATER RIGHTS

TOWNSHIP/

RANGE-SECTION: 23 S / 32 E - 2

CONDITIONS ATTACHED? [☒]yes [☐]no

REMARKS OR FURTHER INSTRUCTIONS:

Reviewer: D. Woodcock

WaterWatch

By FAX and Regular Mail

RECEIVED

FEB 16 1995

WATER
SALEM, OREGON

February 14, 1995

Oregon Water Resources Department
Water Rights Section
158 12th Street NE
Salem, OR 97310

Re: Objections to Technical Reports for:
✓ G13834, McClarin, 1 cfs, Irrigation, Coffeepot Creek Basin
G13822, Blackburn, 2.95 cfs, Irrigation, Fish & Wildlife, Malheur Lake Basin
Malheur Lake Basin

WaterWatch submits the following objections pursuant to OAR 690-11-170:

◆ **The Technical Reports are Defective.**

The technical reports fail to contain many of the elements and evaluations required in OAR 690-11-160(1). The areas of deficiency are the same as those identified in WaterWatch's objection to G-11923 and are hereby incorporated by reference. Moreover,

◆ **The Uses Proposed are Not in the Public Interest.**

The proposed uses fail to pass the public interest considerations in ORS 537.620 and the policies of the Groundwater Act ORS 537.525(3), (6), (9) and (10). See also, OAR 690-11-195(3)(d), (4)(a), 4(c)(A), 4(d)(A), (4)(f). The Malheur Lake basin system supports a variety of fish life. Low flows during summer months impair fish survival by, among other things, raising water temperatures, decreasing aquatic habitat and trout rearing areas, and promoting excessive growth of algae. Low flows in the winter adversely affect fish habitat by, among other things, exposing spawning gravel, reducing feeding and rearing areas in the river and increasing fish deaths due to severe ice conditions on the river. The groundwater pumping proposed by these applications could exasperate these concerns.

1. Measurement and reporting.

In general, we support the proposed measurement and reporting conditions. However, these conditions should allow the Director to require measurement and reporting of both **rate and duty** of water use. The proposed conditions restrict use based upon a specific rate. Measurement and reporting of water use is to be a useful informational and regulatory tool for the Department, it should provide the information needed to ensure these water uses are within the terms of the permits.

2. **The proposed uses are likely to impair the public interest because they will interfere with surface waters in the Basin.**

While the technical reports concluded that the proposed use would not interfere with streamflows in the basin, the technical reports contain a proposed condition allowing regulation of use if it interferes with surface water rights. Thus, it appears that there is potential for interference. As we have stated before, this proposed condition only protect existing surface water rights, it does nothing to prevent interference unless it has already occurred and does not protect resource values that are not protected by water rights. In addition, the condition places the burden on the resource which is unacceptable given the presence of weak fish stocks.

3. **A public interest determination is impossible because essential information appears to be missing.**

Proposed permit conditions in the technical reports require a pump test prior to receiving a certificate. This condition makes no sense. A pump test provides information relating to hydraulic connection and other aquifer properties. This information is critical for the public interest determination and should be obtained prior to a final public interest determination. If, after this information is obtained, and it is determined that casing and sealing to that depth will in fact prevent interference, and the use is found to be in the public interest, this condition should be added to require periodic pump tests. The condition should not, however, limit the Director's ability to require pump tests. We suggest language that would require pump tests annually or more frequently as determined by the Director.

4. **The proposed uses violates Oregon's statewide policies.**


Oregon's Groundwater Management Policy requires that "(i)nterference between groundwater uses and competing groundwater and surface water uses...be prevented and/or controlled to protect the water resource and existing rights." OAR 690-410-010(1) (emphasis added). The Policy also requires the State to manage groundwater and surface water conjunctively in order to protect the public's interest in the water resource and existing rights. OAR 690-410-01(2)(a). In addition, Oregon's Statewide Water Allocation Policy requires that groundwater use occur within the capacity of the resource and requires the State to protect Oregon's waters from overallocation by new uses of groundwater. OAR 690-410-070(1).

5. **Conservation conditions inadequate**

Oregon statutes and rules require the state to "aggressively promote" water conservation and places a high priority on eliminating waste and improving the efficiency of water use. ORS 537.460(2)(a) and OAR 690-410-060(1). The proposed conditions do little to further these policies. This applicant should be required to show, prior to issuance of any permit, that their proposed use is efficient.

Applications G13822 and G13834
Page 3

Sincerely,



Kimberley Priestley
Legal/Policy Analyst

Water Watch

FACSIMILE TRANSMITTAL COVER SHEET

2/16
JTM
2/14/95
12:15P

Date: 2-14-95

To: Water Rights Section, WRD

Fax: (503) 378-8130

From: L. Priestler

Fax number (503) 295-2791

Total Pages Being Sent, including this page: 4

If there are any problems receiving this transmission,
please telephone WaterWatch immediately at 503-295-4039.

Re: obj 613831, 613822

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS BELOW. THANK YOU.

Confirming call:

Initials _____ Date _____ Time _____ WRD contact _____

WaterWatch

By FAX and Regular Mail

February 14, 1995

Oregon Water Resources Department
Water Rights Section
158 12th Street NE
Salem, OR 97310

Re: Objections to Technical Reports for:
G13834, McClarin, 1 cfs, Irrigation, Coffeepot Creek Basin
G13822, Blackburn, 2.95 cfs, Irrigation, Fish & Wildlife, Malheur Lake Basin
Malheur Lake Basin

WaterWatch submits the following objections pursuant to OAR 690-11-170:

♦ **The Technical Reports are Defective.**

The technical reports fail to contain many of the elements and evaluations required in OAR 690-11-160(1). The areas of deficiency are the same as those identified in WaterWatch's objection to G-11923 and are hereby incorporated by reference. Moreover,

♦ **The Uses Proposed are Not in the Public Interest.**

The proposed uses fail to pass the public interest considerations in ORS 537.620 and the policies of the Groundwater Act ORS 537.525(3), (6), (9) and (10). See also, OAR 690-11-195(3)(d), (4)(a), 4(c)(A), 4(d)(A), (4)(f). The Malheur Lake basin system supports a variety of fish life. Low flows during summer months impair fish survival by, among other things, raising water temperatures, decreasing aquatic habitat and trout rearing areas, and promoting excessive growth of algae. Low flows in the winter adversely affect fish habitat by, among other things, exposing spawning gravel, reducing feeding and rearing areas in the river and increasing fish deaths due to severe ice conditions on the river. The groundwater pumping proposed by these applications could exasperate these concerns.

1. Measurement and reporting.

In general, we support the proposed measurement and reporting conditions. However, these conditions should allow the Director to require measurement and reporting of both rate and duty of water use. The proposed conditions restrict use based upon a specific rate. Measurement and reporting of water use is to be a useful informational and regulatory tool for the Department, it should provide the information needed to ensure these water uses are within the terms of the permits.

2. **The proposed uses are likely to impair the public interest because they will interfere with surface waters in the Basin.**

While the technical reports concluded that the proposed use would not interfere with streamflows in the basin, the technical reports contain a proposed condition allowing regulation of use if it interferes with surface water rights. Thus, it appears that there is potential for interference. As we have stated before, this proposed condition only protect existing surface water rights, it does nothing to prevent interference unless it has already occurred and does not protect resource values that are not protected by water rights. In addition, the condition places the burden on the resource which is unacceptable given the presence of weak fish stocks.

3. **A public interest determination is impossible because essential information appears to be missing.**

Proposed permit conditions in the technical reports require a pump test prior to receiving a certificate. This condition makes no sense. A pump test provides information relating to hydraulic connection and other aquifer properties. This information is critical for the public interest determination and should be obtained prior to a final public interest determination. If, after this information is obtained, and it is determined that casing and sealing to that depth will in fact prevent interference, and the use is found to be in the public interest, this condition should be added to require periodic pump tests. The condition should not, however, limit the Director's ability to require pump tests. We suggest language that would require pump tests annually or more frequently as determined by the Director.

4. **The proposed uses violates Oregon's statewide policies.**

Oregon's Groundwater Management Policy requires that "(i)nterference between groundwater uses and competing groundwater and surface water uses...be prevented and/or controlled to protect the water resource and existing rights." OAR 690-410-010(1) (emphasis added). The Policy also requires the State to manage groundwater and surface water conjunctively in order to protect the public's interest in the water resource and existing rights. OAR 690-410-01(2)(a). In addition, Oregon's Statewide Water Allocation Policy requires that groundwater use occur within the capacity of the resource and requires the State to protect Oregon's waters from overallocation by new uses of groundwater. OAR 690-410-070(1).

5. **Conservation conditions inadequate**

Oregon statutes and rules require the state to "aggressively promote" water conservation and places a high priority on eliminating waste and improving the efficiency of water use. ORS 537.460(2)(a) and OAR 690-410-060(1). The proposed conditions do little to further these policies. This applicant should be required to show, prior to issuance of any permit, that their proposed use is efficient.

Applications G13822 and G13834
Page 3

Sincerely,


Kimberley Priestley
Legal/Policy Analyst

December 8, 1994

RECEIVED
DEC 19 1994
WATER RESOURCES DEPT.
SALEM, OREGON

DELORES R MCCLARIN
COPLEY, L RACHEL
85 W WASHINGTON
BURNS, OR 97720

Reference: File G 13834

Dear Applicant:

Your application file was recently reviewed. Under separate cover I have enclosed our report of technical review. Before we can process your application further, you need to provide us with additional information, documentation, or fees.

Please send the following:

✱

a legal description of the property where you plan to use water (you may copy this from your deed, title insurance policy, or sales contract);

After the file is complete and the deadline for objections to the technical review expires, staff will again review the file for objections and further process your application as soon as possible.

Please feel free to contact me if you have any questions and I will be happy to address any concerns you may have.

Sincerely,



Don Knauer
Adjudication Specialist

cc: Chris T. Palmer, CWRE

12/14/94

✱ LEGAL DESCRIPTION:

U.S. GOVERNMENT

LOT 2,

SW 1/4, NE 1/4 SEC 2 T23S, R32E, W.M.

Delores R McClarin



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

December 20, 1994

RECEIVED

DEC 22 1994

DEPARTMENT OF
FISH AND
WILDLIFE

Oregon Water Resources Department
Water Rights Section
158 12th Street NE
Salem, OR 97310

WATER RESOURCES DEPT.
SALEM, OREGON

Southeast Region



Re: Response to Technical Review.

ODFW has reviewed the following water right applications and has no comment.

	G 12928	G 13649
G 12169	G 13373	G 13650
G 12499	G 13401	G 13694
G 12559	G 13420	G 13701
G 12795	G 13445	G 13702
G 12873	G 13468	G 13822
G 12880	G 13500	G 13834
G 12926	G 13596	
G 12927	G 13638	

Sincerely,

Wayne Bowers

Wayne Bowers
Southeast District Fish Biologist

Distribution:

Burchfield



PO Box 8
Hines, OR 97738
(503) 573-6582
FAX 573-5306

COPY CHECK-OFF SHEET FOR TECHNICAL REVIEWS

CC: FILE # G-13834

WATERWATCH

ODF&W - County: Harney

WATERMASTER #: 10

REGIONAL MANAGER: EASTERN

CWRE: CHRIS T. PALMER

DEQ

OREGON ASSOCIATION OF NURSERYMEN INC.

KEN STAHR

DIVISION 33 LIST: ODFW - Portland Office; COLUMBIA RIVER INTERTRIBAL FISH COMMISSION;
NORTHWEST POWER PLANNING COUNCIL; U.S. FISH & WILDLIFE SERVICE;
AND NATIONAL MARINE FISHERIES

OTHER ADDRESSES:

- STEVE SCHNEIDER
21881 RIVER ROAD NE
- ST PAUL, OR 97137

CASEWORKER (initials/date) 12/8/94 Schneider ORIGINAL TO APPLICANT 12/6/94

December 8, 1994

DELORES R MCCLARIN
COPLEY, L RACHEL
85 W WASHINGTON
BURNS, OR 97720

Reference: File G 13834

Dear Applicant:

Your application file was recently reviewed. Under separate cover I have enclosed our report of technical review. Before we can process your application further, you need to provide us with additional information, documentation, or fees.

Please send the following:

a legal description of the property where you plan to use water (you may copy this from your deed, title insurance policy, or sales contract);

After the file is complete and the deadline for objections to the technical review expires, staff will again review the file for objections and further process your application as soon as possible.

Please feel free to contact me if you have any questions and I will be happy to address any concerns you may have.

Sincerely,



Don Knauer
Adjudication Specialist

cc: Chris T. Palmer, CWRE



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

TECHNICAL REVIEW CHECKLIST

11/4/94

1. Application: G-13834
2. Review Date: 12/8/94 *Edman*

S indicates information was completed or adequately addressed.
 U indicates information is needed, or incomplete, or inadequately addressed
 N/A indicates Not Applicable

SUMMARY	
<u>S</u>	Land Use
<u>NA/yes/no</u>	Substantial SW interference w/GW (if yes, see results of surface water availability analysis)
<u>S</u>	Conflicts
<u>NA</u>	Water Availability () (Water Availability Sub-basin#)
<u>U</u>	The application, map and supporting data are complete and free of defects.
<u>yes/NA</u>	A TMDL letter has been received for this source or tributary. If yes, the period of use has been adjusted.

3. S The applicant has certified that the information provided in the application is an accurate representation of the proposed use and is true and correct to the best of their knowledge. An oath is required before a permit is issued regardless of the application's priority date.
5. S Application fees:

Examination fee:	\$ 200-	$ \begin{array}{r} 1221.79^2 \\ - 10 @ \$100 \\ \hline 70 @ 2 = 140 \\ \hline 240 \end{array} $
Recording fee:	\$ 240	
TOTAL REQUIRED	\$ 440-	
TOTAL SUBMITTED	\$ 440-	
AMOUNT DUE prior to issuance of permit		\$ <u>0</u>
AMOUNT OVERPAID		\$ <u>0</u>
refund due applicant		\$ <u>0</u>
6. S Proposed dates of beginning and completion of construction, and complete application of water.
7. S A satisfactory map of the proposed place of water use prepared by a certified water right examiner, unless exempt under OAR 690-14-150(3). (A CWRE map is not required for applications filed before November 9, 1987.)
8. U A written copy of the legal description of the property on which the water is to be used.

Application No. 6-13834

RECEIVED

HARN 2044

STATE OF OREGON
WATER WELL REPORT

(as required by ORS 537.765)

SEP 28 1994

WATER RESOURCES DEPT.

(START CARD) # 60647

SALEM, OREGON

Instructions for completing this report are on the last page of this form.

(1) OWNER:

Well Number _____

Name Delores McClarinAddress 85 W WashingtonCity BurnsState ORZip 97720

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:

☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger☐ Other _____

(4) PROPOSED USE:

☐ Domestic ☐ Community ☐ Industrial ☒ Irrigation☐ Thermal ☐ Injection ☐ Livestock ☐ Other _____

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No Depth of Completed Well 240 ft.Explosives used ☐ Yes ☒ No Type _____ Amount _____

HOLE

SEAL

Diameter	From	To	Material	From	To	Sacks or pounds
24	0	18	bentonite	0	18	24 sacks
20	18	240				

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E☒ Other poured & tamped

Backfill placed from _____ ft. to _____ ft. Material _____

Gravel placed from 240 ft. to 0 ft. Size of gravel 3/8" open

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	20	+1	20	250	☒	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
Liner:	12	+1	240	5e40	☐	☒	☐	☐
					☐	☐	☐	☐

Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:

		Method		Type		Material	
		factor cut					
From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
60	240	.085	28800	12		☐	☒
						☐	☐
						☐	☐
						☐	☐

(8) WELL TESTS: Minimum testing time is 1 hour

	Yield gal/min	Drawdown	Drill stem at	Time
☐ Pump ☒ Bailer ☐ Air ☐ Artesian	100	6.2		1 hr.

Temperature of water _____ Depth Artesian Flow Found _____

Was a water analysis done? ☒ Yes By whom _____Did any strata contain water not suitable for intended use? ☐ Too little☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _____

Depth of strata: _____

(9) LOCATION OF WELL by legal description:

County Harnoy Latitude _____ Longitude _____Township 23 S N or S Range 32 E E or W. WM.Section 2 SW 1/4 NE 1/4

Tax Lot _____ Lot _____ Block _____ Subdivision _____

Street Address of Well (or nearest address) HC 73 Box 14234 Hwy 20

(10) STATIC WATER LEVEL:

_____ ft. below land surface.

Date 8-16-94

Artesian pressure _____ lb. per square inch.

Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found _____

From	To	Estimated Flow Rate	SWL
40	240	800	30

(12) WELL LOG:

Ground Elevation _____

Material	From	To	SWL
clay loam topsoil	0	1	
clay grey	1	4	
clay brn	4	16	
clay grey	16	27	
clay sand grey	27	32	
clay brn	32	40	
clay brn/sand coarse	40	55	30
sand med brn	55	63	30
clay green	63	80	30
sand, fine, blk	80	87	30
sand fine clay grey	87	112	30
sand fine brn	112	135	30
gravel, med sand fine	135	160	30
gravel, sand, clay	160	175	30
sandstone, gravel	175	190	30
gravel, clay	190	196	30
claystone, gravel, sand	196	235	30
clay brn	235	240/30	30

Date started 8-4-94 Completed 8-15-94

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number _____

Signed _____ Date _____

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1424Signed Zimichy K. P. Date 8-16-94

Application No. 6-13834
Permit No.

Land Use Information Form: Permits, Hydroelectric Licenses, Water Uses in Addition to Classified Uses

RECEIVED
SEP 28 1994

This information is needed to determine compatibility with local comprehensive plans as required by ORS 197.180. The Water Resources Department will use this and other information to evaluate the water use application. DO NOT FILL OUT THIS FORM IF water is to be diverted, conveyed, and/or used only on federal lands.

Applicant's Name: Delores McClarin / L. Rachel Copley
Address: 85 W. Washington
City: Burns State: OR Zip: 97720 Day Phone: 573-7872

Please provide information as requested below for all tax lots on or through which water will be diverted or used. (Attach extra sheets as necessary.) Applicants for municipal use, or irrigation uses within irrigation districts, may substitute existing and proposed service area boundaries for the tax lot information requested below.

Tax Lot or Local I.D.#	Plan Designation/Zoning (e.g. Rural Residential/RR-5)	Check All That Apply		
		Water Diverted	Water Conveyed	Water Use
TL 400				✓
Map 23 32	AG-40			

Please list all counties and cities within which water is proposed to be diverted, conveyed, and/or used. Harney County

The following section must be completed by a planning official from each county and city listed unless your project will be located entirely within city limits. In this case, only the city planning agency must complete this form. Please request extra forms as needed.

For Local Government Use Only

Local planning officials are to complete the remainder of this form. If it cannot be completed while the applicant waits, sign and detach the receipt as instructed below. You will receive notice when the applicant's water right request is filed with the Water Resources Department (WRD). You will have 30 days from the notice date to return this completed land use form to WRD. If no land use information is received from you within that period, WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan.

a) Check the appropriate box below and provide requested information.

☒ Land uses to be served by proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): Article 3, Sec. 3.040. Go to section b) on reverse side.

☐ Land uses to be served by proposed water uses (including proposed construction) involve discretionary land use approvals as listed in the table below. **Note:** Please attach documentation of applicable local land use approvals which have already been obtained. (Record of Action plus any accompanying findings is sufficient.)

Type of Land Use Approvals Needed (e.g.: plan amendments, rezones, conditional use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Please check the box that applies:		
		Already Obtained	Already Denied	Being Pursued Satisfactorily

(over)

COMMENT FORM

Please list below the Application Number of the water use application(s) that are of interest to you. When the technical evaluation is completed a report of the technical review of these applications will be delivered to you.

Application #s G13835 G13834 G13830 G13831 G13833 G13837 G13832 G13836

Send to: Steve Schneider
21881 River Road NE
St. Paul, OR 97137

Please include specific comments or concerns. Use additional sheets if necessary.

Return to:
Oregon Water Resources Department
158 12th ST NE
Salem, Oregon 97310

This Comment corresponds to the
OCT/ 5/1995 Public Notice.

October 3, 1994

DELORES R MCCLARIN
COPLEY, RACHEL L
85 W WASHINGTON
BURNS, OR 97720

REFERENCE: File(s) G-13834

We have received your application(s) for a water use permit along with your supporting data, documentation, and fees. A receipt is enclosed here unless you were previously issued one. Your application has been assigned the above referenced file number. Please refer to this number whenever you contact us about your application.

Even though your application has been received, filed and assigned an application reference number, no authorization has been granted to develop your water use. The filing of an application does not create a water right. Water may not be used until a water right permit has been issued by the Department.

After an application has been accepted for filing, public notification of the application is made, followed by the mandatory 30-day comment period. Thereafter, applications can be considered for processing as time allows.

At present the Water Resources Department has a backlog of several thousand applications for water use permits which has delayed our application processing time. In general, applications are processed in the order in which they are received. However, Department staff work through Oregon's 18 river basins on a rotation basis often completing work on all applications within a single basin, then proceeding to the next basin.

The processing of an application does not guarantee that a water right permit will be issued. Each application must undergo specialized analysis called a technical review and a public interest review. Until your application is reviewed, it is not possible to determine whether your particular proposed water use will be recommended for a permit.

The Water Resources Commission is considering the adoption of rules to protect stream flows for fish species. This action is being contemplated in response to current and future Endangered Species Act fish listings, including many runs of salmon, steelhead and resident fish throughout the state.



Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

PRE-TR APPLICATION PROCESSING OUTLINE

Application File # G13834

MINIMUM REQUIREMENTS TO FILE

OAR 690-11-020

DATE STAMP

<u>DATE</u>	<u>INITIAL</u>	
9/28/94	CE	Name and mailing address of applicant
		Source of water
		Quantity of water
		Map showing location of POD & POU
		Use of water
		Names and addresses of legal owners
		Signature of applicant
		Oath
		Application date stamped per money receipt date
		Land use approved ☒ pending ☐
		If reservoir < 5 AF \$____, if > 5 AF \$____
		HB 2153/HB 2107 APPLICATION -- SEE REVERSE
		Route to Data Center (Unless 2153/2107)

DATA CENTER

Stream Code _____
Entered into WRIS

SUPPORT SERVICES

Stamp contents with application number
Mail ack letter (provided by Data Center) with receipt to applicant, cc to CWRE and file
Place label on file and calender card

APPLICATION SECTION

Stream Indexed Basin # 12
Plat Carded and copy made YES NO
If dam is over 10 feet or storage exceeds 9.2
AC-FT, route file to Dam Safety Section

TR CASEWORKER

TR Checklist complete	<u>YES</u>	<u>NO</u>
Within Irrigation District		
District Notified		
District excerpt received		
TR Mailed DATE		
Public Interest Checklist complete		
Management Codes		

REMARKS:

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **117194**

158 12TH ST. N.E.
SALEM, OR 97310-0210
378-8455 / 378-8130 (FAX)

INVOICE # _____

RECEIVED FROM: Simple Food Co.
BY: _____

APPLICATION	13834
PERMIT	
TRANSFER	

CASH: ☐ CHECK: # X124-13 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 440.-

01-00-0 WRD MISC CASH ACCT

842.010	ADJUDICATIONS	\$
831.087	PUBLICATIONS / MAPS	\$
830.650	PARKING FEES Name / month	\$
OTHER:	(IDENTIFY)	\$

REDUCTION OF EXPENSE

CASH ACCT.	\$
COST CENTER AND OBJECT CLASS	VOUCHER #

03-00-0 WRD OPERATING ACCT

MISCELLANEOUS		
840.001	COPY FEES	\$
850.200	RESEARCH FEES	\$
880.109	MISC REVENUE: (IDENTIFY)	\$
520.000	OTHER (P-6) (IDENTIFY)	\$
WATER RIGHTS:		
842.001	SURFACE WATER	EXAM FEE \$
842.003	GROUND WATER	\$ <u>300.-</u>
842.005	TRANSFER	\$
WELL CONSTRUCTION		
842.022	WELL DRILL CONSTRUCTOR	EXAM FEE \$
	LANDOWNER'S PERMIT	\$
OTHER	(IDENTIFY)	\$

06-00-0 WELL CONST. START FEE

842.013	WELL CONST START FEE	\$	CARD #	
	MONITORING WELLS	\$	CARD #	
	OTHER (IDENTIFY)			

45-00-0 LOTTERY PROCEEDS

864.000	LOTTERY PROCEEDS	\$
---------	------------------	----

07-00-0 HYDRO ACTIVITY

	LIC NUMBER	
842.011	POWER LICENSE FEE (FW/WRD)	\$
842.115	HYDRO LICENSE FEE (FW/WRD)	\$
	HYDRO APPLICATION	\$

RECEIPT # **117194**

DATED: 9-28-94 BY: D. Breshnell

Distribution-White Copy-Customer, Yellow Copy-Fiscal, Blue Copy-File, Buff Copy-Fiscal



NUMBER

97549

Check 440 NO Cash Surface Application Reservoir Application x Ground Water Application200
240 Transfer Application Power Claim Hydroelectric Examination Hydroelectric License Copying Assignment Extension of Time Other P-6 Quadrangle Basin Protest Constructors Examination Constructors License Adjudication*Data Center*

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **117541** 725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _____

RECEIVED FROM: Amanda Hoyt
BY: Stephen Hoyt

APPLICATION	6-13834
PERMIT	
TRANSFER	

CASH: ☐ CHECK:# 9111 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 175.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$
OTHER: (IDENTIFY) \$

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES \$
0410 RESEARCH FEES \$
0408 MISC REVENUE: (IDENTIFY) \$
TC162 DEPOSIT LIAB. (IDENTIFY) \$
0240 EXTENSION OF TIME \$

WATER RIGHTS:

0201 SURFACE WATER	EXAM FEE \$	0202 \$	RECORD FEE \$
0203 GROUND WATER	\$	0204 \$	\$
0205 TRANSFER	\$		

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR	EXAM FEE \$	0219 \$	LICENSE FEE \$
LANDOWNER'S PERMIT		0220 \$	\$

0200 OTHER (IDENTIFY) COBU

175.00

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE	\$	CARD #
0210 MONITORING WELLS	\$	CARD #
OTHER (IDENTIFY)		

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)		\$
0231 HYDRO LICENSE FEE (FW/WRD)		\$
HYDRO APPLICATION		\$

TREASURY OTHER / RDX

FUND _____ TITLE _____
OBJ. CODE _____ VENDOR # _____
DESCRIPTION _____

\$

RECEIPT: **117541** DATED: 9-28-15 BY: Min Ash

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

G-13834
Northwest Farm Credit Services
P.O. Box 279
Ontario OR 97914

G-13834
Northwest Farm Credit Services
P.O. Box 279
Ontario OR 97914

G-13834
Northwest Farm Credit Services
P.O. Box 279
Ontario OR 97914