

**CLAIM OF
BENEFICIAL USE
for Reservoirs storing less than
9.2 acre-feet permitted under
ORS 537.409**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

MAY 03 2021

OWRD

**A fee of \$200 must accompany this form.
The Claim will be returned if the fee is not included.**

This form may be completed by the permit holder of record if:

- 1) The permit was issued under the authority of ORS 537.409; and
- 2) No secondary permit exists for the use of water stored in the reservoir; and
- 3) The developed capacity of the reservoir is less than 9.2 acre-feet; and
- 4) The water was stored by the date required in the permit; and

A separate form shall be completed for each permit.

This form must be submitted to the Water Resources Department within one year of storage of water in the reservoir.

Please type or print in dark ink. If the data provided is found to contain errors or omissions, it may be returned. The Department may require the submittal of additional information.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

**SECTION 1
GENERAL INFORMATION**

File Information:

APPLICATION # R- 87328	PERMIT # R- R-14730
---------------------------	------------------------

Applicant Information:

APPLICANT NAME Robin I Pfeiffer		PHONE NO. 541-998-8141	ADDITIONAL CONTACT NO.	
ADDRESS 25040 Saeg Road				
CITY Junction City	STATE OR	ZIP 97448	E-MAIL RPfeiffer101@gmail.com	

SECTION 2

RESERVOIR INFORMATION

Reservoir Dimensions and Capacity:

AVERAGE LENGTH	AVERAGE WIDTH	AVERAGE DEPTH	MAXIMUM CAPACITY IN ACRE-FEET
40'	40'	5'	183

To determine capacity in acre-feet use for the above table, use the following calculation:

$$\text{Acre-feet} = \frac{(\text{Average Length})(\text{Average Width})(\text{Average Depth})}{43,560}$$

SECTION 3

MAP

Attach a map identifying the reservoir location. If the water right application map accurately reflects the location of the reservoir, you may attach a copy of it. Otherwise, you must submit a map meeting the standards of OAR 690-310-0050, which are attached.


Preparation of the map by a Certified Water Rights Examiner is **not** required for this type of permit, but may be submitted.

SECTION 4

SIGNATURE

This Claim of Beneficial Use must be signed by each permit holder of record.

By my signature, I certify that the information contained herein is true and correct to the best of my knowledge.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Robin I Pfeiffer	owner	4/30/2021

#1 POND
R-87328 NORTH

RECEIVED


MAY 03 2021

OWRD

RECEIVED

NOV 30 2020

OWRD



This #2 pond is
the pond in question
in these documents.
(Application: R-87329
Permit: R-14730)

Robin Cuffer

CBU Intake and Certificate Processing Checklist for Qualifying Alternative Reservoirs

Under ORS 537.409(10)(11) (COBU by Permittee for "Alternative Reservoirs")

RECEIVED

Total developed capacity must be less than 9.2 acre feet

MAY 03 2021

A fee of \$200 must accompany this form

OWRD

File No. R- <u>87329</u>	File Marked _____
Date Rec'd. <u>11-30-2020</u>	Claim Logged _____
Reviewer <u>Judy</u>	Peer Review _____

Intake Checklist

Does a secondary permit exist for use of water under this permit at the time of this submittal?
☐ YES ☒ NO (If "Yes", this self certification cannot be accepted. The Claim must be prepared by a CWRE for both the reservoir and the secondary use permit.)

Are reservoir dimensions included? ☒ YES ☐ NO

Signed by all permittees ☒ YES ☐ NO (Must be signed by all permittees. If not, Assignment may be needed). Was a map included? ☒ YES ☐ NO (Must Identify Location of the Reservoir)

Processing Notes and Conclusions

The Claimed maximum capacity of the reservoir in acre feet is: .5 or less

The Permitted capacity of the reservoir in acre feet is: 9.2 or less

Is this reservoir located within an "Area of Interest"? ☐ YES ☒ NO

Identified Party _____

Current Ownership Check:
Does the County Assessor indicate that there is a new landowner? ☐ YES ☒ NO
(If new owners, indicate name and mailing address below)

Issue: ☐ PROPOSED (If fewer acre feet were developed than were permitted)

☐ CERTIFICATE # _____

**CLAIM OF
BENEFICIAL USE
for Reservoirs**



Oregon Water Resources Department
1725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of \$200 must accompany this form.
The Claim will be returned if the fee is not included.

RECEIVED

NOV 30 2020

OWRD

This form may be completed by the permit holder of record if:

- 1) The permit was issued under the authority of ORS 537.409; and
- 2) No secondary permit exists for the use of water stored in the reservoir; and
- 3) The developed capacity of the reservoir is less than 9.2 acre-feet; and
- 4) The water was stored by the date required in the permit; and

A separate form shall be completed for each permit.

RECEIVED

MAY 03 2021

OWRD

**SECTION 1
GENERAL INFORMATION**

File Information:

APPLICATION # R- R-87329	PERMIT # R- R-14730
-----------------------------	------------------------

Applicant Information:

APPLICANT NAME Robin Pfeiffer	PHONE NO. 541-998-8141	ADDITIONAL CONTACT NO. 541-998-2828
ADDRESS 25040 Jaeg Road		
CITY Junction City	STATE OR	ZIP 97448
E-MAIL RPfeiffer101@gmail.com		

Pond #1 R-28728

SECTION 2
RESERVOIR INFORMATION

RECEIVED
NOV 30 2020
OWRD

Reservoir Dimensions and Capacity:

AVERAGE LENGTH	AVERAGE WIDTH	AVERAGE DEPTH	MAXIMUM CAPACITY IN ACRE-FEET
60'	5.5'	8'	.6

To determine capacity in acre-feet use for the above table, use the following calculation:

$$\text{Acre-feet} = \frac{(\text{Average Length})(\text{Average Width})(\text{Average Depth})}{43,560}$$

RECEIVED
MAY 03 2021
OWRD

SECTION 3
MAP

Attach a map identifying the reservoir location. If the water right application map accurately reflects the location of the reservoir, you may attach a copy of it. Otherwise, you must submit a map meeting the standards of OAR 690-310-0050, which are attached.

Preparation of the map by a Certified Water Rights Examiner is not required for this type of permit, but may be submitted.

SECTION 4
SIGNATURE

This Claim of Beneficial Use must be signed by each permit holder of record.

By my signature, I certify that the information contained herein is true and correct to the best of my knowledge.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
Robin I. Pfeiffer	Robin I Pfeiffer	owner	11/23/2020

Robin I Pfeiffer

4/30/2021

STATE OF OREGON

COUNTY OF LANE

PERMIT TO CONSTRUCT A RESERVOIR AND STORE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO:

ROBIN PFEIFFER
25040 JAEG RD
JUNCTION CITY OR 97448

RECEIVED

MAY 03 2021

OWRD

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-87328

SOURCE OF WATER: A SPRING, TRIBUTARY TO TURNBOW CREEK

STORAGE FACILITY: NORTH POND (POND #1)

MAXIMUM VOLUME: 0.33 ACRE FOOT

DATE OF PRIORITY: NOVEMBER 3, 2008

WATER MAY BE APPROPRIATED DURING THE PERIOD: OCTOBER 2 THROUGH JUNE 30

USE: MULTIPLE PURPOSE

Dam Location/Authorized Point of Diversion:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15 S	6 W	WM	25	NE SW	250 FEET SOUTH AND 575 FEET WEST FROM C1/4 CORNER, SECTION 25

The Area To Be Submerged:

Twp	Rng	Mer	Sec	Q-Q
15 S	6 W	WM	25	NE SW

Measurement, recording and reporting conditions:

- A. The Director may require the permittee to install a staff gage or other suitable measuring device(s) as approved by the Department. If the Director notifies the permittee to install a measuring device(s), the permittee shall install such devices within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the devices in good working order and shall allow the Watermaster access to the devices. The Director may provide an opportunity for the permittee to submit alternative measurement procedures for review and approval.
- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used, and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water-use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe, or the provision of other means to evacuate water when determined necessary by the Water Resources Director to satisfy prior downstream rights.

Notwithstanding that Oregon Department of Fish and Wildlife has made a determination that fish screens and/or by-pass devices are not necessary at the time of permit issuance, the permittee may be required in the future to install, maintain, and operate fish screening and/or by-pass devices to prevent fish from entering the proposed diversion, and to provide adequate upstream and downstream passage for fish.

This permit allows an annual appropriation (not to exceed the specified volume). This permit does not provide for the appropriation of water for out-of-reservoir uses, the maintenance of the water level or maintaining a suitable freshwater condition. If any water is to be used for out-of-reservoir purposes, a secondary water right is required. If any additional live flow is to be appropriated to maintain either the water level or a suitable freshwater condition, an additional water right is required.

STANDARD CONDITIONS

1. Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.
2. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.
3. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.
4. The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.
5. If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR Chapter 635, Division 415, shall be followed.
6. The use may be restricted if the quality of the source stream or downstream waters decreases to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.
7. If the volume of the completed reservoir is 9.2 acre feet or more and a dam is used to impound the water, the height of the dam shall be less than 10.0 feet.
8. Construction shall be completed and up to the permitted volume of water shall be stored within five years of the date of permit issuance.
9. Within one year after storage of water, the permittee shall submit a claim of beneficial use to the Oregon Water Resources Department.
10. The claim of beneficial use shall be prepared by a Certified Water Right Examiner in conformance with the requirements of OAR 690-014 if an associated secondary permit exists for the use of stored water under this permit, or if the reservoir capacity is equal to or greater than 9.2 acre-feet.

11. If no secondary permit exists and the reservoir capacity is less than 9.2 acre-feet of water, the claim of beneficial use need not be prepared by a Certified Water Right Examiner. The information submitted to the Oregon Water Resources Department shall include:

- a. the dimensions of the reservoir;
- b. the maximum capacity of the reservoir in acre-feet; and
- c. a map identifying the location of the reservoir prepared in compliance with Water Resource Department standards.

Issued APRIL 23, 2009.

E. Timothy Ward.

for Phillip C. Ward, Director
Water Resources Department

RECEIVED

MAY 03 2021

OWRD

We do not irrigate anything with water from pond #1 nor from Pond #2. These two ponds (#1 R-87328 & #2 R-87329) were made in the year 2000 for two reasons: Reason one --- fire control/helicopter & tanker filling Reason two --- water fowl. We love the ducks & geese the use these ponds every day. Robin H. Pfeiffer

4/30/2021

STATE OF OREGON

RECEIVED

COUNTY OF LANE

MAY 03 2021

PERMIT TO CONSTRUCT A RESERVOIR AND STORE PUBLIC WATERS

OWRD

THIS PERMIT IS HEREBY ISSUED TO:

ROBIN PFEIFFER
25040 JAEG RD
JUNCTION CITY OR 97448

#2

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: R-87329

SOURCE OF WATER: A SPRING, TRIBUTARY TO TURNBOW CREEK

STORAGE FACILITY: SOUTH POND (POND #2)

MAXIMUM VOLUME: 0.66 ACRE FOOT

DATE OF PRIORITY: NOVEMBER 3, 2008

WATER MAY BE APPROPRIATED DURING THE PERIOD: OCTOBER 2 THROUGH JUNE 30

USE: MULTIPLE PURPOSE

Dam Location/Authorized Point of Diversion:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15 S	6 W	WM	25	NE SW	320 FEET SOUTH AND 520 FEET WEST FROM C1/4 CORNER, SECTION 25

The Area To Be Submerged:

Twp	Rng	Mer	Sec	Q-Q
15 S	6 W	WM	25	NE SW

Measurement, recording and reporting conditions:

- A. The Director may require the permittee to install a staff gage or other suitable measuring device(s) as approved by the Department. If the Director notifies the permittee to install a measuring device(s), the permittee shall install such devices within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the devices in good working order and shall allow the Watermaster access to the devices. The Director may provide an opportunity for the permittee to submit alternative measurement procedures for review and approval.
- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used, and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water-use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The storage of water allowed herein is subject to the installation and maintenance of an outlet pipe, or the provision of other means to evacuate water when determined necessary by the Water Resources Director to satisfy prior downstream rights.

Notwithstanding that Oregon Department of Fish and Wildlife has made a determination that fish screens and/or by-pass devices are not necessary at the time of permit issuance, the permittee may be required in the future to install, maintain, and operate fish screening and/or by-pass devices to prevent fish from entering the proposed diversion, and to provide adequate upstream and downstream passage for fish.

This permit allows an annual appropriation (not to exceed the specified volume). This permit does not provide for the appropriation of water for out-of-reservoir uses, the maintenance of the water level or maintaining a suitable freshwater condition. If any water is to be used for out-of-reservoir purposes, a secondary water right is required. If any additional live flow is to be appropriated to maintain either the water level or a suitable freshwater condition, an additional water right is required.

STANDARD CONDITIONS

1. Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.
2. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.
3. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.
4. The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.
5. If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR Chapter 635, Division 415, shall be followed.
6. The use may be restricted if the quality of the source stream or downstream waters decreases to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.
7. If the volume of the completed reservoir is 9.2 acre feet or more and a dam is used to impound the water, the height of the dam shall be less than 10.0 feet.
8. Construction shall be completed and up to the permitted volume of water shall be stored within five years of the date of permit issuance.
9. Within one year after storage of water, the permittee shall submit a claim of beneficial use to the Oregon Water Resources Department.
10. The claim of beneficial use shall be prepared by a Certified Water Right Examiner in conformance with the requirements of OAR 690-014 if an associated secondary permit exists for the use of stored water under this permit, or if the reservoir capacity is equal to or greater than 9.2 acre-feet.

11. If no secondary permit exists and the reservoir capacity is less than 9.2 acre-feet of water, the claim of beneficial use need not be prepared by a Certified Water Right Examiner. The information submitted to the Oregon Water Resources Department shall include:

- a. the dimensions of the reservoir;
- b. the maximum capacity of the reservoir in acre-feet; and
- c. a map identifying the location of the reservoir prepared in compliance with Water Resource Department standards.

Issued APRIL 23, 2009.

E. Timothy Ward.

for Phillip C. Ward, Director
Water Resources Department

RECEIVED

MAY 03 2021

OWRD

Robin D. Huffer
4/30/2021