Groundwater Application Review Summary Form

Application # G- <u>19100</u>

GW Reviewer _Phillip Marcy_ Date Review Completed: _8/12/2021_

Summary of GW Availability and Injury Review:

Groundwater for the proposed use is either over appropriated, will not likely be available in the amounts requested without injury to prior water rights, OR will not likely be available within the capacity of the groundwater resource per Section B of the attached review form.

Summary of Potential for Substantial Interference Review:

There is the potential for substantial interference per Section C of the attached review form.

Summary of Well Construction Assessment:

The well does not appear to meet current well construction standards per Section D of the attached review form. Route through Well Construction and Compliance Section.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations and for conditions that may be necessary for a permit (if one is issued).

WATER RESOURCES DEPARTMENT

MEMO

August 12, 2021_

TO: Application G-<u>19100</u>

FROM: GW: <u>Phillip Marcy</u> (Reviewer's Name)

SUBJECT: Scenic Waterway Interference Evaluation

- ✓ YES The source of appropriation is hydraulically connected to a State Scenic Waterway or its tributaries
- ☑ YES
 □ NO
 Use the Scenic Waterway Condition (Condition 7J)
- Per ORS 390.835, the Groundwater Section is **able** to calculate ground water interference with surface water that contributes to a Scenic Waterway. The calculated interference is distributed below
- □ Per ORS 390.835, the Groundwater Section is unable to calculate ground water interference with surface water that contributes to a scenic waterway; therefore, the Department is unable to find that there is a preponderance of evidence that the proposed use will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway

DISTRIBUTION OF INTERFERENCE

Calculate the percentage of consumptive use by month and fill in the table below. If interference cannot be calculated, per criteria in 390.835, do not fill in the table but check the "unable" option above, thus informing Water Rights that the Department is unable to make a Preponderance of Evidence finding.

Exercise of this permit is calculated to reduce monthly flows in <u>Owyhee</u> Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
.087	.084	.084	.083	.083	.083	.083	.083	.083	.083	.083	.083

PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO:	Water Rights Section		Date 8/12/2021	
FROM:	Groundwater Section	Phillip I. Marcy		
		Reviewer's Name		
SUBJECT:	Application G- 19100	Supersedes review of		

Date of Review(s)

PUBLIC INTEREST PRESUMPTION: GROUNDWATER

OAR 690-310-130 (1) The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525. Department staff review groundwater applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. This review is based upon available information and agency policies in place at the time of evaluation.

A. GENERAL INFORMATION: Applicant's Name: Warm Springs Ranch LLC County: Malheur

Applicant(s) seek(s) 3.59 cfs from 1 well(s) in the Owyhee Basin, A1.

subbasin

Proposed use Irrigation (102.0 acres); Supplemental Irrigation (263.2 acres) A2. Seasonality: <u>April 1st – October 15th (198 days)</u>

Well and aquifer data (attach and number logs for existing wells; mark proposed wells as such under logid): A3.

Well	Logid	Applicant's Well #	Proposed Aquifer*	Proposed Rate(cfs)	Location (T/R-S QQ-Q)	Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36
1	Proposed	1	Bedrock	3.59	30S/46E-3 NW-SE	1900'N, 2000'W fr SE cor S 3
2						
3						
4						

* Alluvium, CRB, Bedrock

Well	Well Elev ft msl	First Water ft bls	SWL ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type
1	4369	NA	NA	NA	400	0-75	0-200	Unk.	200-400	NA	NA	NA

Use data from application for proposed wells.

A4. **Comments:** The POA well is proposed to produce from sandstone from 200-400' BLS.

A5. A Provisions of the Owyhee (690-511) Basin rules relative to the development, classification and/or management of groundwater hydraulically connected to surface water \Box are, or \boxtimes are not, activated by this application. (Not all basin rules contain such provisions.) Comments:

A6. Well(s) # _____, ____, ____, tap(s) an aquifer limited by an administrative restriction.

Name of administrative area: Comments:

4

B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

- B1. **Based upon available data**, I have determined that <u>groundwater</u>* for the proposed use:
 - a. is over appropriated, is not over appropriated, *or* is cannot be determined to be over appropriated during any period of the proposed use. * This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
 - b. **will not** *or* **will** likely be available in the amounts requested without injury to prior water rights. * This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
 - c. \Box will not or \Box will likely to be available within the capacity of the groundwater resource; or
 - d. 🛛 will, if properly conditioned, avoid injury to existing groundwater rights or to the groundwater resource:
 - i. The permit should contain condition #(s) 7N: "Large Water Use Reporting"
 - ii. \Box The permit should be conditioned as indicated in item 2 below.
 - iii. \Box The permit should contain special condition(s) as indicated in item 3 below;
- B2. a. Condition to allow groundwater production from no deeper than ______ ft. below land surface;
 - b. Condition to allow groundwater production from no shallower than ______ ft. below land surface;
 - c. Condition to allow groundwater production only from the groundwater reservoir between approximately ______ ft. and ______ ft. below land surface;
 - d. **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section.

Describe injury –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc):

B3. Groundwater availability remarks: <u>There are no data that suggest water level declines nearby wells in the target aquifer.</u>

C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. 690-09-040 (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Sandstone	\boxtimes	

Basis for aquifer confinement evaluation: <u>Nearby wells completed to depths greater than 100' report static water levels well</u> above the elevation of the productive water-bearing zone.

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¹/₄ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)		Iydraul Conneo NO A	Potentia Subst. Int Assum YES	erfer.
1	1	Jordan Creek	~4360	4353- 4376	1590	Ø			\boxtimes
				4370					

Basis for aquifer hydraulic connection evaluation: <u>Water level data from nearby wells, regardless of depth, report</u> groundwater elevations coincident with nearby surface water in Jordan Creek. Local confinement is suggested in some nearby wells, but there is no evidence of a laterally continuous confining bed that would preclude vertical movement of groundwater.

Water Availability Basin the well(s) are located within: <u>OWYHEE R > SNAKE R - AT MOUTH</u>

C3a. **690-09-040** (4): Evaluation of stream impacts for <u>each well</u> that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water (SW) source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that SW source, not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked 🖾 box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	1						156.0	\boxtimes	<<25%	\boxtimes

5

C3b. **690-09-040 (4):** Evaluation of stream impacts <u>by total appropriation</u> for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells**. Otherwise same evaluation and limitations apply as in C3a above.

SW #	7	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?

Comments: <u>PSI has been triggered under Division 9 rules, due to the proposed pumping rate being greater than 1% of the minimum 80% exceedance flow for the month of October (see attached water availability table). The interference at 30 days is expected to be much less than 25% of the pumping rate due to the proposed well construction which targets deeper portions of the alluvial sequence.</u>

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-Di	stributed	Wells												
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
		%	%	%	%	%	%	%	%	%	%	%	%	
Well Q	as CFS													
Interfere	ence CFS													
Distrib	uted Well	s												
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
		%	%	%	%	%	%	%	%	%	%	%	0	
Well Q	as CFS													
Interfere	ence CFS													
		%	%	%	%	%	%	%	%	%	%	%	0	
Well Q	as CFS													
Interfere	ence CFS													
$(\mathbf{A}) = \mathbf{Tot}$	tal Interf.													
. ,	% Nat. Q													
	% Nat. Q													
$(\mathbf{D}) = (\mathbf{A})$	$\mathbf{A}) > (\mathbf{C})$	\checkmark	\sim											
(E) = (A /	B) x 100	%	%	%	%	%	%	%	%	%	%	%	%	

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

Basis for impact evaluation: This section does not apply.

C4b. 690-09-040 (5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Water Rights Section.

- C5. If properly conditioned, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water:
 - i. \Box The permit should contain condition #(s)_____
 - ii. \Box The permit should contain special condition(s) as indicated in "Remarks" below;

C6. SW / GW Remarks and Conditions: Potential to Substantially Interfere (PSI) with nearby surface water has been triggered for the proposed use. Based upon the minimum perennial streamflow of 156 cfs, the proposed rate would have to be lower than 1.56 cfs considering the proposed location and well construction in order to avoid a PSI finding. This does not preclude considerations involving depletion of the Scenic Waterway designated for the Owyhee River and its tributaries, including Jordan Creek.

References Used:

Nearby well logs, GWIS water level database.

Walker, G.W., Repenning, C.A., 1966, Reconnaissance geologic map of the west half of the Jordan Valley quadrangle, Malheur County, Oregon, Interpretive Map 457, U.S. Geological Survey, Washington, DC., map scale 1:250,000.

Page


D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #: Logid:	
D2.	THE WELL does not appear to meet current well construction standards based upon: a. □ review of the well log; b. □ field inspection by	;
D3.	THE WELL construction deficiency or other comment is described as follows:	
D4. [Route to the Well Construction and Compliance Section for a review of existing well construction.	


Water Availability Tables

	N	BILITY CALCULATIO	ON THE WATER AVAILA	DETAILED REPORT				
dance Level: 8 ate: 08/12/202		OWYHEE R > SNAKE R - AT MOUTH Basin: OWYHEE						
Ne Ne Wate Availabl	Instream Requirements	Reserved Stream Flow	Expected Stream Flow	Consumptive Use and Storage	Natural Stream Flow	1onth		
	 n ac-ft.	re in cfs. 50% exceedance i	Monthly values a the annual amount at	Storage is				
-450.0	0.00	0.00	-450.00		264.00	JAN		
-533.0	0.00	79.40	-453.00	1,090.00	636.00	FEB		
-1,090.0	0.00	380.00	-709.00	1,440.00	736.00	MAR		
-851.0	0.00	459.00	-392.00	1,750.00	1,360.00	APR		
-1,100.0	0.00	79.20	-1,020.00	2,210.00	1,190.00	MAY		
-1,370.0	0.00	0.00	-1,370.00	1,890.00	518.00	JUN		
-1,200.0	0.00	0.00	-1,200.00	1,500.00	298.00	JUL		
-1,080.0	0.00	0.00	-1,080.00	1,310.00	230.00	AUG		
-705.0	0.00	0.00	-705.00	875.00	170.00	SEP		
-304.0	0.00	0.00	-304.00	460.00	156.00	OCT		
-164.0	0.00	0.00	-164.00	396.00	232.00	NOV		
	0.00	0.00	-266.00	569.00 857.000	303.00 694,000	DEC ANN		
-266.0 45,60	0	60,000	106,000					

Well Location Map



9



Water-Level Measurements in Nearby Wells