

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A

SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **136218**

INVOICE # _____

RECEIVED FROM: *Christensen Farms, LLC*

APPLICATION _____

BY: _____

PERMIT _____

TRANSFER *T-12250*

CASH: CHECK: # *9868* OTHER: (IDENTIFY)

TOTAL REC'D \$ *230.00*

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$ _____

OTHER: (IDENTIFY) _____ \$ _____

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES *46111* \$ _____

0410 RESEARCH FEES \$ _____

0408 MISC REVENUE: (IDENTIFY) _____ \$ _____

TC162 DEPOSIT LIAB. (IDENTIFY) _____ \$ _____

0240 EXTENSION OF TIME \$ _____

WATER RIGHTS:

0201 SURFACE WATER

EXAM FEE
\$ _____

 0202 \$ _____

0203 GROUND WATER

EXAM FEE
\$ _____

 0204 \$ _____

0205 TRANSFER

EXAM FEE
\$ _____

 \$ _____

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR

EXAM FEE
\$ _____

 0219 \$ _____

LANDOWNER'S PERMIT 0220 \$ _____

D200 OTHER (IDENTIFY) *COBU* \$ *230.00*

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ _____ CARD# _____

0210 MONITORING WELLS \$ _____ CARD# _____

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD) \$ _____

0231 HYDRO LICENSE FEE (FW/WRD) \$ _____

HYDRO APPLICATION \$ _____

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$ _____

RECEIPT: **136218**

DATED: *8-20-2002* BY: *[Signature]*

Checklist for Claims of Beneficial Use Received at CSG Counter

Application #:	WRD Reviewer: Judy
Transfer #: T-12250	
Date Received: 08/20/2021	
CWRE Name: Colleen C Brehm	
Priority Date (s): 06-25-1971	

Fees Required:

- YES NO A fee of \$230 must accompany this form for permits with priority dates of July 9, 1987, or later.
- YES NO A fee of \$230 must accompany this form for any transfers including a water right with a priority date of July 9, 1987, or later.
 Example – A transfer involves 5 rights and one of the rights has a priority date of July 9, 1987, or later, the fee is required.

Fill in App or Transfer Number

Map Review:

- Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b))
- Application & permit #; or transfer # (OAR 690-014-0100(1))
- Disclaimer (OAR 690-014-0170(5))
- North arrow (OAR 690-310-0050(2)(c))
- CWRE stamp and signature (OAR 690-014 & 310-0050)
- Appropriate scale (1" = 1320', 1" = 400', or the original full-size scale of the county assessor map) (014 & 310)
- Township, range, section, and tax lot numbers (OAR 690-310-0050(4))

MONEY SLIP

DATE: _____ RECEIPT #: _____

RECEIVED FROM: _____ APPLICATION: _____
 PERMIT: _____
 TRANSFER: _____

0204 CHECK # _____ OTHER (IDENTIFY) _____ TOTAL REC'D \$ _____

WRD TREASURY 4176 MERC CASH ACCT _____ \$ _____

0407 CORNER _____ \$ _____
 OTHER (IDENTIFY) _____ \$ _____

0243 Instream License _____ 0244 Min Water Right Plan _____ 0245 Cont Water _____

WRD TREASURY 4270 WRD OPERATING ACCT _____ \$ _____

MISCELLANEOUS

0407 COPY & TARI FEES 4611 \$ _____

0410 RESEARCH FEES \$ _____

0408 MERC TRAVEL IDENTIFY \$ _____

1C162 DEPOSIT (LMS IDENTIFY) \$ _____

0240 EXTENSION OF TIME \$ _____

WATER RIGHTS

0201 SURFACE WATER \$ _____ EXAM FEE \$ _____ RECORD # _____

0202 GROUND WATER \$ _____ \$ _____

0205 TRANSFER \$ _____

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTION \$ _____ EXAM FEE \$ _____ RECORD FEE \$ _____

LANDOWNER'S FORFEIT \$ _____

OTHER (IDENTIFY) COBU \$ 2200.00

WRD TREASURY 0487 HYDROELECTRIC _____ \$ _____

0275 POWER LICENSE FEE (PWRD) \$ _____

0276 HYDRO LICENSE FEE (PWRD) \$ _____

HYDRO APPLICATION \$ _____

SPECIAL INSTRUCTIONS:

RETURN TO APPLICANT - LETTER ATTACHED

Report Review:

- On form provided by the Department (OAR 690-014-0100(1))
- Application & permit #; or transfer # (OAR 690-014)
- Ownership information (OAR 690-014)
- Date of survey (OAR 690-014)
- Person interviewed (OAR 690-014)
- County (OAR 690-014)
- CWRE stamp and signature (OAR 690-014-0100)
- Signature(s) of all permittee of transfer holder (OAR 690-014-0100)

Groundwater File Review:

- Pump Test not required (Priority Date prior to December 20, 1988) *If no, include pump test flyer w/acknowledgment letter
- Pump Test required (Priority Date on or after December 20, 1988)
- Pump Test submitted
- Pump Test not submitted

**CLAIM OF
BENEFICIAL USE
for Transfer with Multiple
Changes – Surface Water and
Groundwater**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

JUL 27 2021

A fee of \$200 must accompany this form for any Transfer final orders including a water right with a priority date of July 9, 1987, or later. **OWRD**

Example – A transfer involves 5 rights and one of the rights has a priority date of July 9, 1987, or later, the fee is required.

A separate form shall be completed for each transfer.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at: <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 7" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

RECEIVED

AUG 20 2021

SECTION 1

GENERAL INFORMATION

Type of Authorized Change

This Claim is being submitted for a transfer involving multiple changes. **YES** **OWRD**

Mark all that apply:

- | | |
|--|--|
| 1. <input checked="" type="checkbox"/> Change in POD(s) or Additional POD(s) | 4. <input type="checkbox"/> Change in Character of Use |
| 2. <input type="checkbox"/> Change in POA(s) or Additional POA(s) | 5. <input type="checkbox"/> Change in Character of Use – Reservoir |
| 3. <input checked="" type="checkbox"/> Change in Place of Use | |

A separate section will be completed for each type of change authorized in the transfer final order.

RECEIVED

AUG 20 2021

OWRD

RECEIVED

JUL 27 2021

OWRD

1. File Information

APPLICATION # T-12250

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME ZACH CHRISTENSEN		PHONE NO. (503) 550-3576	ADDITIONAL CONTACT NO.
ADDRESS 16201 SW CHRISTENSEN RD			
CITY MCMINNVILLE	STATE OR	ZIP 97128	E-MAIL ZACH@HAZELWOODORCHARDS.COM

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. **Each** transfer holder of record must sign this form.

3. Transfer holder of record (this may, or may not, be the current property owner)

TRANSFER HOLDER OF RECORD CURRENT PROPERTY OWNER		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection:

SEPTEMBER 23, 2020

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
ZACH CHRISTENSEN	9/23/2020	OWNER

6. County:

YAMHILL

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD N/A		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

RECEIVED

RECEIVED

AUG 20 2021

JUL 27 2021

SECTION 2
SIGNATURES

OWRD

OWRD

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME COLLEEN C. BREHM		PHONE No. (262)347-7309	ADDITIONAL CONTACT No. (503) 227-5979
ADDRESS 1020 SW TAYLOR STREET, SUITE 380			
CITY PORTLAND	STATE OR	ZIP 97205	E-MAIL COLLEEN@WATWAYS.COM

Transfer Holder of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	ZACH CHRISTENSEN	OWNER	07/15/2020

SECTION 3
Changes Made

OWRD

OWRD

Note: The Claim only needs to describe the changes that were authorized in the transfer final order.

Change #1

New or Additional Point of Diversion

Change in POD(s) or Additional POD(s)

Did the transfer order authorize a change in the points of diversion or additional points of diversion? **YES**

If "NO", this Section can be deleted.

1. New or additional point of diversion name or number:

POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP)	SOURCE
POD 1	YAMHILL RIVER

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, or extension final? **NO**

If yes, describe below.

(e.g. "The order allowed three new/additional points of diversion. The water user only developed one of the points.")

3. Claim Summary:

NEW OR ADDITIONAL POD NAME OR #	MAXIMUM RATE AUTHORIZED IN ORDER	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED
POD 1	0.18 CFS	0.31	N/A*

*System not on at time of site inspection

System Description

Are there multiple new or additional Points of Diversion (POD)? **NO**

If "YES" you will need to copy and complete Sections A, B, or C in this Section for each POD.

POD Name or Number this section describes (only needed if there is more than one):

A. POD System Information

Provide the following information concerning the point of diversion. Information provided must describe the equipment used to appropriate water from the point of diversion.

1. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Cornell Pump Co.	1 ¼ Y 10-2	34312 7%	Centrifugal	1.5"	2"

2. Motor Information

MANUFACTURER	HORSEPOWER
General Electric	10 HP

3. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
10 HP	80-100	12-15 feet	-2 feet	0.31

4. Provide pump calculations:

$$Q \text{ Pump} = \frac{(\text{horsepower})(\text{pump efficiency})}{(\text{total head in feet})} = \frac{(10)(6.61)}{13 + 203.2} = \frac{66.1}{216.2} = 0.31 \text{ cfs}$$

Horsepower = 10 HP

Pump efficiency = 6.61 for centrifugal pump at 75% eff.

Total head = 15 feet of lift from source to pump + (-2 feet) of lift from pump to place of use + 203.2 feet of pressure head when pump operates at 80 psi

Sprinkler Capacity

3/16th nozzles – spaced 40' and 30' apart (at end of each length of pipe)

155 x 30 ft lengths of handlines, 20 x 40 ft lengths

175 total nozzles, using 7.8 coefficient (based on OWRD sprinkler capacity chart for 60 psi)

175*7.8 = 1,365 gpm = 3.04 cfs

0.31 cfs pump capacity limits system

5. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
N/A*			

*Not on at time of site inspection

Reminder: For pump calculations use the reference information at the end of this document.

AUG 20 2021

OWRD

NO

RECEIVED

JUL 27 2021

OWRD

NO

B. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the diversion involve a gravity flow pipe?

If "NO", items 2 through 4 relating to this section may be deleted.

C. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Does the diversion involve a gravity flow ditch or canal?

If "NO", items 2 through 4 relating to this section may be deleted.

D. Additional notes or comments related to the system:

N/A

Change #2

Change in POA(s) or Additional POA(s)

Did the transfer order authorize a change in the points of appropriation or additional points of appropriation?

NO

If "NO", this Section can be deleted.

Change #3

Change in Place of Use

Did the transfer order authorize a change in the place of use?

YES

If "NO", this Section can be deleted.

1. Claim Summary – Authorized Use:

If Irrigation or Nursery Use:

THE # OF ACRES ALLOWED	THE # OF ACRES DEVELOPED
26.5	26.5

If the new use(s) was not irrigation or nursery:

NEW USE(S)	WAS THE NEW PLACE OF USE DEVELOPED TO THE FULL EXTENT AUTHORIZED UNDER THE ORDER? (INCLUDE THE LOCATION OF THE DEVELOPED PLACE USE ON THE CLAIM MAP)
N/A	N/A

2. Variations:

Was the use developed differently from what was authorized by the transfer final order?

NO

If yes, describe below.

(e.g. "The order authorized a change in place of use for 40 acres. The water user only developed 38 acres.")

RECEIVED

JUL 27 2021

OWRD

RECEIVED

AUG 20 2021

OWRD

Change #4

Change in Character of Use

Did the transfer order authorize a change in character of use?

If "NO", this Section can be deleted.

RECEIVED

JUL 27 2021

NO

OWRD

RECEIVED

AUG 20 2021

OWRD

Change #5

Change in Character of Use – Reservoir

Did the transfer order authorize a change in character of use for a reservoir?

If "NO", this Section can be deleted.

NO

SECTION 4

CONDITIONS

OWRD

OWRD

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE AUTHORIZED CHANGES WERE COMPLETED *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE"
ISSUANCE DATE	8/14/2018	
COMPLETENESS DATE FROM ORDER (C)	10/1/2020	06/30/2020

* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)?

YES

If "NO", you may delete the following table.

If for a transfer extension order, provide the following information:

VOLUME	PAGE	DATE EXTENDED TO
114	33	10/1/2020

3. Measurement Conditions:

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device?

NO

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of appropriation.

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

NO

If "NO", item b relating to this section may be deleted.

5. Fish Screening

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion?

YES

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed?

YES

c. When was the fish screening installed?

DATE	BY WHOM
June 2020	Christensen Farms, LLC

Reminder: If the permit or transfer final order was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

d. If the diversion involves a pump and the total diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:

- Has the self-certification form previously been submitted to the Department? **NA**

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>, complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does not involve a pump or the total diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted?

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? **NO**

If "NO", items b and c relating to this section may be deleted.

7. Other conditions required by the transfer final order or extension final order:

- a. Were there special well construction standards? **NO**
- b. Was submittal of a ground water monitoring plan required? **NO**
- c. Other conditions? **NO**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

N/A

RECEIVED

JUL 27 2021

SECTION 5
ATTACHMENTS

OWRD

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Figure 1	Claim Map
ODFW Approval	ODFW Fish Screen Approval Letter

RECEIVED

AUG 20 2021

OWRD

JUL 27 2021

OWRD

SECTION 6

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on polyester film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

The changes that were authorized under the transfer final order must be mapped based on the developed locations; new or additional points of appropriation and place of use.

In cases where the order involved additional points of appropriation, the additional points should be mapped based on their developed locations. The original points of appropriation should be mapped based on the original right of record at the time the transfer final order was issued.

In cases where the order involved changing the place of use for a portion of a water right, the portion of the place of use being changed should be mapped based on the developed location. If the transfer also included portions of the place of use that were not being modified, but were receiving a new or additional point of appropriation, the place of use for those lands should be mapped based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

A GPS point was taken during site inspection for the Point of Diversion (POD) using a handheld GPS unit. The GPS point is as follows: N 45°05.391' W123°20.503'. This point was then input into the Claim Map and the fields (Place of Use) were tied using an aerial photo sourced from the USGS website on 07/13/2020. The aerial NAIP ID is m_4512362_nw_10_060_20200713.

RECEIVED

AUG 20 2021

OWRD

RECEIVED

JUL 27 2021

OWRD

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.
(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots
- If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- NA** Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers
- Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature

RECEIVED

AUG 20 2021

OWRD



Oregon

Kate Brown., Governor

Department of Fish and Wildlife
The Dalles Screen Shop
3561 Klindt Drive
The Dalles, OR 97058
(541) 296-8026
FAX (541) 296-7889
odfw.com

RECEIVED

JUL 27 2021

OWRD

RECEIVED

AUG 20 2021

OWRD



March 30, 2020

Christensen Farms, LLC
Attn: Zach Christensen
17215 SW Christensen Rd
McMinnville, OR 97128

RE: OWRD Transfer Application T-12250

To Whom It May Concern,

This letter is in regards to fish screening and passage requirements set forth in Oregon Water Resources Department Transfer Application T-12250, which approves a change in point of diversion on the South Yamhill River, approximately 2.5 miles east of Sheridan, OR.

Christensen Farms, LLC worked with the Oregon Department of Fish and Wildlife (ODFW) to install a Sure Flo SCS4 at the new point of diversion. This screen meets National Marine Fisheries Service (NMFS) fish screening criteria up to 259 gpm, or 0.58 cfs. With the proper use, care, and maintenance of this screen, fish screening requirements are satisfied for T-12250.

If you have any questions in regards to this letter, please contact me at 541-296-8026.

Sincerely,

Hilary A. Doulos
Fish Screen and Passage Coordinator

QACI
1987-1988
1989-1990
1991-1992

QACI
1987-1988
RECEIVED



Oregon
Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

September 08, 2021

Zach Christensen
16201 SW Christensen Rd
McMinnville OR 97128

On August 20, 2021 the Water Resources Department received the Claim of Beneficial Use (COBU) for the following file(s):

Application T-12250 S

The COBU included a report and map. The Department hopes to review your submittal within approximately 2 - 4 years. At that time, we will review these items and provide a final certificate, proposed certificate, or a request for additional information.

If you are interested in having your COBU reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at:

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/Certificate.aspx>

Customer Service phone: (503) 986-0900

Enclosed is your receipt for the \$230.00 COBU recording fee

If you sell the property, please contact the Department, or have the new owners contact the Department about the need to file an assignment.

Cc: file T-12250
Colleen C. Brehm, CWRE