

**CLAIM OF
BENEFICIAL USE
for Surface Water Permits
claiming more than 0.1 cfs**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

AUG 30 2021

OWRD

**A fee of \$200 must accompany this form for permits
with priority dates of July 9, 1987, or later.**

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Go to "Resources for Water Right Examiners (CWRE)" Page

<https://www.oregon.gov/OWRD/programs/WaterRights/COBU/Pages/default.aspx>

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. **Every item must have a response.** If any requested information does not apply to the claim, insert "NA." **Do not delete or alter any section of this form unless directed by the form.** The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see

<https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx>

SECTION 1

GENERAL INFORMATION

1. File Information:

APPLICATION # S-88199	PERMIT # S-54998	PERMIT AMENDMENT # T-
---------------------------------	----------------------------	---------------------------------

2. Property Owner (current owner information):

APPLICANT/BUSINESS NAME HASSINGER FARMS LLC		PHONE NO. 541-786-5685	ADDITIONAL CONTACT NO.
ADDRESS 68011 LOWER COVE RD			
CITY COVE	STATE OR	ZIP 97824	E-MAIL jedhassinger@hotmail.com

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each permit holder of record must sign this form.***

3. Permit or holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD HASSINGER FARMS LLC			
ADDRESS 68011 LOWER COVE RD			
CITY COVE	STATE OR	ZIP 97824	RECEIVED AUG 30 2021

ADDITIONAL PERMIT HOLDER OF RECORD			OWRD
ADDRESS			
CITY	STATE	ZIP	

4. Date of Site Inspection:

June 3, 2021/July 21, 2021

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Jed Hassinger	June 3, 2021	Permit Holder

6. County:

UNON

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD			
ADDRESS			
CITY	STATE	ZIP	

Add additional tables for owners of record as needed

SECTION 2 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



RECEIVED
AUG 30 2021
OWRD

CWRE NAME JEFFREY S. HSU	PHONE NO. 541-963-6092	ADDITIONAL CONTACT NO.
ADDRESS 2006 ADAMS AVE.		
CITY LA GRANDE	STATE OR	ZIP 97850
E-MAIL jeff@bgbsurveyors.com		

Permit Holder of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Jed Hassinger	Member	08/25/2021

SECTION 3

CLAIM DESCRIPTION

1. Point of diversion name or number:

POINT OF DIVERSION (POD) NAME OR NUMBER (CORRESPOND TO MAP)
POD#1
POD#4

RECEIVED

AUG 30 2021

OWRD

2. Point of diversion source and tributary:

POD NAME OR NUMBER	SOURCE	TRIBUTARY
POD#1	ELMER'S RESERVOIR #1	GRANDE RONDE RIVER
POD#4	ELMER'S RESERVOIR #4	GRANDE RONDE RIVER

3. Developed use(s), period of use, and rate for each use:

POD NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
POD#1	IRRIGATION	MINT, GRASS SEED	MARCH-OCTOBER	1.80 CFS
POD#4	IRRIGATION	MINT, GRASS SEED	MARCH-OCTOBER	1.85 CFS
Total Quantity of Water Used				

4. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion to the place of use:

Water is pumped out of Reservoir #4 (POD#4) through a 10" mainline, and tees into POD#1. POD#1 draws water from Reservoir #1. From there it is piped via 8" mainline to place of use. Valves can be regulated so water can be used from either Reservoir # 1 or #4. A datalogger is installed on POD#1 so that meter can identify the source of water.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

5. Variations:

Was the use developed differently from what was authorized by the permit, or permit amendment final order? If yes, describe below.

YES NO

(e.g. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

Permit included a POD on Elmer's Reservoir #2. This was determined to be unnecessary to fully develop this area.

6. Claim Summary:

POD NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
POD#1	n/a	3.93 cfs	1.80 cfs	Irrigation	71.8	71.8
POD#2	n/a	5.85 cfs	1.85 cfs	Irrigation	71.8	71.8

RECEIVED

AUG 30 2021

OWRD

SECTION 4 SYSTEM DESCRIPTION

Are there multiple PODs?

YES NO

If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

RECEIVED

AUG 30 2021

POD#1

OWRD

A. Place of Use

1. Is the right for municipal use?

YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
2S	39E	WM	25	NW1/4 NE1/4			IRRIGATION	38.2	38.2
2S	39	WM	25	SW1/4 NE1/4			IRRIGATION	33.6	33.6
Total Acres Irrigated								71.8	71.8

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLOT), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLOT, and QQ.

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
PREFERRED	TAK-13MC- LW8-3	82170070	TURBINE	8"	8"

3. Motor Information:

MANUFACTURER	HORSEPOWER
US MOTORS	75 HP

4. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
75	45	20	0	3.93

5. Provide pump calculations:

$$(75 \text{ HP})(7.04)/(20 \text{ FT} + ((45 \text{ PSI}/0.433)*1.1) = 3.93$$

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
527,100	527,100	INSTANTANEOUS	1.80 cfs

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 13 may be deleted.

8. Mainline Information:

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
10"	2100 FT	STEEL	BURIED-POD#4 to POD#1
8"	2820 FT	STEEL	BURIED

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
4 IN	5140	STEEL	ABOVE GROUND

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
3/16	45	6.8	128	128	1.94

Reminder: For sprinkler output determination use the reference information at the end of this document.

RECEIVED

AUG 30 2021

OWRD

11. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)

12. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION

13. Pivot Information:

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)

C. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

RECEIVED

AUG 30 2021

YES NO
YES NO

Complete appropriate table(s), unused table may be deleted.

OWRD

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
ELMER'S RESERVOIR#4	UNKNOWN	107
ELMER'S RESERVOIR#1	UNKNOWN	123

D. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

E. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

F. Additional notes or comments related to the system:

RECEIVED

AUG 30 2021

OWRD

SECTION 5 CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or permit extension of time:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	6/28/2016		
BEGIN CONSTRUCTION (A)			
COMPLETE CONSTRUCTION (B)		June 2017	Pump, flowmeter, fish screening installed
COMPLETE APPLICATION OF WATER (C)	6/28/2021	June 2017	Beneficial use of water made

* MUST BE WITHIN PERIOD BETWEEN PERMIT OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

YES NO

3. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

YES NO

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

b. Has a meter been installed?

YES NO

c. Meter Information

POD NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
POD#1	LINDSAY	GT16081007	WORKING	527,100	07/2017
POD#4	SEAMETRICS	0911486	WORKING	726.0	2012

If a meter has been installed, items d through f relating to this section may be deleted.

4. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department?

YES NO

If "NO", item b relating to this section may be deleted.

b. Have the reports been submitted?

YES NO

If the reports have not been submitted, attach a copy of the reports if available.

5. Fish Screening:

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion?

YES NO

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed?

YES NO

c. When was the fish screening installed?

DATE	BY WHOM
<u>June 2017</u>	<u>Jed Hassinger</u>
<u>1995</u>	<u>PGG</u>

Reminder: If the permit was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

RECEIVED

AUG 30 2021

OWRD

d. If the diversion **involves a pump** and the **total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:

- Has the self-certification form previously been submitted to the Department? **NA YES NO**

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx> complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does **not involve a pump** or the **total** diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? **NA YES NO**

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at:

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices:

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion? **YES NO**

If "NO", items b and c relating to this section may be deleted.

Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Have by-pass devices been installed? **YES NO**

c. Describe the diversion works as related to whether a by-pass device is installed or unnecessary:

(Provide a letter from ODFW indicating the device is approved or is unnecessary. If there is no letter from ODFW, explain whether or not a by-pass device is necessary.)

DESCRIPTION (E.G. "ODFW HAS APPROVED THE BY-PASS DEVICE" OR "NO BY-PASS DEVICE IS NECESSARY BECAUSE THERE IS A DIRECT DIVERSION FROM THE STREAM VIA A PUMP ON RIVER LEFT STREAM BANK WITH FOOT VALVE DESCENDING DIRECTLY INTO NATURAL POOL.") IN ADDITION, YOU MAY ATTACH PHOTOS TO THIS CLAIM.	IF INSTALLED (DATE)	IF INSTALLED, BY WHOM

RECEIVED

AUG 30 2021

OWRD

7. Other conditions required by permit, permit amendment final order, or extension final order:

- a. Was the water user required to restore the riparian area if it was disturbed? **YES** **NO**
- b. Was a fishway required? **YES** **NO**
- c. Was submittal of a water management and conservation plan required? **YES** **NO**
- d. Other conditions? **YES** **NO**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

Riparian area was not visibly disturbed at time of inspection.

RECEIVED

AUG 30 2021

**SECTION 6
ATTACHMENTS**

Provide a list of any additional documents you are attaching to this report:

OWRD

ATTACHMENT NAME	DESCRIPTION
ODFW Fish Screen Inspection	ODFW Fish Screen Inspection

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

POD's and flowmeters were tied with RTK GPS and the distance to a section corner based on Section Corner as per Union County GPS network. Length of pipes from POD#1 was measured by GPS. Pipe from POD#4 to Reservoir#1 was based on information provided by applicant. Areas determined by aerial photo.

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- ☐ Map on polyester film
- ☐ Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- ☐ Township, Range, Section, Donation Land Claims, and Government Lots
- ☐ If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- ☐ Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- ☐ Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
- ☐ Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- ☐ Point(s) of diversion or appropriation (illustrated and coordinates)
- ☐ Tax lot boundaries and numbers
- ☐ Source illustrated if surface water
- ☐ Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- ☐ Application and permit number or transfer number
- ☐ North arrow
- ☐ Legend
- ☐ CWRE stamp and signature

SECTION 4

SYSTEM DESCRIPTION

Are there multiple PODs?

YES NO

If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

POD#4

RECEIVED

AUG 30 2021

OWRD

A. Place of Use

1. Is the right for municipal use?

YES NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
2S	39E	WM	25	NW1/4 NE1/4			IRRIGATION	38.2	38.2
2S	39	WM	25	SW1/4 NE1/4			IRRIGATION	33.6	33.6
Total Acres Irrigated								71.8	71.8

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLOT), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLOT, and QQ.

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion to the place of use.

1. Is a pump used?

YES NO

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
BERKELEY	Unknown	Unknown	TURBINE	10"	10"

3. Motor Information:

MANUFACTURER	HORSEPOWER
GE 5K6277XH2A	150 HP

4. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
150	45	15	0	5.85

5. Provide pump calculations:

$(150 \text{ HP})(7.04)/(15 \text{ FT} + ((45 \text{ PSI}/0.433)*1.1) = 5.85$

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
726.0	726.0	INSTANTANEOUS	1.85 cfs

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 13 may be deleted.

8. Mainline Information:

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
10"	2100 FT	STEEL	BURIED

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)

12. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION

13. Pivot Information:

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)

C. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES NO

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

RECEIVED

AUG 30 2021

YES NO

YES NO

Complete appropriate table(s), unused table may be deleted.

OWRD

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
ELMER'S RESERVOIR#4	UNKNOWN	107

D. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

E. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

YES NO

If "NO", items 2 through 4 relating to this section may be deleted.

RECEIVED

AUG 30 2021

OWRD



Oregon Department of Fish and Wildlife
Oregon Water Resources Department

Fish Screen Inspection Form

Applicant

Name: Hassenger Farms LLC	Phone: 541-786-5685
Applicant: Jed Hassenger	E-mail: jedhassenger@hotmail.com
Application Number: S-88199	Water Right Permit Number:
Water Right Amount (cfs): 4.02 CFS 1800 GPM	

Diversion

Stream: Grande Ronde River	Tributary to: Snake River
Address (if different from applicant):	Gravity Type (gravity or pump): Pump
Location: T2, R40,	GPS Coordinates (UTM): 45.36833N, 117.86305 E
SATS:	

Pump Information

Brand: Berkley	Horsepower: 150	Intake Size: 8"
----------------	-----------------	-----------------

Screen Information

Type/Brand: Clemons 3000	Installed By: PGG
Date Installed: 1995	Date of Inspection: 3/9/2021
Inspected by: Chuck Simpson	Agency: Oregon Dept of Fish & Wildlife
Comments:	

- ☒ Screen meets current state criteria for fish protection
- ☐ Screen does not meet current state criteria for fish protection
- ☐ Another screen inspection should be done before water use begins
- ☐ Fish passage meets current criteria
- ☐ Fish passage does not meet current criteria
- ☐ Fish passage not required
- ☐ Another fish passage inspection should be completed before water use begins
- ☐ Bypass structure meets current state criteria
- ☐ Bypass structure does not meet current state criteria
- ☐ Bypass structure not required

RECEIVED

AUG 30 2021

OWRD



**Oregon Department of Fish and Wildlife
Oregon Water Resources Department**

Fish Screen Inspection Form

Applicant

Name: Hassenger Farms LLC	Phone: 541-786-5685
Applicant: Jed Hassenger	E-mail: jedhassenger@hotmail.com
Application Number: S-88199	Water Right Permit Number:
Water Right Amount (cfs): 2.68 CFS 1200 GPM	

Diversion

Stream: Grande Ronde Slough	Tributary to: Snake River
Address (if different from applicant):	Gravity Type (gravity or pump): Pump
Location: T2, R40,	GPS Coordinates (UTM): 45.36583N, 117.86999 E
SATS:	

Pump Information

Brand: US Motors	Horsepower:	Intake Size: 6"
------------------	-------------	-----------------

Screen Information

Type/Brand: Clemons 2000	Installed By: Jed & Seth Hassenger
Date Installed: 2017	Date of Inspection: 3/9/2021
Inspected by: Chuck Simpson	Agency: Oregon Dept of Fish & Wildlife
Comments:	

- ☒ Screen meets current state criteria for fish protection
- ☐ Screen does not meet current state criteria for fish protection
- ☐ Another screen inspection should be done before water use begins
- ☐ Fish passage meets current criteria
- ☐ Fish passage does not meet current criteria
- ☐ Fish passage not required
- ☐ Another fish passage inspection should be completed before water use begins
- ☐ Bypass structure meets current state criteria
- ☐ Bypass structure does not meet current state criteria
- ☐ Bypass structure not required

RECEIVED

SEP 13 2021

OWRD

9/10/21

Oregon Water Resources Department

C/O Codi Holmes

725 Summer Street NE, Suite A

Salem, OR. 97301-1266

Dear Codi,

Please find attached the additional fee of \$30.00 for Hassinger Farms LLC claim of beneficial use, application S-88199, Permit S-54998.

SINCERELY,

JED HASSINGER