

# Certificate of Water Right Ownership Update

*uces				
NOTICE	TO SELLERS & BUYERS	S:		
By law, all water belongs to the public (Ole certificate from the Water Resources Depart 537.130). However, most domestic wells do a land. In order to keep track of water right own Department. <i>If for multiple rights, a separate</i>	not require water rights. A centership, the Department reque	ertificate of wests that this f	ater right stays with the	
Water that has been used for a long time in or exists is no guarantee that there is a water righ				OWRD
If you have any questions about this form or call the Water Resources Department at 503-9	86-0900.			
Note: Please type or print legibly when filling	in the following information.	Use addition	al paper if necessary.	
PROPERT	Y SELLER INFORMATION	ON		
Applicant(s): Legacy Ranches LLC				
Mailing Address: PO Box 464 First		Last		
Prineville	Oregon	977	754	
City Phone:	541-419-1027		Zip	
Home	Work	L 10,77	Other	
PROPER	TY BUYER INFORMATIO	ON		
Applicant(s): Full Health LLC	c/o Martha P	agel		
Mailing Address: Schwabe Williamson	& Wyatt, 530 Center S	St NE, Ste	400	
Salem	OR	973		
City Phone:	State 503-540-4260		Zip	
Home	Work	-	Other	
PROPERTY DESCRIP	FION (attach additional pag	ges if necessa	ry):	
County: Crook Township: 14	South Range: 14 E	ast	Section: 33 and 34	
Tax Lot Number(s): 1800 and 1802				<del>-</del>
Street address of water right property: $16800$				
Water Right Information (attach copy of water to	156 A 1	al proof map):		
Application #: G-14365 Permit #	t: G-13237 Cer	rtificate or Pa	ge #: <u>85995</u>	-
Will all the lands associated with this water ri	ight be owned by the buyer?	€ Yes ←	No	
Name of individual completing this form: Chad Feigel Ph			one: (312) 930-90	-

Please be sure to attach a copy of your property deed or legal description of the property.

\_ Date: \_ 5/17/17

# **EXHIBIT A - Tax Lots**

# DEC 07 2020 OWRD

14S14E00000 1	800	864.87ac.
14S14E00000 1	802	10.00ac
15S14E000000	201	170.13ac.
15S14E000000	203	9.54ac.
15S14E000000	204	156.92ac.
15S14E000000	205	81.08ac.
15S14E000000	206	159.92ac.
15S14E000000	207	162.92ac.
15S14E000000	208	166.18ac.
15S14E000000	209	105.93ac.
15S14E000000	210	105.93ac.
15S14E000000	211	81.04ac.
15S14E000000	212	1.29ac.
15S14E000000	213	1.31ac.

Total:

2,077.06ac.

# EXHIBIT B – Property Description

OWRD

Located in Crook County, Oregon:

### TRACTI

Parcels 1 and 3 of Partition Plat No. 1999-31 Recorded December 17, 1999, in Partitions Microfilm No. 152743, Records of Crook County, Oregon, Located in a portion of the NW1/4 and the SW1/4 of Section 4, Government Lot 1, the SE1/4NE1/4 and the E1/2SE1/4 of Section 5 and the NW 1/4 of Section 9, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon.

### **EXCEPTING THEREFROM THE ABOVE TRACTS:**

A parcel of land located in the Northwest 1/4 of Section 9, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon, more particularly described as follows:

Beginning at a point lying North 48°01'25" East, a distance of 1542.23 feet, from the 1/4 corner common to Sections 8 & 9, Township 15 South, Range 14 East of the Willamette Meridian, Crook County Oregon, marked by an iron rod with a 2" diameter aluminum cap stamped CROOK COUNTY SURVEYOR; S8 S9 T15S R14E//S2/S3 T15S; LS 1026; 1994; Thence, North 73°37'53" East, a distance of 340.67 feet, to a point; Thence, North 32°08'11" West, a distance of 195.52 feet, to a point;

Thence, South 65°40'32" West, a distance of 334.07 feet, to a point; Thence, South 35°26'19' East, a distance of 53.74 feet, to a point of tangency with a curve to the right, having a radius of 825.00 feet; Thence, along said curve through a central angle of 6°34'49", an arc distance of 94.75 feet (the long chord of which bears South 32°08'55" East, a distance of 94.70 feet), to the Point of Beginning.

A parcel of land located in the Northwest ¼ of Section 9, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon, more particularly described as follows:

Beginning at a point lying North 48°01'25" East, a distance of 1542.23 feet, from the 1/4 corner common to Sections 8 & 9, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon, marked by an iron rod with a 2" diameter aluminum cap stamped CROOK COUNTY SURVEYOR; S8/S9 T15S R14E // S2/S3; T15S; LS 1026; 1994; Thence, North 73°37'53" East, a distance of 340.67 feet, to a point; Thence, South 35°51'42" East, a distance of 24.38 feet, to a point;

Thence, South 6°20'37" East, a distance of 156.14 feet, to a point; Thence, South 73°37'53" West, a distance of 297.61 feet, to a point; Thence, North 22°27'16" West, a distance of 86.27 feet, to a point of tangency with a curve to the left, having a radius of 825.00 feet; Thence, along said curve through a central angle of 6°24'14", an arc distance of 92.21 feet (the long chord of which bears North 25°39'23" West, a distance of 92.16 feet), to the Point of Beginning.

### TRACT II

Parcels 1 and 2 of Partition Plat No. 2000-22, Recorded June 30, 2000 in Partitions Microfilm No. 156385, Records of Crook County, Oregon, Located in the W1/2W1/2 of Section 3, in Section 4, and in the NE1/4 of Section 9, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon.

### TRACT III

Parcels 1 and 2 of Partition Plat No. 2001-21, Recorded June 29, 2001 in Partitions Microfilm No. 163559, Records of Crook County, Oregon, Located in the SW1/4 of Section 4 and in the E1/2SE1/4 of Section 5, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon.

### TRACT IV

Parcels 1 and 2 of Partition Plat No. 2001-23, Recorded June 29, 2001 in Partitions Microfilm No. 163587, Records of Crook County, Oregon, Located in Section 4, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon.

## TRACT V

Parcel 3 of Partition Plat No. 2001-23, Recorded June 29, 2001 in Partitions MF No. 163587, Records of Crook County, Oregon, Located in the W1/2W1/2 of Section 3, in Section 4, in the NE1/4 of Section 9 and in the SW1/4NW1/4 of Section 10, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon.

### TRACT VI

Parcel 3 of Partition Plat No. 2001-39, Recorded December 11, 2001 in Partitions MF No. 167111, Records of

Crook County, Oregon, Located in Section 33 and a portion of Section 34, Township 14 South, Range 14 East of OWRD the Willamette Meridian, Crook County, Oregon.

### TRACT VII

In Township 14 South, Range 14 East of the Willamette Meridian, Crook County, Oregon: Section 34: The SW1/4 of the NW1/4 of the NW1/4.

### TRACT VIII

A parcel of land located in the Northwest 1/4 of Section 9, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon, more particularly described as follows:

Beginning at a point lying North 48°01'25" East, a distance of 1542.23 feet, from the 1/4 corner common to Sections 8 & 9, Township 15 South, Range 14 East of the Willamette Meridian, Crook County Oregon, marked by an iron rod with a 2" diameter aluminum cap stamped CROOK COUNTY SURVEYOR; S8/S9 T15S R14E//S2/S3 T15S; LS 1026; 1994; Thence, North 73°37'53" East, a distance of 340.67 feet, to a point; Thence, North 32°08'11" West, a distance of 195.52 feet, to a point;

Thence, South 65°40'32" West, a distance of 334.07 feet, to a point; Thence, South 35°26'19' East, a distance of 53.74 feet, to a point of tangency with a curve to the right, having a radius of 825.00 feet;

Thence, along said curve through a central angle of 6°34'49", an arc distance of 94.75 feet (the long chord of which bears South 32°08'55" East, a distance of 94.70 feet), to the Point of Beginning.

### TRACT IX

A parcel of land located in the Northwest 1/4 of Section 9, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon, more particularly described as follows:

Beginning at a point lying North 48°01'25" East, a distance of 1542.23 feet, from the 1/4 corner common to Sections 8 & 9, Township 15 South, Range 14 East of the Willamette Meridian, Crook County, Oregon, marked by an iron rod with a 2" diameter aluminum cap stamped CROOK COUNTY SURVEYOR; S8/S9 T15S R14E // S2/S3; T15S; LS 1026; 1994; Thence, North 73°37'53" East, a distance of 340.67 feet, to a point; Thence, South 35°51'42" East, a distance of 24.38 feet, to a point;

Thence, South 6°20'37" East, a distance of 156.14 feet, to a point; Thence, South 73°37'53" West, a distance of 297.61 feet, to a point; Thence, North 22°27'16" West, a distance of 86.27 feet, to a point of tangency with a curve to the left, having a radius of 825.00 feet; Thence, along said curve through a central angle of 6°24'14", an arc distance of 92.21 feet (the long chord of which bears North 25°39'23" West, a distance of 92.16 feet), to the Point of Beginning.

### TRACT X

A portion of Section 3, 4, 9, and 10, Township 15 South, Range 14 East of the Willamette Mendian, Crook County, Oregon, being described as follows: Beginning at the Northwest corner of said Section 4, begin a 2 1/2" brass cap mounted on a 2 ½" x 30" galvanized iron pipe; thence North 89°59'39" East along the North line of said Section 4, a distance of 2652.66 feet to the North one-quarter corner of said section, being a 2 ½" brass cap on a 2½" iron pipe; thence South 89°38'49" East along said section line a distance of 2645.22 feet to the Northeast corner of said Section 4, being a 2½" brass cap on a 2½" iron pipe, thence North 89°59'08" East along the North line of said Section 3, a distance of 1251.42 feet to a 5/8" iron rod on the westerly boundary of the plat of Twin Lakes Ranch according to the official plat thereof on file and of record in the office of the County Clerk for Crook County, Oregon thence leaving said section line along said westerly plat boundary along the following courses, South 14°14'16" West 4216 feet to a 5/8" iron rod, thence South 37°46'17" East 784.06 feet to a 5/8" iron rod, thence South 17°33'10" West 156.97 feet to the true point of beginning, as marked by a 1/2" ino rod, thence continue South 17°33'10" West 629.68 feet to a 5/8" iron rod thence North 89°57'54" West 600.18 feet to a 5/8" iron rod, thence North 600.00 feet to a 1/2" iron rod, thence Easterly 790.08 feet to the true point of beginning. together with an easement 50 feet in width for ingress and egress and utilities from the Northwest corner of the above described parcel, thence South 00°00'38" East 2189.83 feet to a 5/8" iron rod, thence ∄asterly 32.37 feet to a 5/8" iron rod.



RECEIVED

DEC 07 2020

**OWRD** 

December 2, 2020

Tonya Miller Oregon Water Resources Department 725 Summer Street N, Suite A Salem, OR 97301

Dear Ms. Miller:

GSI Water Solutions, Inc. (GSI) is submitting the enclosed Certificate of Water Right Ownership Update for Certificate 85995 on behalf of Full Health, LLC. The Ownership Update form was originally executed in 2017 but had not yet been submitted to OWRD. Full Health, LLC now owns the entire place of use for Certificate 85995. Should you have any questions regarding this request, please contact me at 541-257-9001 or asussman@gsiws.com.

Sincerely,

Adam Sussman

Principal Water Resources Consultant

CC: Tiffany Erickson, Full Health LLC

Lynn Bruno, DOWL

Shonee Langford, Schwabe Williamson & Wyatt

Enclosures: Certificate of Water Right Ownership Update, Certificate 85995