

Approved:



## MEMO

**To:** Kristopher Byrd, Well Construction and Compliance Section Manager  
**From:** Travis Kelly, Well Construction Compliance Coordinator  
**Subject:** Review of Water Right Application G-19149  
**Date:** February 4, 2022

The attached application was forwarded to the Well Construction and Compliance Section by the Groundwater Section. Mike Thoma reviewed the application. Please see Mike's Groundwater Review and the Well Reports.

Applicant's Well #EF-1 (CROO 55050): Based on a review of the Well Report, Applicant's Well #EF-1 seems to protect the groundwater resource.

The construction of Applicant's Well #EF-1 may not satisfy hydraulic connection issues.

Applicant's Well #EF-2 (CROO 55048): Based on a review of the Well Report, Applicant's Well #EF-2 seems to protect the groundwater resource.

The construction of Applicant's Well #EF-2 may not satisfy hydraulic connection issues.

Applicant's Well #EF-3 (CROO 55049): Based on a review of the Well Report, Applicant's Well #EF-3 seems to protect the groundwater resource.

The construction of Applicant's Well #EF-3 may not satisfy hydraulic connection issues.

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

CROO 55050

WELL I.D. LABEL# L

141796

START CARD #

1051289

4/14/2021

ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D. \_\_\_\_\_

First Name \_\_\_\_\_ Last Name \_\_\_\_\_

Company SHOTGUN RANCH

Address 40971 SE SHOTGUN ROAD

City POST State OR Zip 9752

(2) TYPE OF WORK

New Well  Deepening  Conversion

Alteration (complete 2a & 10)  Abandonment (complete 5a)

(2a) PRE-ALTERATION

Dia + From To Gauge Stl Plstc Wld Thrld

Casing: \_\_\_\_\_

Material From To Amt sacks/lbs

Seal: \_\_\_\_\_

(3) DRILL METHOD

Rotary Air  Rotary Mud  Cable  Auger  Cable Mud

Reverse Rotary  Other \_\_\_\_\_

(4) PROPOSED USE

Domestic  Irrigation  Community

Industrial/ Commercial  Livestock  Dewatering

Thermal  Injection  Other \_\_\_\_\_

(5) BORE HOLE CONSTRUCTION

Special Standard  (Attach copy)

Depth of Completed Well 635.00 ft.

BORE HOLE

Table with columns: Dia, From, To, Material, From, To, Amt, lbs. Rows include Bentonite Chips and Calculated values.

How was seal placed: Method  A  B  C  D  E

Other BENTONITE DRY

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_

Filter pack from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_ Size \_\_\_\_\_

Explosives used:  Yes Type \_\_\_\_\_ Amount \_\_\_\_\_

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount \_\_\_\_\_ Actual Amount \_\_\_\_\_

(6) CASING/LINER

Table with columns: Casing, Liner, Dia, +, From, To, Gauge, Stl, Plstc, Wld, Thrld. Includes rows for 10" and 8" diameters.

Shoe  Inside  Outside  Other Location of shoe(s) \_\_\_\_\_

Temp casing  Yes Dia \_\_\_\_\_ From + \_\_\_\_\_ To \_\_\_\_\_

(7) PERFORATIONS/SCREENS

Perforations Method FACTORY CUT

Screens Type \_\_\_\_\_ Material \_\_\_\_\_

Table with columns: Perf/ Screen, Casing/ Screen, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/ pipe size.

(8) WELL TESTS: Minimum testing time is 1 hour

Pump  Bailer  Air  Flowing Artesian

Table with columns: Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr). Row 1: 45, 615, 1.

Temperature 57 °F Lab analysis  Yes By \_\_\_\_\_

Water quality concerns?  Yes (describe below) TDS amount 171 ppm

Table with columns: From, To, Description, Amount, Units.

(9) LOCATION OF WELL (legal description)

County CROOK Twp 17.00 S N/S Range 20.00 E E/W WM

Sec 7 NE 1/4 of the NE 1/4 Tax Lot 1100

Tax Map Number \_\_\_\_\_ Lot \_\_\_\_\_

Lat \_\_\_\_\_ " or 44.11697162 DMS or DD

Long \_\_\_\_\_ " or -120.36827267 DMS or DD

Street address of well  Nearest address

40791 S EAST SHOTGUN ROAD

(10) STATIC WATER LEVEL

Date SWL(psi) + SWL(ft)

Table with columns: Existing Well / Pre-Alteration, Completed Well, Date, SWL(psi), SWL(ft). Row 1: 4/2/2021, 25.

Flowing Artesian?  Dry Hole?

WATER BEARING ZONES

Depth water was first found 330.00

SWL Date From To Est Flow SWL(psi) + SWL(ft)

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft). Row 1: 3/31/2021, 330, 625, 45, 25.

(11) WELL LOG

Ground Elevation \_\_\_\_\_

Table with columns: Material, From, To. Lists geological layers like Brown Clay Congl, Gray Green Clay Stone, etc.

Date Started 3/31/2021 Completed 4/2/2021

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number \_\_\_\_\_ Date \_\_\_\_\_

Signed \_\_\_\_\_

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1970 Date 4/14/2021

Signed NEIL FAGEN (E-filed)

Contact Info (optional) 541-548-1245

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

CROO 55050

4/14/2021

Map of Hole

<b>STATE OF OREGON WELL LOCATION MAP</b>	<b>Oregon Water Resources Department</b> 725 Summer St NE, Salem OR 97301 (503)986-0900	
This map is supplemental to the WATER SUPPLY WELL REPORT		
<b>LOCATION OF WELL</b>	<b>Well Label: 141796</b>	
Latitude: 44.11697162 Datum: WGS84	<b>Printed: April 14, 2021</b>	
Longitude: -120.36827267	<small>DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.</small>	
Township/Range/Section/Quarter-Quarter Section: WM17.00S20.00E7NENE	<small>Provided by well constructor</small>	
Address of Well: 40791 S EAST SHOTGUN ROAD		



STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

CROO 55048

WELL I.D. LABEL# L 141794
START CARD # 1051002
ORIGINAL LOG #

4/14/2021

(1) LAND OWNER
Owner Well I.D.
First Name Last Name
Company SHOTGUN RANCH
Address 40791 S EAST SHOTGUN ROAD
City POST State OR Zip 97752

(2) TYPE OF WORK
New Well Deepening Conversion
Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION
Dia + From To Gauge Stl Plstc Wld Thrld
Casing: Material From To Amt sacks/lbs
Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD
Rotary Air Rotary Mud Cable Auger Cable Mud
Reverse Rotary Other

(4) PROPOSED USE
Domestic Irrigation Community
Industrial/ Commercial Livestock Dewatering
Thermal Injection Other

(5) BORE HOLE CONSTRUCTION
Special Standard (Attach copy)
Depth of Completed Well 610.00 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, lbs. Rows include Bentonite and Calculated values.

How was seal placed: Method A B C D E
Other BENTONITE DRY

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE
Proposed Amount Actual Amount

(6) CASING/LINER
Table with columns: Casing, Liner, Dia, From, To, Gauge, Stl, Plstc, Wld, Thrld. Includes shoe location and temp casing info.

(7) PERFORATIONS/SCREENS
Perforations Method FACTORY CUT / Plasma cut
Screens Type Material

Table with columns: Perf, Casing/Screen, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/pipe size.

(8) WELL TESTS: Minimum testing time is 1 hour

Table with columns: Pump/Bailer/Air/Flowing Artesian, Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr).

Temperature 58 °F Lab analysis Yes By
Water quality concerns? Yes (describe below) TDS amount 166 ppm
From To Description Amount Units

(9) LOCATION OF WELL (legal description)

County CROOK Twp 17.00 S N/S Range 20.00 E E/W WM
Sec 8 NW 1/4 of the NW 1/4 Tax Lot 800

Tax Map Number Lot

Lat " or 44.11794011 DMS or DD

Long " or -120.36715594 DMS or DD

Street address of well Nearest address

40791 S EAST SHOTGUN ROAD

(10) STATIC WATER LEVEL

Table with columns: Existing Well / Pre-Alteration, Date, SWL(psi), SWL(ft). Row for Completed Well on 3/26/2021 at 18 ft.

Flowing Artesian? Dry Hole?

WATER BEARING ZONES Depth water was first found 150.00

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft). Row for 3/26/2021 at 150 to 610 ft depth.

(11) WELL LOG

Table with columns: Material, From, To. Lists soil layers like Brown Clay Top soil, Tan Clay, etc.

Date Started 3/24/2021 Completed 3/26/2021

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 2025 Date 4/14/2021

Signed SHAUN ALEXANDER (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1970 Date 4/14/2021

Signed NEIL FAGEN (E-filed)

Contact Info (optional) 541-548-1245

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

CROO 55048

4/14/2021

Map of Hole

<b>STATE OF OREGON WELL LOCATION MAP</b>	<b>Oregon Water Resources Department</b> 725 Summer St NE, Salem OR 97301 (503)986-0900	
This map is supplemental to the WATER SUPPLY WELL REPORT		
<b>LOCATION OF WELL</b>		<b>Well Label: 141794</b>
Latitude: 44.11794011 Datum: WGS84		<b>Printed: April 14, 2021</b>
Longitude: -120.36715594		<small>DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.</small>
Township/Range/Section/Quarter-Quarter Section: WM17.00S20.00E8NWNW		<small>Provided by well constructor</small>
Address of Well: 40791 S EAST SHOTGUN ROAD		



STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

CROO 55049

WELL I.D. LABEL# L 141795
START CARD # 1051003
ORIGINAL LOG #

4/14/2021

(1) LAND OWNER
Owner Well I.D.
First Name Last Name
Company SHOTGUN RANCH
Address 40791 S EAST SHOTGUN ROAD
City POST State OR Zip 97752

(2) TYPE OF WORK
New Well Deepening Conversion
Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION
Dia + From To Gauge Stl Plstc Wld Thrld
Casing: Material From To Amt sacks/lbs
Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD
Rotary Air Rotary Mud Cable Auger Cable Mud
Reverse Rotary Other

(4) PROPOSED USE
Domestic Irrigation Community
Industrial/ Commercial Livestock Dewatering
Thermal Injection Other

(5) BORE HOLE CONSTRUCTION
Special Standard (Attach copy)
Depth of Completed Well 703.00 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, lbs. Rows include Bentonite Chips and Calculated values.

How was seal placed: Method A B C D E
Backfill placed from ft. to ft. Material
Filter pack from ft. to ft. Material Size
Explosives used: Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE
Proposed Amount Actual Amount

(6) CASING/LINER
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrld
Shoe Inside Outside Other Location of shoe(s)
Temp casing Yes Dia From + To

(7) PERFORATIONS/SCREENS
Perforations Method FACTORY CUT
Screens Type Material
Perf/ Casing/ Screen Dia From To Scrn/slot Slot # of Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour
Pump Bailer Air Flowing Artesian
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

Temperature 57 °F Lab analysis Yes By
Water quality concerns? Yes (describe below) TDS amount 133 ppm
From To Description Amount Units

(9) LOCATION OF WELL (legal description)
County CROOK Twp 17.00 S N/S Range 20.00 E E/W WM
Sec 5 SW 1/4 of the SW 1/4 Tax Lot 800
Tax Map Number Lot
Lat " or 44.11883173 DMS or DD
Long " or -120.36516399 DMS or DD
Street address of well Nearest address

40791 S EAST SHOTGUN ROAD WELL

(10) STATIC WATER LEVEL
Date SWL(psi) + SWL(ft)
Existing Well / Pre-Alteration
Completed Well 3/30/2021 62
Flowing Artesian? Dry Hole?

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), + SWL(ft). Row: 3/30/2021, 62, 590, 15, 62.

(11) WELL LOG
Ground Elevation
Material From To
Brown Clay 0 6
Tan Clay 6 28
Gray Clay Stone Hard like Basalt 28 350
Gray Green Clay Stone hard like Basalt 350 375
Gray Clay Stone Hard 375 455
Gray Clay stone with brown&Maroon Rocks 455 590
Gray Clay Stone Hard like Basalt 590 703

Date Started 3/26/2021 Completed 3/30/2021

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
License Number 2025 Date 4/14/2021
Signed SHAUN ALEXANDER (E-filed)

(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
License Number 1970 Date 4/14/2021
Signed NEIL FAGEN (E-filed)
Contact Info (optional) 541-548-1245



WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

CROO 55049

4/14/2021

Map of Hole

<b>STATE OF OREGON WELL LOCATION MAP</b>	<b>Oregon Water Resources Department</b> 725 Summer St NE, Salem OR 97301 (503)986-0900	
This map is supplemental to the WATER SUPPLY WELL REPORT		
<b>LOCATION OF WELL</b>		<b>Well Label: 141795</b>
Latitude: 44.11883173 Datum: WGS84		<b>Printed: April 14, 2021</b>
Longitude: -120.36516399		<small>DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.</small>
Township/Range/Section/Quarter-Quarter Section:		<small>Provided by well constructor</small>
WM17.00S20.00E5SWSW		
Address of Well:		
40791 S EAST SHOTGUN ROAD WELL		



# Groundwater Application Review Summary Form

Application # G- 19149

GW Reviewer M. Thoma Date Review Completed: 11/30/2021

## Summary of GW Availability and Injury Review:

Groundwater for the proposed use is either over appropriated, will not likely be available in the amounts requested without injury to prior water rights, OR will not likely be available within the capacity of the groundwater resource per Section B of the attached review form.

## Summary of Potential for Substantial Interference Review:

There is the potential for substantial interference per Section C of the attached review form.

## Summary of Well Construction Assessment:

The well does not appear to meet current well construction standards per Section D of the attached review form. Route through Well Construction and Compliance Section.

*This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations and for conditions that may be necessary for a permit (if one is issued).*

**WATER RESOURCES DEPARTMENT**

**MEMO**

11/30/2021

**TO:** Application G- 19149

**FROM:** GW: M. Thoma  
(Reviewer's Name)

**SUBJECT: Scenic Waterway Interference Evaluation**

**YES** The source of appropriation is hydraulically connected to a State Scenic Waterway or its tributaries

**NO**

**YES** Use the Scenic Waterway Condition (Condition 7J)

**NO**

Per ORS 390.835, the Groundwater Section is **able** to calculate ground water interference with surface water that contributes to a Scenic Waterway. The calculated interference is distributed below

Per ORS 390.835, the Groundwater Section is **unable** to calculate ground water interference with surface water that contributes to a scenic waterway; **therefore, the Department is unable to find that there is a preponderance of evidence that the proposed use will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway**

**DISTRIBUTION OF INTERFERENCE**

*Calculate the percentage of consumptive use by month and fill in the table below. If interference cannot be calculated, per criteria in 390.835, do not fill in the table but check the "unable" option above, thus informing Water Rights that the Department is unable to make a Preponderance of Evidence finding.*

Exercise of this permit is calculated to reduce monthly flows in Deschutes Scenic Waterway by the following amounts expressed as a proportion of the consumptive use by which surface water flow is reduced.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083	0.083

PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO: Water Rights Section Date 11/30/2021  
 FROM: Groundwater Section M. Thoma  
Reviewer's Name  
 SUBJECT: Application G- 19149 Supersedes review of \_\_\_\_\_  
Date of Review(s)

**PUBLIC INTEREST PRESUMPTION; GROUNDWATER**

**OAR 690-310-130 (1)** *The Department shall presume that a proposed groundwater use will ensure the preservation of the public welfare, safety and health as described in ORS 537.525. Department staff review groundwater applications under OAR 690-310-140 to determine whether the presumption is established. OAR 690-310-140 allows the proposed use be modified or conditioned to meet the presumption criteria. This review is based upon available information and agency policies in place at the time of evaluation.*

**A. GENERAL INFORMATION:** Applicant's Name: Shotgun Cr. Ranch County: Crook

A1. Applicant(s) seek(s) 0.21 cfs from 3 well(s) in the Deschutes Basin,  
Crooked River subbasin

A2. Proposed use Irr. (3.3 ac); Suppl. Irr. (13.5 ac) Seasonality: April 15 – Oct 15 (184 d)

A3. Well and aquifer data (**attach and number logs for existing wells; mark proposed wells as such under logid**):

Well	Logid	Applicant's Well #	Proposed Aquifer*	Proposed Rate(cfs)	Location (T/R-S QQ-Q)	Location, metes and bounds, e.g. 2250' N, 1200' E fr NW cor S 36
1	CROO0055050	EF-1	Bedrock	0.21	17.00S-20.00E-7 NENE	430 FEET SOUTH AND 260 FEET WEST FROM NE CORNER, SECTION 7
2	CROO0055048	EF-2	Bedrock	0.21	17.00S-20.00E-8 NWNW	70 FEET SOUTH AND 40 FEET EAST FROM NW CORNER, SECTION 8
3	CROO0055049	EF-3	Bedrock	0.21	17.00S-20.00E-5 SWSW	250 FEET NORTH AND 560 EAST FROM SW CORNER, SECTION 5
4						

\* Alluvium, CRB, Bedrock

Well	Well Elev ft msl	First Water ft bls	SWL ft bls	SWL Date	Well Depth (ft)	Seal Interval (ft)	Casing Intervals (ft)	Liner Intervals (ft)	Perforations Or Screens (ft)	Well Yield (gpm)	Draw Down (ft)	Test Type
1	3650	330	25	4/2/21	635	0-56	+3-57	13-631	571-631	45		A
2	3620	150	18	3/26/21	610	0-58	+1.5-58.5	10-600	420-600	15		A
3	3650	62	62	3/30/21	703	0-58	+1.5-58.5	22-702	422-682	15		A

Use data from application for proposed wells.

A4. **Comments:** \_\_\_\_\_

A5.  **Provisions of the** Deschutes (OAR 690-505) Basin rules relative to the development, classification and/or management of groundwater hydraulically connected to surface water  **are**, or  **are not**, activated by this application. (Not all basin rules contain such provisions.)  
 Comments: The proposed POAs are outside of the Deschutes Groundwater Study Area

A6.  **Well(s) #** \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, tap(s) an aquifer limited by an administrative restriction.  
 Name of administrative area: \_\_\_\_\_  
 Comments: \_\_\_\_\_

**B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070**

B1. **Based upon available data**, I have determined that groundwater\* for the proposed use:

- a.  **is** over appropriated,  **is not** over appropriated, *or*  **cannot be determined to be** over appropriated during any period of the proposed use. \* This finding is limited to the groundwater portion of the over-appropriation determination as prescribed in OAR 690-310-130;
- b.  **will not** *or*  **will** likely be available in the amounts requested without injury to prior water rights. \* This finding is limited to the groundwater portion of the injury determination as prescribed in OAR 690-310-130;
- c.  **will not** *or*  **will** likely to be available within the capacity of the groundwater resource; *or*
- d.  **will, if properly conditioned**, avoid injury to existing groundwater rights or to the groundwater resource:
  - i.  The permit should contain condition #(s) 7C (7-yr SWL); Medium Water-Use Reporting;
  - ii.  The permit should be conditioned as indicated in item 2 below.
  - iii.  The permit should contain special condition(s) as indicated in item 3 below;

- B2. a.  **Condition** to allow groundwater production from no deeper than \_\_\_\_\_ ft. below land surface;
- b.  **Condition** to allow groundwater production from no shallower than \_\_\_\_\_ ft. below land surface;
- c.  **Condition** to allow groundwater production only from the \_\_\_\_\_ groundwater reservoir between approximately \_\_\_\_\_ ft. and \_\_\_\_\_ ft. below land surface;
- d.  **Well reconstruction** is necessary to accomplish one or more of the above conditions. The problems that are likely to occur with this use and without reconstructing are cited below. Without reconstruction, I recommend withholding issuance of the permit until evidence of well reconstruction is filed with the Department and approved by the Groundwater Section.

**Describe injury** –as related to water availability– that is likely to occur without well reconstruction (interference w/ senior water rights, not within the capacity of the resource, etc): \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

B3. **Groundwater availability remarks:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040**

C1. **690-09-040 (1):** Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Volc. Sediments of Clarno Group	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2	Volc. Sediments of Clarno Group	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3	Volc. Sediments of Clarno Group	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>

**Basis for aquifer confinement evaluation:** The wells are producing from the Clarno formation which consists primarily of layered volcanically-derived sediments, mainly listed as “claystone” on the driller’s logs; these layers likely provide increasing confinement with depth.

C2. **690-09-040 (2) (3):** Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected?			Potential for Subst. Interfer. Assumed?	
						YES	NO	ASSUMED	YES	NO
1	1	Crooked River	3625	~3400	4150	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2	1	Crooked River	3600	~3400	3870	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3	1	Crooked River	3590	~3400	3650	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Basis for aquifer hydraulic connection evaluation:** GW elevations are above SW elevations implying that groundwater is flowing towards and discharging to surface water.

**Water Availability Basin the well(s) are located within:** CROOKED R > DESCHUTES R – AB SAND CR (ID# 70353)

C3a. **690-09-040 (4):** Evaluation of stream impacts for each well that has been determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water (SW) source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that SW source, not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% *natural* flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked  box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ¼ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	1	<input type="checkbox"/>	<input type="checkbox"/>	IS70353	47.8	<input type="checkbox"/>	38.7	<input type="checkbox"/>	< 25%	<input type="checkbox"/>
2	1	<input type="checkbox"/>	<input type="checkbox"/>	IS70353	47.8	<input type="checkbox"/>	38.7	<input type="checkbox"/>	< 25%	<input type="checkbox"/>
3	1	<input type="checkbox"/>	<input type="checkbox"/>	IS70353	47.8	<input type="checkbox"/>	38.7	<input type="checkbox"/>	< 25%	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>

**Comments:** Stream-depletion was estimated using the Hunt-2003 stream-depletion model with parameter values within a range of values expected for the geology of the area and purposefully weighted toward values that would be more-likely to produce higher estimates of stream depletion in order to obtain a “worst-case” analysis.

C3b. **690-09-040 (4):** Evaluation of stream impacts by total appropriation for all wells determined or assumed to be **hydraulically connected and less than 1 mile** from a surface water source. **Complete only if Q is distributed among wells.** Otherwise same evaluation and limitations apply as in C3a above.

	SW #		Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw > 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
			<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
			<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>

Comments: \_\_\_\_\_  
 \_\_\_\_\_

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Non-Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
Distributed Wells													
Well	SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
		%	%	%	%	%	%	%	%	%	%	%	%
Well Q as CFS													
Interference CFS													
(A) = Total Interf.													
(B) = 80 % Nat. Q													
(C) = 1 % Nat. Q													
(D) = (A) > (C)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
(E) = (A / B) x 100		%	%	%	%	%	%	%	%	%	%	%	%

(A) = total interference as CFS; (B) = WAB calculated natural flow at 80% exceed. as CFS; (C) = 1% of calculated natural flow at 80% exceed. as CFS; (D) = highlight the checkmark for each month where (A) is greater than (C); (E) = total interference divided by 80% flow as percentage.

**Basis for impact evaluation:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

C4b. **690-09-040 (5) (b)** The potential to impair or detrimentally affect the public interest is to be determined by the Water Rights Section.

- C5.  **If properly conditioned**, the surface water source(s) can be adequately protected from interference, and/or groundwater use under this permit can be regulated if it is found to substantially interfere with surface water:
- i.  The permit should contain condition #(s) \_\_\_\_\_;
  - ii.  The permit should contain special condition(s) as indicated in "Remarks" below;

**C6. SW / GW Remarks and Conditions:** The applicant's proposed POAs would be producing from an aquifer that has been found to be hydraulically-connected to surface water – specifically the Crooked River. The proposed rate is less than 1% of both the adopted natural streamflow and the instream right, and the estimated stream-depletion is less than 25% at 30 days, so the proposed use is not assumed to have the potential for substantial interference with surface water per OAR 690-009. However, the proposed POAs are hydraulically-connected to the Crooked River, which is upstream of the Deschutes State Scenic Waterway and will have a long-term impact on flows necessary for the scenic waterway. Given the distance between the POAs and the Crooked River, and the river-distance between the Crooked River near the POAs and the Deschutes State Scenic Waterway, along with the reservoirs in between, the impact from the proposed use on the scenic waterway will likely be evenly distributed throughout the entire year.

---

---

---

**References Used:**

- Gannett, M. W. and K. E. Lite. 2004. Simulation of Regional Ground-Water Flow in the Upper Deschutes Basin, Oregon. USGS Water Resources Investigations Report 2003-4195
- Gannett, M. W. and K. E. Lite. 2013. Analysis of 1997-2009 Groundwater Level Changes in the Upper Deschutes Basin, Central Oregon. USGS Scientific Investigations Report 2013-5092
- Gannett, M. W., Lite, K. E., Risley, J. C., Pischel, E. M., and J. L. LaMarche. 2017. Simulation of Groundwater and Surface-Water Flow in the Upper Deschutes Basin, Oregon. USGS Scientific Investigations Report 2017-5097
- Hunt, B. 2003. Unsteady Stream Depletion when Pumping from a Semiconfined Aquifer. Journal of Hydrologic Engineering. Vol 8(1), pp 12-19
- Lite, K. E. and M. W. Gannett. 2002. Geologic Framework of the Regional Ground-Water Flow System in the Upper Deschutes Basin, Oregon. USGS Water-Resources Investigations Report 02-4015
- McClaghry, J. D., Ferns, M. L., and C. L. Gordon. 2021. Geology of the North Half of the Lower Crooked River Basin, Crook, Deschutes, Jefferson, and Wheeler Counties, Oregon. DOGAMI Bulletin 108.
- OWRD Well Log Database, Accessed 11/30/2021 [[https://apps.wrd.state.or.us/apps/gw/well\\_log/Default.aspx](https://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)]
- OWRD Groundwater Information System Database, Accessed 11/30/2021 [[https://apps.wrd.state.or.us/apps/gw/gw\\_info/gw\\_info\\_report/gw\\_search.aspx](https://apps.wrd.state.or.us/apps/gw/gw_info/gw_info_report/gw_search.aspx)]
- Swanson, D. A. 1969. Reconnaissance Geologic Map of the East Half of the Bend Quadrangle, Crook, Wheeler, Jefferson, Wasco, and Deschutes Counties, Oregon. USGS Miscellaneous Geologic Investigations Map I-568

**D. WELL CONSTRUCTION, OAR 690-200**

D1. Well #: \_\_\_\_\_ Logid: \_\_\_\_\_

D2. **THE WELL does not appear to meet current well construction standards based upon:**

- a.  review of the well log;
- b.  field inspection by \_\_\_\_\_;
- c.  report of CWRE \_\_\_\_\_;
- d.  other: (specify) \_\_\_\_\_


D3. **THE WELL construction deficiency or other comment is described as follows:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

D4.  **Route to the Well Construction and Compliance Section for a review of existing well construction.**


**Water Availability Tables**

DETAILED REPORT ON THE WATER AVAILABILITY CALCULATION						
Watershed ID #: 70353		CROOKED R > DESCHUTES R - AB SAND CR			Exceedance Level: 80	
Time: 12:31 PM		Basin: DESCHUTES			Date: 11/30/2021	
Month	Natural Stream Flow	Consumptive Use and Storage	Expected Stream Flow	Reserved Stream Flow	Instream Requirements	Net Water Available
Monthly values are in cfs. Storage is the annual amount at 50% exceedance in ac-ft.						
JAN	78.90	7.74	71.20	0.00	50.00	21.20
FEB	175.00	15.50	160.00	0.00	75.00	84.50
MAR	337.00	145.00	192.00	0.00	113.00	78.80
APR	598.00	332.00	266.00	0.00	113.00	153.00
MAY	404.00	370.00	34.20	0.00	113.00	-78.80
JUN	261.00	295.00	-34.50	0.00	75.00	-109.00
JUL	80.10	85.00	-4.86	0.00	50.00	-54.90
AUG	38.70	43.20	-4.47	0.00	47.80	-52.30
SEP	45.20	44.80	0.37	0.00	50.00	-49.60
OCT	47.30	22.90	24.40	0.00	50.00	-25.60
NOV	60.60	3.44	57.20	0.00	50.00	7.16
DEC	76.50	5.50	71.00	0.00	50.00	21.00
ANN	223,000	82,900	140,000	0	50,500	100,000

Well Location Map



Water-Level Measurements in Nearby Wells



**Stream-Depletion Model Results**

 PyHunt stream depletion analysis tool

Application type:	G
Application number:	19149
Well number:	1
Stream Number:	1
Pumping rate (cfs):	0.21
Pumping duration (days):	184
Pumping start month number (3=March)	4

Parameter	Symbol	Scenario 1	Scenario 2	Scenario 3	Units
Distance from well to stream	a	3650	3650	3650	ft
Aquifer transmissivity	T	1000	500	100	ft <sup>2</sup> /day
Aquifer storativity	S	0.0001	0.00005	0.00001	-
Aquitard vertical hydraulic conductivity	Kva	0.0001	0.0005	0.001	ft/day
Aquitard saturated thickness	ba	5	5	5	ft
Aquitard thickness below stream	babs	2	2	2	ft
Aquitard specific yield	Sya	0.001	0.0005	0.0001	-
Stream width	ws	20	20	20	ft

Stream depletion for Scenario 2:

Days	10	300	330	360	30	60	90	120	150	180	210	240	270
Depletion (%)	1	3	3	3	2	3	3	4	5	5	4	4	3
Depletion (cfs)	0.00	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01

