### PUBLIC INTEREST REVIEW FOR GROUNDWATER APPLICATIONS

TO: FROM	:		r Rights Se ndwater Se	ction ction		Jen Woo	ody	Date	5/6/2021			
SUBJE	ECT:			8779		Reviev	wer's Name	eview of 10/	10/2019, 8/21	/2019 Date of Revi	iew(s)	
OAR 69 welfare, to deter the pres	90-310-13 , safety and mine whe sumption of	30 (1) 7 ad healther the criteria.	The Department as described presumption This revieus PRMATIO	bed in ORS 5 on is establish w is based u N: App	esume that 37.525. De hed. OAR pon availa plicant's Na	a proposed epartment s 690-310-14 able informame:	d groundw staff review 40 allows nation and Michael Bo	w groundwater the proposed u d agency polic ernards	asure the present applications urse be modified ies in place at	nder OAR or condit	690-310 ioned to 1 of evalua	0-140 meet ation.
A1.			` ′	25_ cfs from		,		Willamette				Basin,
A2.				ery use: 25 a				ear-round				
A3. Well	Logia We		Applicant Well #	's Propose Marine S	ed Aquifer*	Propo Rate(0	osed cfs)	Location (T/R-S QQ-C 5S/5W-21 NW	Location (2) 2250' 1	as such under logid):  Location, metes and bo 2250' N, 1200' E fr NW 2370' N, 1950' W fr SE		r S 36
2	propos	sed	2	Marine	Aquifer Sedimentary Aquifer	0.052	25	5S/5W-21 SW	NE 2795'	2795' N, 1760' W fr SE cor S 21		S 21
4 5 * Alluvii	um, CRB, 1	Bedrock	<u> </u>									
Well 1 2	Well Elev ft msl 178	Firs Wate ft bl	er swL ft bls	SWL Date 02/23/2005	Well Depth (ft) 140	Seal Interval (ft) 0-43	Casing Intervals (ft) 0-43	Liner Intervals (ft) 2-128 2-128	Perforations Or Screens (ft) 88-108, 118- 128	Well Yield (gpm) 100	Draw Down (ft)	Test Type air
Use data	from appl	ication	for proposed	wells								
A4.	Comme OWRD location	nts: * Waterr , which	Well 2 is no naster, cond alters the fi	t yet drilled, ucted a site v ndings in Se	visit and Gooth Canal Ca	PS'd YAM	IH 54039 o	on 4/27/2021.	lar to well 1/Y. This review inc	corporates	s that upd	lated
A5. 📙	manager (Not all Commer	ment of basin r nts: <u>69</u>	ules contain	er hydraulica such provisi classifies us	ally connections.)	ted to surfa	ace water	are, or	the developme are not, activa lication propose	ted by thi	s applicat	tion.
A6. 🗌	Well(s) Name of	# f admin nts: <u>N</u> /	istrative are						limited by an a			riction.

### B. GROUNDWATER AVAILABILITY CONSIDERATIONS, OAR 690-310-130, 400-010, 410-0070

a.	ed upon available data, I have determined that groundwater* for the proposed use:	
	is over appropriated, ☐ is not over appropriated, or ☒ cannot be determined period of the proposed use. * This finding is limited to the groundwater portion determination as prescribed in OAR 690-310-130;	
b.	will not or will likely be available in the amounts requested without injury is limited to the groundwater portion of the injury determination as prescribed in	
c.	$\square$ will not $or$ $\square$ will likely to be available within the capacity of the groundwater	er resource; or
d.	will, if properly conditioned, avoid injury to existing groundwater rights or to i.  The permit should contain condition #(s) Medium water use report ii.  The permit should be conditioned as indicated in item 2 below.  iii. The permit should contain special condition(s) as indicated in item 3 below.	ing, 7C
a.	Condition to allow groundwater production from no deeper than	ft. below land surface;
b.	Condition to allow groundwater production from no shallower than	ft. below land surface;
c.	Condition to allow groundwater production only from the groundwater reservoir between approximately ft. and land surface;	ft. below
	issuance of the permit until evidence of well reconstruction is filed with the De Groundwater Section.  Describe injury —as related to water availability—that is likely to occur without senior water rights, not within the capacity of the resource, etc):	
	semor water rights, not within the capacity of the resource, etc).	
	undwater availability remarks:	<u> </u>
The volc	undwater availability remarks:  applicant proposes to develop 0.0525 cfs (approximately 24 gpm) from 2 wells comanic and sedimentary rock aquifer, specifically the Nestucca Formation (Yeats et al. s are generally fine-grained, well cemented and provide low well yields (Gannett an eet of Willamette silt overlie the marine sedimentary rock, and the water table reside	pleted in the Tertiary marine , 1996). These marine sedimentary d Caldwell, 1998). Approximately is in the silt. Groundwater flow in the
The volce rock 40 from The can rock 28, i	undwater availability remarks:  applicant proposes to develop 0.0525 cfs (approximately 24 gpm) from 2 wells comanic and sedimentary rock aquifer, specifically the Nestucca Formation (Yeats et al. is are generally fine-grained, well cemented and provide low well yields (Gannett an eet of Willamette silt overlie the marine sedimentary rock, and the water table reside the sedimentary rock aquifers is predominantly through fractures with variable connected are no nearby, long-term static water level data available in the subject aquifer. That be determined to be over-appropriated. There are a total of 15 new water well longicating low-density groundwater development. These wells describe sandstone, coll. The median reported yield is 10 gpm, which suggests that the requested rate of 1	pleted in the Tertiary marine , 1996). These marine sedimentary d Caldwell, 1998). Approximately is in the silt. Groundwater flow in the ectivity. herefore, the groundwater resource gs on file within Sections 21, 22, 27, laystone, shale and occasionally

#### C. GROUNDWATER/SURFACE WATER CONSIDERATIONS, OAR 690-09-040

C1. **690-09-040** (1): Evaluation of aquifer confinement:

Well	Aquifer or Proposed Aquifer	Confined	Unconfined
1	Marine Sedimentary Rock Aquifer	$\boxtimes$	
2	Marine Sedimentary Rock Aquifer	$\boxtimes$	

Basis for aquifer confinement evaluation: Nearby well logs of similar depth report static water levels that rise tens of feet above water-bearing zones, indicating the aquifer is more confined than unconfined.

C2. **690-09-040** (2) (3): Evaluation of distance to, and hydraulic connection with, surface water sources. All wells located a horizontal distance less than ¼ mile from a surface water source that produce water from an unconfined aquifer shall be assumed to be hydraulically connected to the surface water source. Include in this table any streams located beyond one mile that are evaluated for PSI.

Well	SW #	Surface Water Name	GW Elev ft msl	SW Elev ft msl	Distance (ft)	Hydraulically Connected? YES NO ASSUMED	Potential for Subst. Interfer. Assumed? YES NO	
1	1	Muddy Creek	169	150	2000			
2	1	Muddy Creek	169	150	1750			
1	2	Unnamed tributary to Deer Cr	169	155	1350			
2	2	Unnamed tributary to Deer Cr	169	155	1680			
1	3	Deer Creek	169	150	3500			
2	3	Deer Creek	169	150	4350			

Basis for aquifer hydraulic connection evaluation: Muddy Creek has incised through approximately 200 feet of marine sedimentary rocks. The subject wells have or are proposed to have a shallow seal (0-43 feet below land surface). Therefore, the potential for hydraulic connection is examined at the elevation of the estimated static groundwater level. The groundwater level is coincident with or above perennial reaches of nearby creeks within one mile, indicating hydraulic connection.

Water Availability Basin the well(s) are located within: Watershed ID #91: DEER CR > S YAMHILL R - AT MOUTH\_

C3a. 690-09-040 (4): Evaluation of stream impacts for each well that has been determined or assumed to be hydraulically connected and less than 1 mile from a surface water source. Limit evaluation to instream rights and minimum stream flows that are pertinent to that surface water source, and not lower SW sources to which the stream under evaluation is tributary. Compare the requested rate against the 1% of 80% natural flow for the pertinent Water Availability Basin (WAB). If Q is not distributed by well, use full rate for each well. Any checked box indicates the well is assumed to have the potential to cause PSI.

Well	SW #	Well < ½ mile?	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw> 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
1	1			MF91A	6.0		5.25		*	
2	1			MF91A	6.0		5.25		*	
1	2			MF91A	6.0		5.25		*	
2	2			MF91A	6.0		5.25		*	
1	3			MF91A	6.0		5.25		*	
2	3			MF91A	6.0		5.25		*	

Application G-18779 Date: 5/6/2021

Page

		11 /							
	SW #	Qw > 5 cfs?	Instream Water Right ID	Instream Water Right Q (cfs)	Qw> 1% ISWR?	80% Natural Flow (cfs)	Qw > 1% of 80% Natural Flow?	Interference @ 30 days (%)	Potential for Subst. Interfer. Assumed?
Ī									

Comments: PSI is not triggered by either well location.

C4a. **690-09-040 (5):** Estimated impacts on **hydraulically connected surface water sources greater than one mile** as a percentage of the proposed pumping rate. Limit evaluation to the effects that will occur up to one year after pumping begins. This table encompasses the considerations required by 09-040 (5)(a), (b), (c) and (d), which are not included on this form. Use additional sheets if calculated flows from more than one WAB are required.

Well	istributed SW#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	2	%	%	%	%	%	%	%	%	%	%	%	%
Well O	as CFS	,,,	, ,	,,	, ,	, ,	,,	,,		,,,	,,,	,,,	<u> </u>
	ence CFS												
	ļ.	· ·					Ļ					Į.	
	uted Wells SW#		г.1	M		M	т.	T. 1	<b>A</b>	C	0.4	NT	Ъ
Well	5W#	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
**** ** 0	ana l	%	%	%	%	%	%	%	%	%	%	%	9/
	as CFS												
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	9/
	as CFS												
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	9,
Well Q	as CFS												
Interfere	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	9,
Well Q	as CFS												
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	9,
Well O	as CFS	,,,	,,	,,,	,,,	,,	,,	, ,	,,	,,,	,,,	,,	
	ence CFS												
		%	%	%	%	%	%	%	%	%	%	%	9,
Well O	as CFS	70	70	70	70	70	70	70	70	70	70	70	
	ence CFS												
11101101							l			l l	l	l	
(A) = To	tal Interf.												
(B) = 80	% Nat. Q												
(C) = 1	% Nat. Q												
(D) = (	(A) > (C)	<b>√</b>	√	√									
	/ B) x 100	%	%	%	%	%	%	%	%	%	%	%	%

<sup>\*</sup> Interference at 30 days could not be estimated because the terrain (high-relief slopes) and geology (fractured bedrock aquifer) do not meet model assumptions of the widely accepted technique for determining stream depletion (i.e. Hunt 1999, 2003).

	pact evaluation: N/A
-	
690-09-040 Rights S	(5) (b) The potential to impair or detrimentally affect the public interest is to be determined by the Wa ection.
☐ <b>If properl</b> ; under this j	<b>conditioned</b> , the surface water source(s) can be adequately protected from interference, and/or groundwater us permit can be regulated if it is found to substantially interfere with surface water:  The permit should contain condition #(s)
ii. 🔲	The permit should contain special condition(s) as indicated in "Remarks" below;
W. C.W.D	
	arks and Conditions: Under OAR 690-009 the proposed use does not produce the finding of potential for ference with nearby surface water.
References Use	d: Conlon, Terrence D., Wozniak, Karl C., Woodcock, Douglas, Herrera, Nora B., Fisher, Bruce J., Morgan, Carl K., and Hinkle, Stephen R., 2005, Ground-Water Hydrology of the Willamette Basin, Oregon: U.S.
References Use	d: Conlon, Terrence D., Wozniak, Karl C., Woodcock, Douglas, Herrera, Nora B., Fisher, Bruce J., Morgan,
References Use David S., Lee, J Geological Sur	d: Conlon, Terrence D., Wozniak, Karl C., Woodcock, Douglas, Herrera, Nora B., Fisher, Bruce J., Morgan, Carl K., and Hinkle, Stephen R., 2005, Ground-Water Hydrology of the Willamette Basin, Oregon: U.S.
References Use David S., Lee, J Geological Sur Gannett, Marsh	d: Conlon, Terrence D., Wozniak, Karl C., Woodcock, Douglas, Herrera, Nora B., Fisher, Bruce J., Morgan, Karl K., and Hinkle, Stephen R., 2005, Ground-Water Hydrology of the Willamette Basin, Oregon: U.S. rey Scientific Investigations Report 2005-5168.  all W., and Caldwell, Rodney R., 1998, Geologic Framework of the Willamette Lowland Aquifer System, Oregon.
References Use David S., Lee, J Geological Sur Gannett, Marsh and Washington	d: Conlon, Terrence D., Wozniak, Karl C., Woodcock, Douglas, Herrera, Nora B., Fisher, Bruce J., Morgan, Karl K., and Hinkle, Stephen R., 2005, Ground-Water Hydrology of the Willamette Basin, Oregon: U.S. rey Scientific Investigations Report 2005-5168.  all W., and Caldwell, Rodney R., 1998, Geologic Framework of the Willamette Lowland Aquifer System, Oregon: U.S. Geological Survey Professional Paper 1424-A.

Multnomah, Polk, Tillamook, Washington and Yamhill counties, Oregon: U.S. Geological Survey, Reston, VA., Professional

Date: 5/6/2021

Page

5

Application G-18779

Paper PP-1560, map

## D. WELL CONSTRUCTION, OAR 690-200

D1.	Well #:	Logid: <u>N/A</u>									
D2.	THE WELL does not appear to meet current well construction standards based upon:  a.  review of the well log;  b.  field inspection by										
	c. report of CW	RE									
	d. other: (speci	y)									
D3.	THE WELL constru	ction deficiency or other comment is	described as follows:								
D4. [	Route to the Well C	onstruction and Compliance Section	for a review of existing well construction.								

Water Availability Tables

## Water Availability Analysis

# **Detailed Reports**

# DEER CR > S YAMHILL R - AT MOUTH WILLAMETTE BASIN

Water Availability as of 8/20/2019

Watershed ID #: 91 (Map)

Exceedance Level: 80%

Times 2:22 PM

Date: 8/20/2019 Time: 2:32 PM

Water Availability Calculation	Cor	Instream Flow Requirements			Re <u>s</u> ervations	
	Water Right <u>s</u>			Watershed Chara	cteristics	5

# **Water Availability Calculation**


Monthly Streamflow in Cubic Feet per Second Annual Volume at 50% Exceedance in Acre-Feet

Month	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirement	Net Water Available
JAN	104.00	2.55	101.00	0.00	80.00	21.40
FEB	125.00	2.53	122.00	0.00	80.00	42.50
MAR	101.00	2.48	98.50	0.00	80.00	18.50
APR	60.90	2.49	58.40	0.00	80.00	-21.60
MAY	31.40	3.61	27.80	0.00	80.00	-52.20
JUN	15.60	4.96	10.60	0.00	25.00	-14.40
JUL	8.47	6.96	1.51	0.00	15.00	-13.50
AUG	6.06	6.00	0.06	0.00	8.00	-7.94
SEP	5.25	4.10	1.15	0.00	6.00	-4.85
OCT	5.36	2.42	2.94	0.00	40.00	-37.10
NOV	16.20	2.29	13.90	0.00	80.00	-66.10
DEC	77.70	2.41	75.30	0.00	80.00	-4.71
ANN	62,400.00	2,590.00	59,800.00	0.00	39,400.00	28,700.00

Application G-18779 Date: 5/6/2021

#### **Well Location Map**

# G-188779 Bernards 5S/5W- Section 21



Page