

RECEIVED

AUG 19 2022

OWRD



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

CLAIM OF BENEFICIAL USE for Surface Water Permits claiming 0.1 cfs or less

RECEIVED

JUL 29 2022

OWRD

A fee of \$230 must accompany this form for permits with priority dates of July 9, 1987, or later.

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. Begin each new claim by checking for a new version of this form at:

https://www.oregon.gov/OWRD/Forms/Pages/default.aspx

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. Every item must have a response. If any requested information does not apply to the claim, insert "NA." Do not delete or alter any section of this form unless directed by the form. The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx

RECEIVED

AUG 19 2022

OWRD

SECTION 1 GENERAL INFORMATION

1. File Information:

Table with 3 columns: APPLICATION # (S-86298), PERMIT # (IF APPLICABLE) (S-54491), PERMIT AMENDMENT # (IF APPLICABLE) (NA)

2. Property Owner (current owner information):

APPLICANT/BUSINESS NAME Pegasus Estates, HOA, c/o Mike Tabor	PHONE NO. 541-643-8527	ADDITIONAL CONTACT NO. NA	
ADDRESS 519 Pegasus Ln			
CITY Roseburg	STATE OR	ZIP 97471	E-MAIL NA

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each permit holder of record must sign this form.***

RECEIVED

AUG 19 2022

3. Permit holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD Pegasus Equestrian Estates, LLC				RECEIVED JUL 29 2022
ADDRESS 2547 Fisher Road				
CITY Roseburg	STATE OR	ZIP 97470		

OWRD

OWRD

ADDITIONAL PERMIT HOLDER OF RECORD Pegasus Equestrian Estates Homeowners Association, Inc			
ADDRESS 651 Pegasus Lane			
CITY Roseburg	STATE OR	ZIP 97471	

4. Date of Site Inspection:

3-30-2022

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Don Post	3-30-2022	Past President – Pegasus HOA

6. County:

Douglas

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD NA			
ADDRESS			
CITY	STATE	ZIP	

Add additional tables for owners of record as needed

**SECTION 2
SIGNATURES**


RECEIVED

AUG 19 2022

OWRD

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



RECEIVED

JUL 29 2022

OWRD

CWRE NAME Nathan Reed		PHONE NO. 541-784-7191	ADDITIONAL CONTACT NO. NA
ADDRESS 157 W. Bodie Street			
CITY Roseburg	STATE OR	ZIP 97471	E-MAIL nreed68@hotmail.com

Permit Holder's of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Michael Tabor	HOA President	7/26/2022

SECTION 3
CLAIM DESCRIPTION

OWRD

OWRD

1. POD source and, if from surface water, the tributary:

POD NAME OR NUMBER	SOURCE	TRIBUTARY
POD	North Umpqua River	Umpqua River

2. Developed use(s), period of use, and rate for each use:

POD NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
POD	Irrigation	Lawn/Garden	Mar. 1 – Oct. 31	0.075 CFS
Total Quantity of Water Used				0.075 CFS

3. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion to the place of use:

A fish screened 5 Hp submersible pump at the POD delivers water via 2 inch buried PVC pipe to a pond (bulge in the system). A 5 Hp centrifugal pump delivers water from the bulge to the POU.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

4. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below.

NO

(e.g. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

5. Claim Summary:

POD / POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
POD	0.075 cfs	0.09 cfs	Not Meas.	Irrigation	6.0	6.0

SECTION 4
SYSTEM DESCRIPTION

OWRD

NO

Are there multiple PODs?

If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

RECEIVED

JUL 29 2022

A. Place of Use

Attach Claim of Beneficial Use map.

OWRD

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion to the place of use.

1. Is a pump used?

YES

If "NO" items 2 through item 5 may be deleted.

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)
Goulds	55GS50	unknown	submersible

3. Theoretical Pump Capacity:

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
5.0	90	-3	165	0.09 cfs

4. Provide pump calculations:

90 psi = 228.6 feet; $Q = (Hp \times eff.) / (\text{Sum Total Head}) = (5 \times 7.04) / (228.6 - 3 + 165) = 0.09 \text{ cfs}$

secondary pump from bulge

80 psi = 203.2 feet; $Q = (Hp \times eff.) / (\text{Sum Total Head}) = (5 \times 6.61) / (203.2 - 6 + 65) = 0.13 \text{ cfs}$

5. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
NA			

Reminder: For pump calculations use the reference information at the end of this document.

6. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
Rain Birds	50	3.0	60	12	0.08

Reminder: For sprinkler output determination use the reference information at the end of this document.

7. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
NA					

8. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION
NA					

C. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

NO

YES

Complete appropriate table(s), unused table may be deleted.

3. Bulge in System / Reservoir:

RESERVOIR NAME OR NUMBER (CORRESPOND TO MAP)	APPROXIMATE DAM HEIGHT	APPROXIMATE CAPACITY (IN ACRE FEET)
Pond	0	0.26

RECEIVED

AUG 19 2022

OWRD

RECEIVED

JUL 29 2022

OWRD

D. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

E. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

RECEIVED

NO

AUG 19 2022

F. Additional notes or comments related to the system:

OWRD

RECEIVED

JUL 29 2022

SECTION 5 CONDITIONS

OWRD

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or extension final order:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	9-9-2008		
BEGIN CONSTRUCTION (A)		2008	POD pump and piping installed to pond
COMPLETE CONSTRUCTION (B)		2009	secondary pump and piping laid to POU
COMPLETE APPLICATION OF WATER (C)	4-22-2021	2020	POU receiving water beneficially

* MUST BE WITHIN PERIOD BETWEEN PERMIT OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

NO

3. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device? **NO**

4. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department? **NO**

5. Fish Screening:

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion? **YES**

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed? **YES**

c. When was the fish screening installed?

DATE	BY WHOM
2014	Tinkers Pump Service

Reminder: If the permit or transfer final order was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

RECEIVED RECEIVED
AUG 19 2022 JUL 29 2022
OWRD OWRD

d. If the diversion involves a pump and the total diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs):

- Has the self-certification form previously been submitted to the Department? **NO**

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx> complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does not involve a pump or the total diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? **NA**

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices:

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion?

NO

RECEIVED
JUL 29 2022
OWRD

RECEIVED
AUG 19 2022
OWRD

7. Other conditions required by permit, permit amendment final order, or extension final order:

- a. Was the water user required to restore the riparian area if it was disturbed? **YES**
- b. Other conditions? **YES**

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

7.a. Riparian disturbance kept to minimum, other than maintenance access path.
7.b. Water quality due to reduce source flow.

**SECTION 6
ATTACHMENTS**

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
ODFW Letter	Fish Screen Approval
CBU Map	Final Proof Survey

RECEIVED

AUG 19 2022

RECEIVED

OWRD

JUL 29 2022

OWRD

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

Map drafted by i.e. Engineering based on my final proof and review.

RECEIVED

AUG 19 2022

OWRD

Map Checklist

RECEIVED

JUL 29 2022

OWRD

Please be sure that the map you submit includes ALL the items listed below.
(Reminder: Incomplete maps and/or claims may be returned.)

- Map on polyester film.
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Township, Range, Section, Donation Land Claims, and Government Lots
- If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- Locations of meters and/or measuring devices in relationship to point of diversion
- Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- Point(s) of diversion or appropriation (illustrated and coordinates)
- Tax lot boundaries and numbers
- Source illustrated if surface water
- Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- Application and permit number or transfer number
- North arrow
- Legend
- CWRE stamp and signature



OREGON DEPARTMENT of FISH and WILDLIFE

FISH SCREENING PROGRAM

SMALL PUMP SCREEN SELF CERTIFICATION

FOR PERMITS OR TRANSFERS ISSUED PRIOR TO FEBRUARY 1, 2011

As evidence of having met fish screen installation requirements, please provide the information requested below, sign the certification, and send copies to:

Oregon Water Resources Department, and Water Rights Section, 725 Summer Street NE, Suite A, Salem, OR 97301-1271

Pete Baki Oregon Dept. Fish and Wildlife 4034 Fairview Industrial Drive SE Salem, OR 97302

Water right permit/certificate number: 5-54491 Amount of water diverted 0.075 cfs

Stream: NORTH UMPQUA RIVER Tributary to: Umpqua River

Location (GPS if available): N 43.28753 W 123.38817

Screen Length: 36" Screen Diameter: 6"

Is pump screen self-cleaning: NO

If screen is not a cylinder shape, please provide a diagram and measurements.

RECEIVED

AUG 19 2022

OWRD RECEIVED

JUL 29 2022

OWRD

Certification:

I certify that my permit or transfer final order was issued prior to February 1, 2011.

I certify that my small pumped diversion of less than 225 gpm meets fish screening criteria, and that I will maintain it to comply with regulatory criteria. I also understand that should fish screening standards change, I may be required to modify my installation to meet applicable standards.

Applicant Signature: [Signature] Date: 7/17/22 WRD File #: [Blank]

Printed Name and Address: Michael Tabor 519 Pegasus Ln Roseburg

Phone: (541) 643-8527 Fax: ()

RECEIVED

AUG 19 2022

Fwd: Map Media

OWRD

From: Nathan Reed (nreed68@hotmail.com)
To: tabor3715@yahoo.com
Date: Tuesday, August 16, 2022, 05:31 PM PDT

Please print and attach this email to the claim package. Add sticky note to map with the following: "Authorized by Gerry Clark as approved media."

Sent from my iPhone

Begin forwarded message:

From: CLARK Gerald E * WRD <Gerald.E.CLARK@water.oregon.gov>
Date: August 16, 2022 at 12:35:20 PM PDT
To: Nathan Reed <nreed68@hotmail.com>
Subject: Map Media

Nathan,

Your request is approved. Please attach a copy of this message to the Claims that you submit.

Please let me know if you have any additional questions.

Have a great afternoon!

Gerry

-

[Gerry Clark](#)

He/Him/His

Oregon Water Resources Department

Program Analyst, Certificate Section, Water Right Services Division

725 Summer Street NE, Suite A Salem, OR 97301 | Phone 503-979-9103

From: Nathan Reed <nreed68@hotmail.com>
Sent: Tuesday, August 16, 2022 12:31 PM
To: CLARK Gerald E * WRD <Gerald.E.CLARK@water.oregon.gov>
Subject: Map Media

Mr. Clark,

I am requesting authorization to use Vellum in place of polyester film as the media to print maps on.

Sincerely,

Nathan Reed, PE, CWRE
Nathan Reed Consulting, dba
157 West Bodie Street