



Modern Irrigation Efficiencies



What has driven farmers to be more efficient Irrigators?

- Ground water right curtailment.
- No additional withdrawals from the Columbia River.
- Conserved water rights allowed for new development.
- Operational cost/Economics.
- Expanded crop rotations.
- Consumer demand.

Low pressure drop tube sprinklers

- Center pivot is the most common irrigation method in the basin. Has gone from 11.2 gpm pre acre overhead impact sprinklers requiring over 70 psi to low hanging nozzles requiring only 20 psi at the end of the pivot.
- These newer sprinklers also fight the wind better and hit the ground softer and sooner. Allowing for more of the pumped water to get into the ground.




Center Pivot Drag hoses

- Center pivots can be retrofitted to push water through small drag hoses. These hoses drag over the top of the crop or on the ground
- This eliminates much of the loss from wind or evaporation.
- Not a good choice for every crop. In onions for example, the drag hoses would spread diseases from one plant to another.



Variable Rate Irrigation

- Allows producers to write prescriptions for very small zones within a field.
- Helps to ensure that every acre of production is maximized by helping to control over watering or under watering.





Sub Surface Drip Irrigation

- Uses same volume of water as an overhead irrigated crop, but produces up to 30% more onions.
- Slow adoption due to significant start up cost (\$1,200/acre) along with the struggle to find hand labor, and system maintenance.



Better Science and Tec

- Weather stations, real time probes, neutron probes.
- Soil samples and tissue samples for prescribed fertility.
- VFD, PLC, pressure transducers, fiber optics, & the internet.



[001] 1
 8:26 AM - 08/18/2016
 271.1° 107.0° SIS
 52 PSI 0.15 in.(88.0%)

[002] 2
 8:25 AM - 08/18/2016
 108.2° 107.0° SIS
 3 PSI 0.27 in.(44.4%)

[003] 3
 8:17 AM - 08/18/2016
 130.3° 11.0° SIS
 47 PSI 0.65 in.(20.0%)

[004] 4
 8:23 AM - 08/18/2016
 343° 340.0° SIS
 2 PSI 0.00 in.(100.0%)

[005] 5
 8:26 AM - 08/18/2016
 16.6° 220.0° SIS
 1 PSI 0.50 in.(26.0%)

[006] 6
 8:20 AM - 08/18/2016
 119.8° 104.0° SIS
 55 PSI 0.34 in.(38.0%)

> Real time information allows for quicker more accurate decision making.

Valley Irrigation software interface showing a grid of 36 circular gauges representing different field stations. Each gauge displays a needle, a dial, and a color-coded status (green, yellow, red, blue).



Soil Moisture Monitoring Services For Madison Ranches

RZ -Root Zone AWHC -Available Water Holding Capacity SD -Soil Deficit Date: 8/15/2016

Read Number	Crop	Soil Deficit In The RZ	Soil Moisture Percent in the RZ (% of AWHC)	Change in Moisture From Last Reading (Inches)	Change in Moisture From Last Reading (Percent)	Soil Deficit in The Top Foot (Inches)	Soil Moisture in Top Foot (% of AWHC)	Forecasted ET For Next 7 Days (Inches)	Inches Of Irrigation Next 7 Days To Get To Fc	Inches Of Irrigation Next 7 Days (85% Soil Deficit)	Water Applied Last Week in inches (Irrigation - Rain)	
1	Onions	1.4	59%	-0.3	-9%	0.8	53%	1.2	1.4	1.2	1.2	
2	Onions	0.7	76%	-0.3	-9%	0.5	72%	1.2	0.7	0.6	0.2	
3	Volunteer	2.0	85%	-0.1	-2%	1.0	47%		2.0	1.7	0.1	
4	Alfalfa Seed							2.4			Sprayed	
5	Winter Wheat	1.8	70%	0.0	0%	1.1	45%		1.8	1.5	1.2	
6	Field Corn	0.0	100%	0.1	2%	0.0	100%	2.2	0.0	0.0	2.1	
7	Alfalfa Seed	3.2	38%	-0.1	-2%	1.1	31%	2.4	3.2	2.7	0.2	
8	Alfalfa Seed	2.4	51%	-0.1	-2%	0.8	50%	2.4	2.4	2.0	0.2	
9	Alfalfa	2.0	56%	-0.4	-9%	0.8	47%	0.6	2.0	1.7	0.2	
10	Stubble	2.9	46%	0.4	7%	1.0	44%		2.9	2.5	0.4	
11	Seed Corn	0.0	100%	0.1	2%	-0.2	112%	2.2	0.0	0.0	1.4	
12	Alfalfa	0.2	90%	1.8	33%	-0.3	117%	1.8	0.2	0.2	4.1	
13	Volunteer	1.7	62%	0.0	0%	0.8	47%		1.7	1.4	0.1	
14	Onions	1.4	60%	0.1	3%	1.0	47%	1.2	1.4	1.2	0.2	
15	Winter Wheat	2.1	56%	0.0	0%	0.8	50%		2.1	1.8	0.4	
16	Alfalfa	0.5	91%	1.2	21%	0.1	94%	2.4	0.5	0.4	2.5	
17	Volunteer	0.8	86%	0.3	5%	0.1	85%		0.8	0.7	1.5	
18	Onions	1.3	64%	0.0	0%	0.7	61%	1.2	1.3	1.1	0.0	
19	Volunteer	0.9	82%	0.4	8%	0.1	83%		0.9	0.8	1.4	
20	Alfalfa Seed	3.2	37%	0.0	0%	1.2	26%	2.4	3.2	2.7	0.1	
21	Volunteer	2.4	50%	0.0	0%	0.9	44%		2.4	2.0	1.4	
21-2	Seed Corn	0.8	85%	-0.4	-8%	0.2	86%	2.2	0.8	0.7	1.3	
22	Alfalfa Seed	3.1	39%	0.1	2%	0.6	57%	2.4	3.1	2.6	1.6	
23	Volunteer	2.3	52%	-0.1	-2%	1.0	38%		2.3	2.0	0.1	
24	Field Corn	-1.1	120%	1.4	26%	-0.5	131%	2.2	-1.1	-0.9	1.6	
25	Field Corn	1.3	76%	0.0	0%	0.3	84%	2.2	1.3	1.1	1.8	
26	Alfalfa	2.2	55%	0.5	10%	0.3	80%	2.4	2.2	1.9	1.8	
27	Pasture	1.0	71%	0.0	0%	0.5	66%		1.5	1.0	0.9	0.0
27-2	Seed Corn							2.2			Sprayed	
28	Alfalfa Seed							2.4			Sprayed	
32	Alfalfa Seed	4.0	31%	-0.1	-2%	1.2	33%	2.4	4.0	3.4	0.0	
33	Alfalfa Seed	3.1	45%	0.1	2%	0.6	63%	2.4	3.1	2.6	1.3	
34	Field Corn	1.7	87%	0.1	2%	0.5	71%	2.2	1.7	1.4	2.4	
35	Volunteer	3.8	32%	0.0	0%	1.3	28%		3.8	3.2	0.0	
36	Alfalfa Seed	3.2	41%	0.0	0%	1.1	42%	2.4	3.2	2.7	1.6	



Questions

Thank you for your time.

Jake Madison
Madison Ranches INC
29299 Madison Rd Echo, Or 97826
Office:(541)376-8107 Cell: (541)571-0569 Email: Jake@madisonranches.com