



# NORTH COAST BASIN






WATER RESOURCES  
DEPARTMENT  
1993

# NORTH COAST BASIN

MAP NO. 1.2



**Table 1**  
**North Coast Basin**  
**Minimum Perennial Streamflows**  
**(cfs)**

	Oct*	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Priority Date
<b>TILLAMOOK SUBBASIN</b>													
Neskowin Creek -- to be maintained from the confluence of Prospect Creek (NW 1/4, Sec. 5, T 6 S, R 10 W) to the mouth of Neskowin Creek	40/ 90	90	90	90	90	90	60	40	20	10	10	10	5/9/73
Little Nestucca River -- to be maintained from the confluence of Louie Creek (SE 1/4, Sec. 28, T 5 S, R 9 W) to the confluence of the South Fork (SE 1/4, Sec. 25, T 5 S, R 10 W)	30/ 90	90	90	80	80	80	80	60	10	10	10	10	5/9/73
Little Nestucca River -- to be maintained from the confluence of the South Fork (SE 1/4, Sec. 25, T 5 S, R 10 W) to the confluence of Fall Creek (NW 1/4, Sec. 15, T 5 S, R 10 W)	40/ 110	110	110	100	100	100	100	70	40	15	15	15	5/9/73
Little Nestucca River -- to be maintained from the confluence of Fall Creek (NW 1/4, Sec. 15, T 5 S, R 10 W) to the mouth of Little Nestucca River	60/ 130	130	130	130	130	130	130	100	60	25	25	25	5/9/73
Nestucca River -- to be maintained from the confluence of Elk Creek (NW 1/4, Sec. 27, T 3 S, R 7 W) to the confluence of Bible Creek (NW 1/4, Sec. 7, T 4 S, R 7 W)	40/ 110	110	110	110	110	110	110	100	50	20	20	20	5/9/73
Nestucca River -- to be maintained from the confluence of Bible Creek (NW 1/4, Sec. 7, T 4 S, R 7 W) to the confluence of Moon Creek (SW 1/4, Sec. 30, T 3 S, R 8 W)	80/ 150	180	180	180	180	180	180	180	100	60	60	60	5/9/73
Moon Creek -- to be maintained in Moon Creek at or near its confluence with the Nestucca River (SW 1/4, Sec. 30, T 3 S, R 8 W)	20/ 50	50	50	40	40	40	40	30	20	5	5	5	5/9/73
Nestucca River -- to be maintained from the confluence of Moon Creek (SW 1/4, Sec. 30, T 3 S, R 8 W) to the confluence of Beaver Creek (SE 1/4, Sec. 30, T 3 S, R 9 W)	100	230	230	220	220	220	220	210	120	65	65	65	5/9/73

**Table 1 (continued)**  
**North Coast Basin**  
**Minimum Perennial Streamflows**  
**(cfs)**

	Oct*	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Priority Date
East Beaver Creek -- to be maintained in East Beaver Creek at or near its confluence with Beaver Creek (NW 1/4, Sec. 18, T 3 S, R 9 W)	20	60	60	50	50	50	50	40	20	8	8	8	5/9/73
Beaver Creek -- to be maintained from the confluence of East Beaver Creek (NW 1/4, Sec. 18, T 3 S, R 9 W) to the confluence with the Nestucca River (SE 1/4, Sec. 30, T 3 S, R 9 W)	40	80	80	75	75	75	75	60	40	15	15	15	5/9/73
Nestucca River -- to be maintained from the confluence of Beaver Creek (SE 1/4, Sec. 30, T 3 S, R 9 W) to the confluence of the Three Rivers (SE 1/4, Sec. 11, T 4 S, R 10 W)	140/ 200	250	250	250	250	250	250	200	150	80	80	80	5/9/73
Three Rivers -- to be maintained from the confluence of Alder Creek (NW 1/4, Sec. 4, T 5 S, R 9 W) to the confluence of Cedar Creek (NE 1/4, Sec. 24, T 4 S, R 10 W)	20/ 50	80	80	60	60	60	60	50	15	10	10	10	5/9/73
Three Rivers -- to be maintained from the confluence of Cedar Creek (NE 1/4, Sec. 24, T 4 S, R 10 W) to the confluence with the Nestucca River (SE 1/4, Sec. 11, T 4 S, R 10 W)	50/ 90	90	90	90	90	90	90	80	40	20	20	20	5/9/73
Nestucca River -- to be maintained from the confluence of Three Rivers (SE 1/4, Sec. 11, T 4 S, R 10 W) to the mouth of the Nestucca River	190/ 260	260	260	260	260	260	260	260	150	90	90	90	5/9/73
Clear Creek -- to be maintained in Clear Creek at or near its confluence with the Nestucca River (NE 1/4, Sec. 28, T 4 S, R 10 W)	10/ 20	20	20	20	20	20	20	15	10	5	5	5	5/9/73
Sand Creek -- to be maintained from the confluence of Jewell Creek (NW 1/4, Sec. 20, T 3 S, R 10 W) to the mouth of Sand Creek	5/ 20	30	30	30	30	30	30	15	5	3	2	2	5/9/73
Tillamook River -- to be maintained from the confluence of Killiam Creek (SW 1/4, Sec. 16, T 2 S, R 9 W) to the confluence of Beaver Creek (NW 1/4, Sec. 7, T 2 S, R 9 W)	30/ 70	80	80	60	60	60	60	50	30	15	15	15	5/9/73

\* Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month



**Table 1 (continued)**  
**North Coast Basin**  
**Minimum Perennial Streamflows**  
**(cfs)**

	Oct*	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Priority Date
Bewley Creek -- to be maintained in Bewley Creek at or near its confluence with the Tillamook River (SE 1/4, Sec. 7, T 2 S, R 9 W)	2/ 10	15	15	15	15	15	15	10	6	2	2	2	5/9/73
Tillamook River -- to be maintained from the confluence of Beaver Creek (NW 1/4, Sec. 7, T 2 S, R 9 W) to the mouth of the Tillamook River	40/ 90	100	100	80	80	80	80	60	40	20	20	20	5/9/73
North Fork Trask River -- to be maintained from the confluence of Clear Creek (SE 1/4, Sec. 24, T 1 S, R 7 W) to the confluence of Bark Shanty Creek (NW 1/4, Sec. 33, T 1 S, R 7 W)	40/ 80	80	80	80	80	80	80	60	40	15	15	15	5/9/73
North Fork Trask River -- to be maintained from the confluence of Bark Shanty Creek (NW 1/4, Sec. 33, T 1 S, R 7 W) to the confluence of the South Fork Trask River (NE 1/4, Sec. 36, T 1 S, R 8 W)	60/ 120	150	150	140	140	140	140	120	60	25	25	25	5/9/73
South Fork Trask River -- to be maintained from the confluence of East Fork of South Fork Trask River (SE 1/4, Sec. 1, T 2 S, R 8 W) to the confluence with the North Fork Trask River (NE 1/4, Sec. 36, T 1 S, R 8 W)	60/ 140	160	160	140	140	140	140	120	60	30	30	30	5/9/73
Trask River -- to be maintained from the confluence with the South Fork Trask River (NE 1/4, Sec. 36, T 1 S, R 8 W) to USGS Gage #3025 (Stream Mile 10.3) (NW 1/4, Sec. 31, T 1 S, R 8 W)	120/ 200	270	270	270	270	270	270	250	120	60	60	60	5/9/73
Trask River -- to be maintained in the Trask River and its tributaries above USGS Gage 14-3025 (NW 1/4, Sec. 31, T 1 S, R 8 W)	85	85	85	85	85	85	85	85	85	85	85	85	10/31/62
Trask River -- to be maintained from USGS Gage #3025 (Stream Mile 10.3) (NW 1/4, Sec. 31, T 1 S, R 8 W) to the mouth of the Trask River	150/ 220	270	270	270	270	270	270	270	150	85	85	85	5/9/73
Wilson River -- to be maintained from the confluence of Elk Creek (SE 1/4, Sec. 31, T 2 N, R 6 W) to the confluence of the North Fork Wilson River (NE 1/4, Sec. 9, T 1 N, R 7 W)	25/ 60	80	80	70	70	70	70	40	25	10	10	10	5/9/73

\* Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

**Table 1 (continued)**  
**North Coast Basin**  
**Minimum Perennial Streamflows**  
**(cfs)**

	Oct*	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Priority Date
North Fork Wilson River -- to be maintained from the confluence of Lester Creek (NE 1/4, Sec. 4, T 1 N, R 7 W) to the confluence with the Wilson River (NE 1/4, Sec. 9, T 1 N, R 7 W)	30/ 80	100	100	70	70	70	70	50	30	10	10	10	5/9/73
Wilson River -- to be maintained from the confluence of North Fork Wilson River (NE 1/4, Sec. 9, T 1 N, R 7 W) to the confluence of Jordan Creek (NE 1/4, Sec. 25, T 1 N, R 8 W)	80/ 120	150	150	150	150	150	150	120	80	30	30	30	5/9/73
Jordan Creek -- to be maintained in Jordan Creek at or near its confluence with the Wilson River (NE 1/4, Sec. 25, T 1 N, R 8 W)	20/ 40	40	40	40	40	40	40	20	20	10	10	10	5/9/73
Wilson River -- to be maintained from the confluence of Jordan Creek (NE 1/4, Sec. 25, T 1 N, R 8 W) to the confluence with the Little North Fork Wilson River (NW 1/4, Sec. 24, T 1 S, R 9 W)	80/ 150	200	200	200	200	200	200	150	80	60	60	60	5/9/73
Little North Fork Wilson River -- to be maintained from the confluence of White Creek (NE 1/4, Sec. 12, T 1 S, R 9 W) to the confluence of the Wilson River (NW 1/4, Sec. 24, T 1 S, R 9 W)	60/ 100	130	130	100	100	100	100	80	50	20	20	20	5/9/73
Wilson River -- to be maintained in the Wilson River and its tributaries above USGS Gage 14-3015 (SE 1/4, Sec. 13, T 1 S, R 9 W)	80	80	80	80	80	80	80	80	80	80	80	80	10/31/62
Wilson River -- to be maintained from the confluence of Little North Fork Wilson River (NW 1/4, Sec. 24, T 1 S, R 9 W) to the mouth of the Wilson River	100/ 250	300	300	300	300	300	300	250	150	80	80	80	5/9/73
Kilchis River -- to be maintained from the confluence of South Fork Kilchis River (NW 1/4, Sec. 2, T 1 N, R 9 W) to the confluence of the Little South Fork Kilchis River (NE 1/4, Sec. 33, T 1 N, R 9 W)	80/ 100	160	160	140	140	140	140	80	40	10	10	10	5/9/73
Little South Fork Kilchis River -- to be maintained in Little South Fork Kilchis River at or near its confluence with the Kilchis River (NE 1/4, Sec. 33, T 1 N, R 9 W)	15/ 30	50	50	50	50	50	50	30	15	5	5	5	5/9/73

\* Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

**Table 1 (continued)**  
**North Coast Basin**  
**Minimum Perennial Streamflows**  
**(cfs)**

	Oct*	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Priority Date
Kilchis River -- to be maintained from the confluence of Little South Fork Kilchis River (NE 1/4, Sec. 33, T 1 N, R 9 W) to the mouth of the Kilchis River	100/ 150	220	220	180	180	180	180	100	60	20	20	20	5/9/73
Miami River -- to be maintained from the confluence of Peterson Creek (NW 1/4, Sec. 2, T 1 N, R 10 W) to the confluence of Moss Creek (SE 1/4, Sec. 14, T 1 N, R 10 W)	40/ 80	100	100	80	80	80	80	40	20	8	8	8	5/9/73
Miami River -- to be maintained from the confluence of Moss Creek (SE 1/4, Sec. 14, T 1 N, R 10 W) to the mouth of the Miami River	60/ 100	130	130	100	100	100	100	60	30	10	10	10	5/9/73
<b>NEHALEM SUBBASIN</b>													
Jetty Creek -- to be maintained in Jetty Creek from WRD Gage 30125 (NW 1/4, Sec. 16, T 2 N, R 10 W) to the mouth of Jetty Creek (SE 1/4, Sec. 17, T 2 N, R 10 W)	2/ 5	5	5	5	5	5	0.5	0.5	0.5	0.5	0.5	0.5	5/8/81
Nehalem River -- to be maintained from the confluence of Robinson Creek (SE 1/4, Sec. 3, T 3 N, R 5 W) to the confluence of Rock Creek (SW 1/4, Sec. 4, T 4 N, R 4 W)	20/ 40	40	40	30	30	30	30	20	10	5	5	5	5/9/73
Rock Creek -- to be maintained from the confluence of Ivy Creek (NE 1/4, Sec. 33, T 5 N, R 5 W) to the confluence with the Nehalem River (SW 1/4, Sec. 4, T 4 N, R 4 W)	30/ 90	90	90	80	80	80	80	50	25	12	10	10	5/9/73
Nehalem River -- to be maintained from the confluence of Rock Creek (SW 1/4, Sec. 4, T 4 N, R 4 W) to the confluence of Deep Creek (NE 1/4, Sec. 30, T 6 N, R 5 W)	80/ 120	120	120	120	120	120	120	80	40	20	20	20	5/9/73
Nehalem River -- to be maintained from the confluence of Deep Creek (NE 1/4, Sec. 30, T 6 N, R 5 W) to the confluence of Walker Creek (NW 1/4, Sec. 12, T 5 N, R 7 W)	100/ 140	160	160	160	160	160	160	110	50	30	30	30	5/9/73







Table 1 (continued)  
North Coast Basin  
Minimum Perennial Streamflows  
(cfs)

	Oct*	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Priority Date
Nehalem River -- to be maintained from the confluence of Cook Creek (SW 1/4, Sec. 35, T 3 N, R 9 W) to the mouth of the Nehalem River	200/ 270	270	270	270	270	270	270	200	150	100	100	100	5/9/73
Foley Creek -- to be maintained from the confluence of East Foley Creek (NW 1/4, Sec. 7, T 2 N, R 9 W) to the confluence with the Nehalem River (SE 1/4, Sec. 36, T 3 N, R 10 W)	10/ 50	60	60	50	50	50	50	30	20	5	5	5	5/9/73
North Fork Nehalem River -- to be maintained from the confluence of Little North Fork of North Fork Nehalem River (SW 1/4, Sec. 5, T 4 N, R 8 W) to the confluence of Soapstone Creek (SW 1/4, Sec. 22, T 4 N, R 9 W)	20	70	70	70	70	70	70	40	20	10	10	10	5/9/73
North Fork Nehalem River -- to be maintained from the confluence of Soapstone Creek (SW 1/4, Sec. 22, T 4 N, R 9 W) to the confluence with the Nehalem River (NW 1/4, Sec. 23, T 3 N, R 10 W)	50/ 140	140	140	130	130	130	130	80	50	20	20	20	5/9/73
<b>COLUMBIA SUBBASIN</b>													
Elk Creek -- to be maintained from the confluence of West Fork Elk Creek (SW 1/4, Sec. 28, T 5 N, R 10 W) to the mouth of Elk Creek	15/ 60	60	70	70	70	70	60	30	15	5	5	5	5/9/73
Necanicum River -- to be maintained from the confluence of Bergsvik Creek (SE 1/4, Sec. 23, T 5 N, R 9 W) to the confluence of Klootchie Creek (SE 1/4, Sec. 14, T 5 N, R 10 W)	10/ 30	30	30	30	30	30	30	20	10	5	5	5	5/9/73
South Fork Necanicum River -- to be maintained in South Fork Necanicum River at or near its confluence with the Necanicum River (SW 1/4, Sec. 19, T 5 N, R 9 W)	10/ 40	50	50	50	50	50	50	40	20	5	5	5	5/9/73
Necanicum River -- to be maintained from the confluence of Klootchie Creek (SE 1/4, Sec. 14, T 5 N, R 10 W) to the mouth of the Necanicum River	20/ 80	80	80	80	80	80	80	50	30	20	10	10	5/9/73

**Table 1 (continued)**  
**North Coast Basin**  
**Minimum Perennial Streamflows**  
**(cfs)**

	Oct*	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Priority Date
Lewis and Clark River -- to be maintained from the confluence of Klickitat Creek (NW 1/4, Sec. 31, T 7 N, R 9 W) to the mouth of the Lewis and Clark River	30/ 80	80	80	80	80	80	80	60	30	10	10	10	5/9/73
Youngs River -- to be maintained from the confluence of Wawa Creek (SE 1/4, Sec. 27, T 7 N, R 9 W) to the confluence of the Klaskanine River (NE 1/4, Sec. 15, T 7 N, R 9 W)	20/ 100	120	120	120	120	120	90	40	20	10	10	10	5/9/73
Youngs River -- to be maintained in Youngs River and its tributaries above Youngs River Falls (NW 1/4, Sec. 27, T 7 N, R 9 W)	5	5	5	5	5	5	5	5	5	5	5	5	10/31/62
North Fork Klaskanine River -- to be maintained in North Fork Klaskanine River at or near its confluence with the South Fork Klaskanine River (NW 1/4, Sec. 13, T 7 N, R 9 W)	30/ 50	50	50	50	50	50	50	30	12	5	5	5	5/9/73
South Fork Klaskanine River -- to be maintained in South Fork Klaskanine River at or near its confluence with the North Fork Klaskanine River (NW 1/4, Sec. 13, T 7 N, R 9 W)	40/ 70	70	70	70	70	70	70	40	15	5	5	5	5/9/73
Bear Creek -- to be maintained from the confluence of Little Bear Creek (NW 1/4, Sec. 27, T 8 N, R 8 W) to the mouth of Bear Creek	10	20	20	20	20	20	20	10	5	3	3	3	5/9/73
Big Creek -- to be maintained from the confluence of Mill Creek (SW 1/4, Sec. 29, T 8 N, R 7 W) to the mouth of Big Creek	20/ 50	80	80	80	80	80	80	50	30	15	15	15	5/9/73
Plympton Creek -- to be maintained in Plympton Creek at or near its mouth (NW 1/4, Sec. 36, T 8 N, R 6 W)	5/ 20	20	20	20	20	20	20	10	5	5	3	3	5/9/73
Clatskanie River -- to be maintained from the confluence of Carcus Creek (SW 1/4, Sec. 32, T 7 N, R 3 W) to the confluence of Perkins Creek (SW 1/4, Sec. 15, T 7 N, R 4 W)	10/ 30	30	30	30	30	30	30	15	10	4	4	4	5/9/73

\* Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

**Table 1 (continued)**  
**North Coast Basin**  
**Minimum Perennial Streamflows**  
**(cfs)**

	Oct*	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Priority Date
Clatskanie River -- to be maintained from the confluence of Perkins Creek (SW 1/4, Sec. 15, T 7 N, R 4 W) to the mouth of Clatskanie River	20/ 80	80	80	80	80	80	80	40	20	10	10	10	5/9/73
Beaver Creek -- to be maintained from Beaver Falls (SE 1/4, Sec. 12, T 7 N, R 4 W) to the mouth of Beaver Creek	5/ 10	30	50	50	50	50	50	20	10	5	5	5	5/9/73

\* Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.