

Table 1 John Day Basin Minimum Perennial Streamflows (cfs)

	Oct	Nov	Dec	Jan	Feb*	Mar	Apr	May	June	July*	Aug*	Sept*	Priority Date
John Day River in the reach between the mouth of Rail Cr. and USGS gage 14-038530 (Sec. 19, T 13 S, R 32 E)	25	25	25	25	25	34	34	34	25	15	15/ 34	34	11-03-83
John Day River in the reach between USGS gage 14-038530 (Sec. 19, T 13 S, R 32 E) and the mouth of the South Fork John Day River	50	80	80	80	80/ 118	118	118	118	80	50/ 30	30	30	11-03-83
John Day River in the reach between the mouth of the South Fork John Day River and the mouth of the North Fork John Day River	60	120	120	120	120/ 160	160	160	160	120	60	60	60	11-03-83
John Day River above USGS gage 14-046500 at Service Creek (Sec. 18, T 9 S, R 23 E) as measured at the gage	30	30	30	30	30	30	30	30	30	30	30	30	5-24-62
John Day River above its mouth as measured at USGS gage 14-048500 at McDonald Ferry (Sec. 11, T 1 N, R 19 E)	20	20	20	20	20	20	20	20	20	20	20	20	5-24-62
Canyon Creek in the reach between the mouth of East Fork Canyon Creek and the mouth of Canyon Creek (Sec. 23, T 13 S, R 31 E)	9	15	25	25	25/ 34	34	34	34	25	15/ 9	9	9	11-03-83
Beech Creek in the reach between the mouth of East Fork Beech Creek and the mouth of Beech Creek (Sec. 28, T 13 S, R 30 E)	8	15	30	30	30/ 44	44	44	44	30	15/ 8	8	257 11 8	11-03-83
South Fork John Day River in the reach between the mouth of Black Canyon Creek and the mouth of the South Fork John Day River	25	50	100	100	100/ 133	133	133	133	100	50/ 25	25	25	11-03-83
Cottonwood Creek above its mouth as measured at the mouth (Sec. 28, T 12 S, R 26 E)	3	10	10	10	10/ 15	15	15	15	10	7/	3	3	11-03-83
Rock Creek in the reach between the mouth of Mountain Creek and the mouth of Rock Creek (Sec. 17, T 12 S, R 26 E)	10	20	35	35	35/ 50	50	50	50	35	20/ 10	10	10	11-03-83
Bridge Creek in the reach between the mouth of Bear Creek and the mouth of Bridge Creek (Sec. 3, T 10 S, R 20 E)	6	25	25	25	25/ 40	40	40	40	25	15/ 6	6	6	11-03-83

^{*} Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

Table 1 (continued) John Day Basin Minimum Perennial Streamflows (cfs)

Creek and the mouth of Bridge Creck (Sec. 3, T 10)	Oct	Nov	Dec	Jan	Feb*	Mar	Apr	May	June	July*	Aug*	Sept*	Priority Date
Granite Creek in the reach between the mouth of Clear Creek and the mouth of Granite Creek (Sec. 13, 18 S, R 34 E)	30	30	55	55	55	71 20	71	71	55	30	30/ 71	71/ 30	11-03-83
North Fork John Day River above the former USGS gage 14-041 near Dale (Sec. 35, T 6 S, R 31 E) as neasured at the site of the gage	35	35	35	35	35	35	35	35	35	35	35	35	5-24-62
North Fork John Day River above its mouth as neasured at USGS gage 14-0460 at Monument Sec. 2, T 6 S, R 27 E)	55	55	55	55	55	55	55	55	55	55	55	55	5-24-62
Clear Creek above its mouth as measured at the nouth (Sec. 34, T 11 S, R 35 E)	10	10	18	18	18	25	25	25	18	10/	4/ 25	25/ 10	11-03-83
Middle Fork John Day River above its mouth as neasured at USGS gage 14-0440 at Ritter (Sec. 8, § 8 S, R 30 E)	10	10	10	10	10	10	10	10	10	10	10	10	5-24-62
Middle Fork John Day River in the reach between JSGS gage 14-0440 (Sec. 8, T 8 S, R 30 E) at Ritter and the mouth of the Middle Fork John Day River	50	80	80	80	80/ 125	125	125	125	80	50/ 25	25/ 125	125/ 50	11-03-83

| Cefs | Cefs |
| Cef

Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.