
MID-COAST BASIN






Table 1 Mid-Coast Basin Minimum Perennial Streamflows

Priority Oct1 Nov Dec Jan Feb Mar Apr May June1 July1 Sept1 Aug Date SALMON RIVER Salmon River -- to be maintained from the confluence 30/ 3-26-74 with Little Salmon River (SW 1/4, Sec. 15, T 6 S, R 9 W) to its confluence with Slick Rock Creek (NE 1/4, Sec. 35, T 6 S, R 10 W) Slick Rock Creek -- to be maintained in Slick Rock 10/ 3-26-74 Creek at or near its confluence with the Salmon River (NE 1/4, Sec 35, T 6 S, R 10 W) Bear Creek -- to be maintained in Bear Creek at or 2/ 3-26-74 near its confluence with the Salmon River (SW 1/4. Sec. 34, T 6 S, R 10 W) Salmon River -- to be maintained from its confluence 60/ 35/ 18/ 7-12-66 with Slick Rock (NE 1/4, Sec. 35, T 6 S, R 10 W) to the mouth of the Salmon River 60/ 150^{2} 120^{2} 3-26-74 DRIFT CREEK Drift Creek -- to be maintained from its confluence 22/ 80 25/ 7-12-66 with Gordey Creek (NE 1/4, Sec. 1, T 8 S, R 11 W) to the mouth of Drift Creek 30/ 22^{2} 3-26-74 SILETZ RIVER Siletz River -- to be maintained at or near its 60/ 3-26-74 confluence with the South Fork Siletz River (NE 1/4, Sec. 18, T 8 S, R 8 W) South Fork Siletz River -- to be maintained in South 30/ 30/ 10/ 7-12-66 Fork Siletz River at or near its confluence with the Siletz River (NE 1/4, Sec. 18, T 8 S, R 8 W) 30/ 60^{2} 3-26-74

Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

² Earlier priority date for a portion of the listed flow.

(cfs)

	Oct1	Nov	Dec	Jan	Feb	Mar	Apr	May	June ¹	July ¹	Aug	Sept1	Priority Date
Gravel Creek to be maintained in Gravel Creek at or near its confluence with the Siletz River (NW 1/4, Sec. 18, T 8 S, R 8 W)	10/ 40	60	60	60	60	60	60	40	20	5	5	5	3-26-74
Siletz River to be maintained from its confluence with the South Fork Siletz River (NE 1/4, Sec. 18, T 8 S, R 8 W) to its confluence with Sunshine Creek (SE 1/4, Sec. 3, T 9 S, R 9 W)	70/ 140	190	190	140	140	140	140	140	70	70	50	50	3-26-74
Siletz River to be maintained from its confluence with Sunshine Creek (SE 1/4, Sec. 3, T 9 S, R 9 W) to USGS - State Engineer Gage 14-3055 at stream mile 42.6 (SW 1/4, Sec. 11, T 10 S, R 10 W)	120/ 190	200	200	170	170	170	170	170	100	100	80	80	3-26-74
Mill Creek to be maintained in Mill Creek at or near its confluence with the Siletz River (NE 1/4, Sec. 33, T 9 S, R 9 W)	20/ 40	50	50	40	40	40	40	20	5	5	5	5	3-26-74
Rock Creek to be maintained in Rock Creek at or near its confluence with the Siletz River (NE 1/4, Sec. 4, T 10 S, R 9 W)	25/ 50	70	70	50	50	50	50	30	25	15	10	10	3-26-74
Sam Creek to be maintained in Sam Creek at or near its confluence with the Siletz River (SE 1/4, Sec. 1, T 10 S, R 10 W)	15/ 40	50	50	40	40	40	40	25	15	5	5	5	3-26-74
Siletz River to be maintained from USGS - State Engineer Gage 14-3055 at stream mile 42.6 (SW 1/4,	150/ 200	200	200	200	200	200	200	200	135	100	100	100	7-12-66
Sec. 11, T 10 S, R 10 W) to the mouth of the Siletz River	150/ 200 ²	2202	2202	2002	2002	2002	2002	2002	135 ²	1002	1002	1002	3-26-74
Euchre Creek to be maintained in Euchre Creek at or near its confluence with the Siletz River (SE 1/4, Sec. 16, T 9 S, R 10 W)	20/ 50	80	80	60	60	60	60	40	20	10	10	10	3-26-74
Cedar Creek to be maintained in Cedar Creek at or near its confluence with the Siletz River (SW 1/4, Sec. 8, T 9 S, R 10 W)	30/ 60	70	70	60	60	60	60	40	30	15	15 V#8	15	3-26-74

Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

Earlier priority date for a portion of the listed flow.

	(CIS)											Dulault	
Carlot V S W	Oct ¹	Nov	Dec	Jan	Feb	Mar	Apr	May	June ¹	July ¹	Aug	Sept1	Priority Date
Bear Creek to be maintained in Bear Creek at or near its confluence with the Siletz River (SW 1/4, Sec. 16, T 8 S, R 10 W)	3	15	15	15	15	15	15	10	5	3	2	2	3-26-74
YAQUINA RIVER													
Yaquina River to be maintained from its confluence with Bales Creek (SE 1/4, Sec. 26, T 10 S, R 9 W) to its confluence with Simpson Creek (NE 1/4, Sec. 36, Γ 10 S, R 10 W)	20/ 50	90	90	50	50	50	50	35	20	10	10	10	3-26-74
Little Elk Creek to be maintained in Little Elk Creek at or near its confluence with the Yaquina River NW 1/4, Sec. 10, T 11 S, R 9 W)	15/ 40	60	60	50	50	50	40	30	15	5	5	5	3-26-74
Simpson Creek to be maintained in Simpson Creek at or near its confluence with the Yaquina River NE 1/4, Sec. 36, T 10 S, R 10 W)	15/ 30	40	40	30	30	30	30	20	15	4	4	4	3-26-74
Yaquina River to be maintained from its confluence with Simpson Creek (NE 1/4, Sec. 36, T 10 S, R 10 W) to the mouth of the Yaquina River	10/ 70 20/ 70 ²	75 90 ²	75 90 ²	50 50 ²	50 50 ²	50 50 ²	50 50 ²	50 ²	17 25 ²	17/ 10 18 ²	10 18 ²	10 18 ²	7-12-66 3-26-74
Elk Creek to be maintained from its confluence with Grant Creek (SW 1/4, Sec. 7, T 12 S, R 8 W) to the confluence of Bear Creek (NW 1/4, Sec. 30, Γ 11 S, R 9 W)	20/ 40	50	50	50	50	50	50	30	20	10	10	10	3-26-74
Elk Creek to be maintained from its confluence with Bear Creek (NW 1/4, Sec. 30, T 11 S, R 9 W) to he confluence with the Yaquina River (NW 1/4, Sec. 14, T 11 S, R 10 W)	6/ - 30/ 60 ²	80	80	80	80	80	80	50	15 35 ²	15/ 6 15 ²	6 15 ²	6 15 ²	7-12-66 3-26-74

Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

Earlier priority date for a portion of the listed flow.

	Oct1	Nov	Dec	Jan	Feb	Mar	Apr	May	June ¹	July ¹	Aug	Sept ¹	Priority Date
ALSEA RIVER				-									
North Fork Alsea River to be maintained in North Fork Alsea River at or near its confluence with the Alsea River (SE 1/4, Sec. 1, T 14 S, R 8 W)	25/ 70	70	70	70	70	70	70	50	30	20/ 18	18	18	7-12-66
	25/ 70 ²	902	902	702	70 ²	70 ²	70 ²	502	302	20 ²	18 ²	18 ²	3-26-74
South Fork Alsea River — to be maintained in South Fork Alsea River at or near its confluence with the Alsea River (SE 1/4, Sec. 1, T 14 S, R 8 W)	30/ 50 30/	50 80 ²	50 100 ²	50 60 ²	15 50 ²	10 10 ²	10 10 ²	10 10 ²	7-12-66 3-26-74				
	602	80	100	100	100	100	100	00	30	10	10	10	3-20-14
Bummer Creek to be maintained in Bummer Creek at or near its confluence with the South Fork Alsea River (NE 1/4, Sec. 12, T 14 S, R 8 W)	10/ 20	60	60	40	40	40	40	25	15	4	4	4	3-26-74
Alsea River to be maintained from its confluence with South Fork Alsea River (SE 1/4, Sec. 1, T 14 S, R 8 W) to USGS - State Engineer Gage 14-3065 at stream mile 17.2 (NW 1/4, Sec. 6, T 14 S, R 9 W)	50/ 100	140	140	130	130	130	130	85	50	25	25	25	3-26-74
Fall Creek to be maintained from its confluence with Carns Canyon Creek (NW 1/4, Sec. 35, T 13 S, R 9 W) to its confluence with the Alsea River (SW 1/4,	20/ 50	60	60	60	60	60	60	50	30	15	8	8	7-12-66
Sec. 1, T 14 S, R 9 W)	20/ 50 ²	1002	1002	802	802	80 ²	80 ²	50 ²	352	15 ²	82	82	3-26-74
Green River to be maintained in Green River at or near its confluence with Five Rivers (SE 1/4, Sec. 8, T 15 S, R 9 W)	10/ 30	60	60	50	50	50	50	25	10	5	5	5	3-26-74
Five Rivers to be maintained from its confluence with Green River (SE 1/4, Sec. 8, T 15 S, R 9 W) to its confluence with Lobster Creek (SW 1/4, Sec. 19, T 14 S, R 9 W)	20/ 60	115	115	100	100	100	100	60	25	10	10	10	3-26-74

¹ Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

2 Earlier priority date for a portion of the listed flow.

The state of the s			T	(CIS)									Priority
	Oct ¹	Nov	Dec	Jan	Feb	Mar	Apr	May	June ¹	July ¹	Aug	Sept1	Date
Lobster Creek to be maintained in Lobster Creek at or near its confluence with Five Rivers (SW 1/4, Sec. 19, T 14 S, R 9 W)	15/ 30	75	75	60	60	60	60	30	15	9	9	9/ 10	7-12-66
	15/ 30 ²	802	802	602	602	602	602	302	15 ²	152	102	102	3-26-74
Five Rivers to be maintained from its confluence with Lobster Creek (SW 1/4, Sec. 19, T 14 S, R 9 W) to its confluence with the Alsea River (SW 1/4, Sec. 7,	40/ 80	125	125	125	125	125	125	100	20	14	14	14/ 25	7-12-66
T 14 S, R 9 W)	40/ 80 ²	1402	1402	1402	140 ²	140 ²	140 ²	1002	50 ²	30 ²	25 ²	25 ²	3-26-74
Alsea River to be maintained from USGS - State Engineer Gage 14-3065 at stream mile 17.2 (NW 1/4, Sec. 9, T 14 S, R 9 W) to the mouth of the Alsea River	100/ 150	150	150	150	150	150	150	100	100	90	90	90	7-12-66
Drift Creek to be maintained from its confluence with Wheelock Creek (NW 1/4, Sec. 24, T 13 S, R 11 W) to its confluence with the Alsea River	25/ 90	90	90	90	90	90	90	70	30	20	15	15	7-12-66
(NE 1/4, Sec. 27, T 13 S, R 11 W)	25/ 90 ²	1302	1302	1102	1102	1102	1102	702	452	202	15 ²	152	3-26-74
Drift Creek to be maintained above USGS - State Engineer Gage 14-3066 (NE 1/4, Sec. 24, T 12 S, R 10 W) measured at the gage and maintained to the mouth	30°2 20°2	40 ₅	305	938	65	652	682	405	303	202	133	5/ -	7-12-66
YACHATS RIVER													
North Fork Yachats River to be maintained in the North Fork Yachats River at or near its confluence	3/ 20	30	35	35	35	35	35	20	10	5/	3	3	7-12-66
with the Yachats River (SW 1/4, Sec. 35, T 14 S, R 11 W)	10/ 20 ²	302	352	35 ²	35 ²	352	352	202	102	52	52	52	3-26-74

D. . . . 6

Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

² Earlier priority date for a portion of the listed flow.

(cfs)

	Oct ¹	Nov	Dec	Jan	Feb	Mar	Apr	May	June ¹	July ¹	Aug	Sept1	Priority Date
Yachats River to be maintained from its confluence with the North Fork Yachats River (SW 1/4, Sec. 35, Γ 14 S, R 11 W) to its confluence with Beamer Creek (SE 1/4, Sec. 32, T 14 S, R 11 W)	6/ 40	50	60	50	50	50	50	30	15	6	6	6	7-12-66
	20/ 40 ²	50 ²	60 ²	50 ²	50 ²	50 ²	50 ²	302	202	102	102	102	3-26-74
Yachats River to be maintained from its confluence with Beamer Creek (SW 1/4, Sec. 32, T 14, R 11 W) to	15/ 50	70	70	65	65	65	65	40	30	20/ 15	15	15	7-12-66
e mouth of the Yachats River	25/ 50 ²	70 ²	70 ²	65 ²	65 ²	65 ²	65 ²	40 ²	30 ²	202	15 ²	15 ²	3-26-74
TRIBUTARIES TO THE PACIFIC OCEAN													A+73+00
Fenmile Creek to be maintained in Tenmile Creek at or near its mouth	15/ 30	45	55	55	55	55	55	30	20	10	10	10	3-26-74
Big Creek to be maintained in Big Creek at or near its mouth	10/ 20	40	65	65	65	65	60	40	20	10	5	5	3-26-74
Cape Creek to be maintained in Cape Creek at or near its mouth	10/ 20	35	55	55	55	55	50	30	10	10	5	5	3-26-74
SIUSLAW RIVER	450												
Siuslaw River to be maintained from its confluence with the North Fork Siuslaw River (SW 1/4, Sec. 14, T 20 S, R 5 W) to its confluence with Haight Creek	10/ 20	75	75	75	75	75	50	30	20	10	5	323	3-26-74
SW 1/4, Sec. 35, T 19 S, R 7 W) Siuslaw River to be maintained from its confluence with Haight creek (SW 1/4, Sec. 35, T 19 S, R 7 W) to	18/ 100	100	100	100	100	100	100	70	35	35/ 18	18	18	7-12-66
is confluence with Wolf Creek (SE 1/4, Sec. 35, 18 S, R 8 W)	30/ 60 ²	1002	1002	1002	1002	1002	1002	400	55 ²	402	202	20 ²	3-26-74
Esmond Creek to be maintained in Esmond Creek at or near its confluence with the Siuslaw River (SW 1/4, Sec. 9, T 19 S, R 8 W)	5/ 15	30	50	50	50	50	50	30	15	6	3	3	3-26-74

Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

Earlier priority date for a portion of the listed flow.

cfs)

	(cis)											Priority	
	Oct1	Nov	Dec	Jan	Feb	Mar	Apr	May	June ¹	July ¹	Aug	Sept1	Date
Volf Creek to be maintained in Wolf Creek at or ear its confluence with the Siuslaw River (SE 1/4,	7/ 25	80	80	60	60	60	60	40	18	18/ 7	7	7	7-12-66
Sec. 35, T 18 S, R 8 W)	10/ 25 ²	802	802	602	60 ²	60 ²	60 ²	402	252	18 ²	72	72	3-26-74
Siuslaw River to be maintained from its confluence with Wolf Creek (SE 1/4, Sec. 35, T 18 S, R 8 W) to ts confluence with Lake Creek (NE 1/4, Sec. 32, T 17 S, R 9 W)	45/ 90	180	180	180	180	180	180	140	80	60/ 50	30	35	7-12-66
	45/ 90 ²	180 ²	180 ²	1802	180 ²	180 ²	180 ²	1402	80 ²	60 ²	30 ²	35 ²	3-26-74
Whittaker Creek to be maintained in Whittaker Creek at or near its confluence with the Siuslaw River (SE 1/4, Sec. 21, T 18 S, R 8 W)	5/ 15	30	50	60	60	60	40	20	10	5	3	3	3-26-74
Wildcat Creek to be maintained in Wildcat Creek at or near its confluence with the Siuslaw River (SE 1/4, Sec. 16, T 18 S, R 8 W)	8/ 25 10/	80 80 ²	80 120 ²	70 70 ²	70 70 ²	70 70 ²	70 70 ²	45 ²	20 25 ²	8 10 ²	8 8 ²	8 8 ²	7-12-66 3-26-74
Indian Creek to be maintained in Indian Creek at or near its confluence with Lake Creek (NW 1/4, Sec. 21, IT 17 S, R 9 W)	25 ² 15/ 50	100	160	160	160	160	160	80	50	20	15	15	3-26-74
Fish Creek to be maintained in Fish Creek at or near ts confluence with Lake Creek (SE 1/4, Sec. 30, I 16 S, R 7 W)	5/ 10	30	40	30	30	30	30	15	10	5	3	3	3-26-74
Greenleaf Creek to be maintained in Greenleaf Creek at or near its confluence with Lake Creek NE 1/4, Sec. 2, T 17 S, R 8 W)	7/ 15	30	60	60	60	60	60	30	15 130 ₅	7 30 ₅	203	5	3-26-74
Nelson Creek to be maintained in Nelson Creek at or near its confluence with Lake Creek (SW 1/4, Sec. 9, T 17 S, R 8 W)	7/ 15	40	70	40	40	40	40	25	15 130	10	5	5	3-26-74

Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

Earlier priority date for a portion of the listed flow.

(cfs)

(CIS)													
	Oct ¹	Nov	Dec	Jan	Feb	Mar	Apr	May	June ¹	July ¹	Aug	Sept1	Priority Date
Lake Creek to be maintained from its confluence with Indian Creek (NW 1/4, Sec. 21, T 17 S, R 9 W) to its confluence with the Siuslaw River (NE 1/4, Sec. 32,	50/ 175	175	175	175	175	175	175	175	120	70	50	50	7-12-66
T 17 S, R 9 W)	50/ 180 ²	260 ²	2602	260 ²	260 ²	260 ²	260 ²	175 ²	1202	70 ²	502	502	3-26-74
Deadwood Creek to be maintained in Deadwood Creek at or near its confluence with Lake Creek (NE 1/4, Sec. 15, T 17 S, R 9 W)	15/ 40	80	130	100	100	100	100	65	40	20	15	15	3-26-74
SILTCOOS LAKE DRAINAGE						30					- 9		9785 23
Woahink Creek to be maintained from the outlet of Woahink Lake (NE 1/4, Sec. 27, T 19 S, R 12 W) to its confluence with Siltcoos Lake (SE 1/4, Sec. 27, T 19 S, R 12 W)	5	20	20	20	20	20	20	10	10	5	5	5	3-26-74
Maple Creek to be maintained from its confluence with Jordan Creek (SE 1/4, Sec. 9, T 19 S, R 11 W) to Siltcoos Lake (NW 1/4, Sec. 30, T 19 S, R 11 W)	3/8	12	12	12	12	12	12	10	8	3	3	3	3-26-74
Fiddle Creek to be maintained from its confluence with Alder Creek (SE 1/4, Sec. 32, T 19 S, R 11 W) to Siltcoos Lake (NW 1/4, Sec. 7, T 20 S, R 11 W)	3/ 10	10	10	10	10	10	10	10	5	3	3	3	3-26-74
TAHKENITCH LAKE DRAINAGE													
Fivemile Creek to be maintained from its confluence with Perkins Creek (NE 1/4, Sec. 25, IT 20 S, R 12 W) to Tahkenitch Lake (SW 1/4, Sec. 26, IT 20 S, R 12 W)	3/ 5	10	10	10	10	10	10	10	5	3	3	3	3-26-74
Leitel Creek to be maintained in Leitel Creek at or near Tahkenitch Lake (NE 1/4, Sec. 3, T 21 S, R 12 W)	2/	10	10	10 (0)	10	10	10	5 40 ₃	5	2	2	2	3-26-74

Earlier priority date for a portion of the listed flow.

Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

Table 2 Mid-Coast Basin Minimum Perennial Streamflows (cfs)

				(CIS)									
	Oct*	Nov*	Dec	Jan	Feb	Mar	Apr	May	June*	July	Aug	Sept*	Priority Date
Schooner Creek to be maintained from county bridge number 108B1 (Sec. 25, T 7 S, R 1 W) to the confluence with Siletz Bay	45/ 67	67	67	67	67	67	67	45	45/ 20	20	20	45	11-3-83
South Fork Siuslaw River to be maintained at or near the confluence with the Siuslaw River (SW 1/4, Sec. 14, T 20 S, R 5 W)	20	20/ 31	31	31	31	31	31	31	20/ 5	5	5	5/ 20	11-3-83

^{*} Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.