



# SOUTH COAST BASIN





- SUBBASINS**
- A CHETCO
  - 1 SIXES
  - 2 COQUILLE
  - 3 COOS



1973

**WATER RESOURCES DEPARTMENT**  
**SOUTH COAST**  
**BASIN**

MAP NO. 17.2

**Table 1  
South Coast Basin  
Minimum Perennial Streamflows  
(cfs)**

|                                                                                                                  | Oct <sup>1</sup>         | Nov <sup>1</sup>        | Dec              | Jan <sup>1</sup>         | Feb <sup>1</sup>         | Mar              | Apr              | May              | June <sup>1</sup>        | July            | Aug             | Sept <sup>1</sup> | Priority Date |
|------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------|------------------|--------------------------|--------------------------|------------------|------------------|------------------|--------------------------|-----------------|-----------------|-------------------|---------------|
| Winchuck River: at USGS-WRD gage 14400200 (SW 1/4 SE 1/4, Sec. 24, T 41 S, R 13 W)                               | 20                       | 20                      | 20               | 20                       | 20                       | 20               | 20               | 20               | 20                       | 20              | 20              | 20                | 5-22-64       |
|                                                                                                                  | 30/<br>150 <sup>2</sup>  | 150 <sup>2</sup>        | 150 <sup>2</sup> | 120 <sup>2</sup>         | 120 <sup>2</sup>         | 120 <sup>2</sup> | 120 <sup>2</sup> | 120 <sup>2</sup> | 80/<br>30 <sup>2</sup>   | 20 <sup>2</sup> | 20 <sup>2</sup> | 20 <sup>2</sup>   | 4-1-80        |
| Chetco River: below North Fork Chetco River and maintained to tidewater <sup>3</sup>                             | 80                       | 80                      | 80               | 80                       | 80                       | 80               | 80               | 80               | 80                       | 80              | 80              | 80                | 5-22-64       |
|                                                                                                                  | 200/<br>450 <sup>2</sup> | 450 <sup>2</sup>        | 450 <sup>2</sup> | 350 <sup>2</sup>         | 350 <sup>2</sup>         | 350 <sup>2</sup> | 350 <sup>2</sup> | 350 <sup>2</sup> | 200/<br>100 <sup>2</sup> | 80 <sup>2</sup> | 80 <sup>2</sup> | 80 <sup>2</sup>   | 4-1-80        |
| Pistol River: below Deep Creek and maintained to tidewater <sup>3</sup>                                          | 15                       | 15                      | 15               | 15                       | 15                       | 15               | 15               | 15               | 15                       | 15              | 15              | 15                | 5-22-64       |
|                                                                                                                  | 40 <sup>2</sup>          | 40/<br>255 <sup>2</sup> | 255 <sup>2</sup> | 255/<br>230 <sup>2</sup> | 230 <sup>2</sup>         | 230 <sup>2</sup> | 230 <sup>2</sup> | 230 <sup>2</sup> | 100/<br>30 <sup>2</sup>  | 30 <sup>2</sup> | 20 <sup>2</sup> | 20 <sup>2</sup>   | 4-1-80        |
| Hunter Creek: below Little South Fork and maintained to tidewater <sup>3</sup>                                   | 7                        | 7                       | 7                | 7                        | 7                        | 7                | 7                | 7                | 7                        | 7               | 7               | 7                 | 5-22-64       |
|                                                                                                                  | 15/<br>125 <sup>2</sup>  | 125 <sup>2</sup>        | 125 <sup>2</sup> | 100 <sup>2</sup>         | 100 <sup>2</sup>         | 100 <sup>2</sup> | 100 <sup>2</sup> | 100 <sup>2</sup> | 70/<br>50 <sup>2</sup>   | 7 <sup>2</sup>  | 7 <sup>2</sup>  | 7 <sup>2</sup>    | 4-1-80        |
| Euchre Creek: below Cedar Creek and maintained to tidewater <sup>3</sup>                                         | 10                       | 10                      | 10               | 10                       | 10                       | 10               | 10               | 10               | 10                       | 10              | 10              | 10                | 5-22-64       |
|                                                                                                                  | 15/<br>120 <sup>2</sup>  | 120 <sup>2</sup>        | 120 <sup>2</sup> | 120/<br>80 <sup>2</sup>  | 80 <sup>2</sup>          | 80 <sup>2</sup>  | 80 <sup>2</sup>  | 80 <sup>2</sup>  | 60/<br>15 <sup>2</sup>   | 10 <sup>2</sup> | 10 <sup>2</sup> | 10 <sup>2</sup>   | 4-1-80        |
| Elk River: at WRD gage 14327250 (SW 1/4 SE 1/4, Sec. 6, T 33 S, R 14 W) and maintained to tidewater <sup>3</sup> | 60/<br>150               | 300                     | 300              | 300                      | 300/<br>225              | 225              | 225              | 225              | 80/<br>45                | 45              | 45              | 45                | 4-1-80        |
|                                                                                                                  | 30                       | 30                      | 30               | 30                       | 30                       | 30               | 30               | 30               | 30                       | 30              | 25              | 25                | 5-22-64       |
| Sixes River: below Edson Creek and maintained to tidewater <sup>3</sup>                                          | 40/<br>215 <sup>2</sup>  | 215 <sup>2</sup>        | 215 <sup>2</sup> | 215 <sup>2</sup>         | 215/<br>190 <sup>2</sup> | 190 <sup>2</sup> | 190 <sup>2</sup> | 190 <sup>2</sup> | 120/<br>40 <sup>2</sup>  | 40 <sup>2</sup> | 25 <sup>2</sup> | 25 <sup>2</sup>   | 4-1-80        |

<sup>1</sup> Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

<sup>2</sup> Earlier priority date for a portion of the listed flow.

<sup>3</sup> Sand bars prevent direct surface flow to the ocean of many South Coast Basin streams at times. During such periods, minimum flows shall apply to the head of the pools formed by the sand bars.

**Table 1 (continued)**  
**South Coast Basin**  
**Minimum Perennial Streamflows**  
**(cfs)**

|                                                                                                                        | Oct <sup>1v</sup>        | Nov <sup>1</sup> | Dec              | Jan <sup>1</sup>         | Feb <sup>1</sup> | Mar              | Apr              | May              | June <sup>1</sup>       | July            | Aug             | Sept <sup>1</sup> | Priority Date |
|------------------------------------------------------------------------------------------------------------------------|--------------------------|------------------|------------------|--------------------------|------------------|------------------|------------------|------------------|-------------------------|-----------------|-----------------|-------------------|---------------|
| Flores Creek: at Highway 101 bridge and maintained to tidewater <sup>3</sup>                                           | 5                        | 5                | 5                | 5                        | 5                | 5                | 5                | 5                | 5                       | 5               | 5               | 5                 | 5-22-64       |
|                                                                                                                        | 20/<br>120 <sup>2</sup>  | 120 <sup>2</sup> | 120 <sup>2</sup> | 120/<br>100 <sup>2</sup> | 100 <sup>2</sup> | 100 <sup>2</sup> | 100 <sup>2</sup> | 100 <sup>2</sup> | 70/<br>20 <sup>2</sup>  | 10 <sup>2</sup> | 5 <sup>2</sup>  | 5 <sup>2</sup>    | 4-1-80        |
| North Fork Coquille River: below Neeley Creek and maintained to above Whitley Creek                                    | 8                        | 8                | 8                | 8                        | 8                | 8                | 8                | 8                | 8                       | 8               | 8               | 8                 | 5-22-64       |
| North Fork Coquille River: at former USGS gage 735 (NE 1/4 Sec. 36, T 28 S, R 12 W) and maintained to the mouth        | 26                       | 26               | 26               | 26                       | 26               | 26               | 26               | 26               | 26                      | 26              | 26              | 26                | 5-22-64       |
|                                                                                                                        | 100/<br>180 <sup>2</sup> | 180 <sup>2</sup> | 180 <sup>2</sup> | 180/<br>160 <sup>2</sup> | 160 <sup>2</sup> | 160 <sup>2</sup> | 160 <sup>2</sup> | 160 <sup>2</sup> | 100/<br>50 <sup>2</sup> | 26 <sup>2</sup> | 26 <sup>2</sup> | 26 <sup>2</sup>   | 4-1-80        |
| Middle Creek tributary to North Fork Coquille River: below Cherry Creek and maintained to mouth                        | 40                       | 70               | 70               | 70                       | 70               | 70               | 70               | 55               | 20                      | 10              | 10              | 10                | 4-1-80        |
| East Fork Coquille River: above the East Fork Coquille River - China Creek confluence                                  | 10                       | 10               | 10               | 10                       | 10               | 10               | 10               | 10               | 10                      | 10              | 10              | 10                | 5-22-64       |
|                                                                                                                        | 35/<br>95 <sup>2</sup>   | 95 <sup>2</sup>  | 95 <sup>2</sup>  | 95/<br>75 <sup>2</sup>   | 75 <sup>2</sup>  | 75 <sup>2</sup>  | 75 <sup>2</sup>  | 75 <sup>2</sup>  | 50/<br>15 <sup>2</sup>  | 10 <sup>2</sup> | 10 <sup>2</sup> | 10 <sup>2</sup>   | 4-1-80        |
| East Fork Coquille River: below Elk Creek and maintained to mouth                                                      | 60/<br>110               | 110              | 110              | 110/<br>95               | 90               | 90               | 90               | 90               | 70/<br>25               | 25              | 15              | 15/<br>20         | 4-1-80        |
| Middle Fork Coquille River: above Twelvemile Creek                                                                     | 20/<br>50                | 50               | 50               | 50/<br>35                | 35               | 35               | 35               | 35               | 25/<br>8                |                 | 4-1-80          |                   |               |
| Middle Fork Coquille River: above the Middle Fork Coquille River - Sandy Creek confluence                              | 10                       | 10               | 10               | 10                       | 10               | 10               | 10               | 10               | 10                      | 10              | 10              | 10                | 5-22-64       |
|                                                                                                                        | 40/<br>110 <sup>2</sup>  | 110 <sup>2</sup> | 110 <sup>2</sup> | 110/<br>100 <sup>2</sup> | 100 <sup>2</sup> | 100 <sup>2</sup> | 100 <sup>2</sup> | 100 <sup>2</sup> | 70/<br>25 <sup>2</sup>  | 10 <sup>2</sup> | 10 <sup>2</sup> | 10 <sup>2</sup>   | 4-1-80        |
| Middle Fork Coquille River: above former USGS gage 737 (NW 1/4 SE 1/4 Sec. 26, T 29 S, R 12 W) and maintained to mouth | 15                       | 15               | 15               | 15                       | 15               | 15               | 15               | 15               | 15                      | 15              | 15              | 15                | 5-22-64       |
|                                                                                                                        | 50/<br>175 <sup>2</sup>  | 175 <sup>2</sup> | 175 <sup>2</sup> | 175/<br>155 <sup>2</sup> | 155 <sup>2</sup> | 155 <sup>2</sup> | 155 <sup>2</sup> | 155 <sup>2</sup> | 100/<br>40 <sup>2</sup> | 15 <sup>2</sup> | 15 <sup>2</sup> | 15 <sup>2</sup>   | 4-1-80        |

<sup>1</sup> Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

<sup>2</sup> Earlier priority date for a portion of the listed flow.

<sup>3</sup> Sand bars prevent direct surface flow to the ocean of many South Coast Basin streams at times. During such periods, minimum flows shall apply to the head of the pools formed by the sand bars.

**Table 1 (continued)  
South Coast Basin  
Minimum Perennial Streamflows  
(cfs)**

|                                                                                         | Oct <sup>1v</sup>    | Nov <sup>1</sup> | Dec              | Jan <sup>1</sup> | Feb <sup>1</sup> | Mar              | Apr              | May              | June <sup>1</sup>   | July            | Aug             | Sept <sup>1</sup>  | Priority Date |
|-----------------------------------------------------------------------------------------|----------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---------------------|-----------------|-----------------|--------------------|---------------|
| South Fork Coquille River: at USGS - WRD Gage 14825000 (SE 1/4 Sec. 12, T 31 S, R 12 W) | 22                   | 22               | 22               | 22               | 22               | 22               | 22               | 22               | 22/15               | 15              | 15              | 15                 | 5-22-64       |
|                                                                                         | 60 <sup>2</sup>      | 90 <sup>2</sup>  | 70 <sup>2</sup>  | 70 <sup>2</sup>  | 70 <sup>2</sup>  | 70 <sup>2</sup>  | 70 <sup>2</sup>  | 70 <sup>2</sup>  | 40/15 <sup>2</sup>  | 15 <sup>2</sup> | 15 <sup>2</sup> | 15 <sup>2</sup>    | 4-1-80        |
| South Fork Coquille River: at tidewater                                                 | 200                  | 200              | 180              | 180              | 180              | 180              | 180              | 180              | 100/45              | 45              | 45              | 45                 | 4-1-80        |
| South Fork Coos River: at tidewater                                                     | 30                   | 30               | 30               | 30               | 30               | 30               | 30               | 30               | 30                  | 30              | 30              | 30                 | 5-22-64       |
|                                                                                         | 100/150 <sup>2</sup> | 150 <sup>2</sup> | 150 <sup>2</sup> | 150 <sup>2</sup> | 150 <sup>2</sup> | 150 <sup>2</sup> | 150 <sup>2</sup> | 150 <sup>2</sup> | 100/40 <sup>2</sup> | 40 <sup>2</sup> | 30 <sup>2</sup> | 30/40 <sup>2</sup> | 4-1-80        |
| Williams River: below Bottom Creek and maintained to mouth                              | 10                   | 10               | 10               | 10               | 10               | 10               | 10               | 10               | 10                  | 10              | 10              | 10                 | 5-22-64       |
|                                                                                         | 80 <sup>2</sup>      | 90 <sup>2</sup>  | 90 <sup>2</sup>  | 90 <sup>2</sup>  | 90 <sup>2</sup>  | 90 <sup>2</sup>  | 90 <sup>2</sup>  | 90 <sup>2</sup>  | 60/30 <sup>2</sup>  | 30 <sup>2</sup> | 15 <sup>2</sup> | 15/20 <sup>2</sup> | 4-1-80        |
| Tioga Creek: below Shotgun Creek and maintained to mouth                                | 4                    | 4                | 4                | 4                | 4                | 4                | 4                | 4                | 4                   | 4               | 4               | 4                  | 5-22-64       |
|                                                                                         | 20/50 <sup>2</sup>   | 60 <sup>2</sup>  | 70 <sup>2</sup>  | 60 <sup>2</sup>  | 60 <sup>2</sup>  | 60 <sup>2</sup>  | 60 <sup>2</sup>  | 60 <sup>2</sup>  | 30/10 <sup>2</sup>  | 10 <sup>2</sup> | 5 <sup>2</sup>  | 5 <sup>2</sup>     | 4-1-80        |
| East Fork Millicoma River: above Matson Creek                                           | 12                   | 40/60            | 60               | 60               | 60               | 60               | 60               | 60               | 20/10               | 10              | 5               | 5                  | 4-1-80        |
| East Fork Millicoma River: at mouth                                                     | 15                   | 15               | 15               | 15               | 15               | 15               | 15               | 15               | 15                  | 15              | 15              | 15                 | 5-22-64       |
|                                                                                         | 50/150 <sup>2</sup>  | 150 <sup>2</sup> | 150 <sup>2</sup> | 130 <sup>2</sup> | 130 <sup>2</sup> | 130 <sup>2</sup> | 130 <sup>2</sup> | 130 <sup>2</sup> | 80/20 <sup>2</sup>  | 20 <sup>2</sup> | 15 <sup>2</sup> | 15 <sup>2</sup>    | 4-1-80        |
| West Fork Millicoma River: below Deer Creek                                             | 15/50                | 60               | 60               | 60               | 60               | 60               | 60               | 60               | 25/10               | 10              | 5               | 5                  | 4-1-80        |

- <sup>1</sup> Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.
- <sup>2</sup> Earlier priority date for a portion of the listed flow.
- <sup>3</sup> Sand bars prevent direct surface flow to the ocean of many South Coast Basin streams at times. During such periods, minimum flows shall apply to the head of the pools formed by the sand bars.

**Table 1 (continued)**  
**South Coast Basin**  
**Minimum Perennial Streamflows**  
**(cfs)**

|                                                    | Oct <sup>1v</sup>       | Nov <sup>1</sup> | Dec             | Jan <sup>1</sup> | Feb <sup>1</sup> | Mar             | Apr             | May             | June <sup>1</sup>      | July            | Aug             | Sept <sup>1</sup> | Priority Date |
|----------------------------------------------------|-------------------------|------------------|-----------------|------------------|------------------|-----------------|-----------------|-----------------|------------------------|-----------------|-----------------|-------------------|---------------|
| West Fork Millicoma River: at mouth                | 6                       | 6                | 6               | 6                | 6                | 6               | 6               | 6               | 6                      | 6               | 6               | 6                 | 5-22-64       |
|                                                    | 35/<br>100 <sup>2</sup> | 100 <sup>2</sup> | 90 <sup>2</sup> | 90 <sup>2</sup>  | 90 <sup>2</sup>  | 90 <sup>2</sup> | 90 <sup>2</sup> | 90 <sup>2</sup> | 60/<br>20 <sup>2</sup> | 20 <sup>2</sup> | 10 <sup>2</sup> | 10 <sup>2</sup>   | 4-1-80        |
| Daniels Creek: below Morgan Creek                  | 12                      | 20               | 20              | 20               | 20               | 20              | 20              | 20              | 10                     | 3               | 3               | 3                 | 4-1-80        |
| Larson Creek: at tidewater                         | 10/<br>15               | 15               | 15              | 15               | 15               | 15              | 15              | 15              | 10                     | 2               | 2               | 2                 | 4-1-80        |
| Palouse Creek: at tidewater                        | 10/<br>15               | 15               | 15              | 15               | 15               | 15              | 15              | 15              | 10                     | 2               | 2               | 2                 | 4-1-80        |
| Roberts Creek: above confluence with Johnson Creek | 7/<br>10                | 10               | 10              | 10               | 10               | 10              | 10              | 10              | 7                      | 1               | 1               | 1                 | 4-1-80        |
| Benson Creek: at mouth                             | 8/<br>15                | 15               | 15              | 15               | 15               | 15              | 15              | 15              | 8                      | 2               | 2               | 2                 | 4-1-80        |
| Big Creek: above confluence with Noble Creek       | 8/<br>15                | 15               | 15              | 15               | 15               | 15              | 15              | 15              | 8                      | 2               | 2               | 2                 | 4-1-80        |
| Eel Creek: below Eel Lake                          | 8/<br>12                | 12               | 12              | 12               | 12               | 12              | 12              | 12              | 8                      | 3               | 3               | 3                 | 4-1-80        |

<sup>1</sup> Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.

<sup>2</sup> Earlier priority date for a portion of the listed flow.

<sup>3</sup> Sand bars prevent direct surface flow to the ocean of many South Coast Basin streams at times. During such periods, minimum flows shall apply to the head of the pools formed by the sand bars.

**Table 2**  
**South Coast Basin**  
**Minimum Perennial Streamflows**  
**(cfs)**

|                                                                                                                                                       | Oct*        | Nov | Dec | Jan | Feb | Mar | Apr | May | June*      | July | Aug | Sept | Priority Date |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|------------|------|-----|------|---------------|
| South Fork Coquille River: below Middle Fork Coquille River and maintained to the mouth. (Earlier priority date for the indicated flow to tidewater.) | 200         | 200 | 180 | 180 | 180 | 180 | 180 | 180 | 100/<br>45 | 45   | 45  | 45   | 11-3-83       |
| Coquille River: below the confluence of North Fork and South Fork Coquille River and maintained to the mouth.                                         | 300/<br>380 | 380 | 360 | 360 | 340 | 340 | 340 | 340 | 200/<br>95 | 71   | 71  | 71   | 11-3-83       |

\* Where two flow levels are shown, the first flow level is for the 1st through the 15th and the second flow level is for the 16th through the last day of the month.