

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED

WATER WELL REPORT

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97301

within 30 days from the date of well completion.

STATE ENGINEER SALEM, OREGON

(Please type or print) (Do not write above this line)

State Well No.

State Permit No.

Baker 1103

9/40-17ab

(1) OWNER:

Name Bill Goff Address 1905 Goff Dr SE

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored [] Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

(4) PROPOSED USE (check):

CASING INSTALLED:

6" Diam. from 0 ft. to 37 ft. Gage 250

PERFORATIONS:

Perforated? [] Yes [X] No. Type of perforator used Size of perforations in. by in.

(7) SCREENS:

Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 8 ft. below land surface Date Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [X] Yes [] No If yes, by whom? Owned d: 14 gal./min. with 9 ft. drawdown after 2 hrs.

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 21 ft. Diameter of well bore to bottom of seal 1.5 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [X] Yes [] No Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County BAKER Driller's well number NW 1/4 NE 1/4 Section 17 T. 9 S R. 40 E W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6" Depth drilled 37 ft. Depth of completed well 37 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: top soil (0-10), Cement Gravel (10-17), yellow clay (17-26), sand & gravel dry (26-32), yellow clay (32-37), bottom of hole, gravel (37-37)

Work started 6/30 1970 Completed 1970

Date well drilling machine moved off of well 7/30 1970

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] A.W. Robinson Date 7/24, 1970 (Drilling Machine Operator)

Drilling Machine Operator's License No. 41

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME A.W. Robinson (Person, firm or corporation) (Type or print)

Address 2809 1/2 9th St Baker Ore

[Signed] A.W. Robinson (Water Well Contractor)

Contractor's License No. 128 Date 7/24, 1970