	DEC 21977 Well No 75/40E-1963
SALEM OREGON \$7310	or print) DEC 2 19/1 sove this http://TER RESOURCES DEPT.
	SALEM, OREGON
(1) OWNER	(10) LOCATION OF WELL: County Define Driller's well number
Name 1001 CSC.	NE 14 5W 14 Section 19 T. 75 R. 40E W.M.
Address 1647 Clies Raber Stern	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well 🗌 Deepening 🗍 Reconditioning 🎽 Abandon 🗋	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found for fit.
Rotary 🗶 Driven 🗋 🛛 Domestic 📑 Industrial 🗖 Municipal 🗋	Static level 60 ft. below land surface. Date
Cable 🔲 Jetted 🗌 Dug 🗍 Bored 🗍 Irrigation 🖬 Test Well 🗌 Other 🗌	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded [] Welded	(12) WELL LOG: Diameter of well below casing
2." Diam. from +2. ft. to 27/ ft. Gage , 250	Depth drilled 310 ft. Depth of completed well 370 ft.
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
Diam. from	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated? 🛒 Yes 🗆 No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used Shop Mill	MATERIAL From To SWL
Size of perforations 1/2 in. by 3 in.	
2280 perforations from 171 tt. to 271 tt.	Fulled 270 8
perforations from ft. to ft.	Casing - Open Hare
perforations from ft. to ft.	5 101 13 101 10
(7) SCREENS: Well screen installed? 🗆 Yes 🛒 No	Ren fill the casing
Manufacturer's Name	
Type	Thid of 3/4 Round
Diam Slot size Set from ft. to ft.	GLAVE 20 TO 270
Diam Slot size Set from ft. to ft.	
(8) WFII TESTS. Drawdown is amount water level is	
(6) WELLI IESIS. lowered below static level	
Was a pump test made? 📕 Yes 🔲 No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	· · · · · · · · · · · · · · · · · · ·
······································	
<u>n n n n</u>	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started 9-16 197 Completed 10-7 1977
(9) CONSTRUCTION:	Date well drilling machine moved off of well 10-7 1977
Compat Grant	Drilling Machine Operator's Certification:
Well seal-Material used	This well was constructed under my direct supervision.
Diameter of well bore to bottom of seal	Materials used and information reported above are true to my best knowledge and belief
Diameter of well bore below seal	[Signed Light Anon Date 10-25.19]
Number of sacks of cement used in well seal	(Drilling Machine Operator)
How was cement grout placed? Pump TANA.	Drilling Machine Operator's License No.
Start P + P	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? 🗋 Yes 🎽 No Plugs Size: location ft.	Name Northwest Southing
Did any strata contain unusable water? 🗌 Yes 🗌 No	(Perion, firm or corporation) (Type or print)
Type of water? depth of strata	Address Address Address
Method of sealing strata off	[Signed] - Sound Jake
Was well gravel packed? Yes I No Size of gravel: 3/4 Raund	[Signed]
Gravel placed from 20 ft. to 270 ft.	Contractor's License No. 5. 12 Date Date 1977
	HERTS IF NECESSARY) SP*45656-119

(USE ADDITIONAL SHEETS IF NECESSARY)

SP*45656-119