

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT RECEIVED

STATE OF OREGON

NOV 23 1979

State Well No.

Bs/37e-16b2

State Permit No.

(Do not write above this line)

WATER RESOURCES DEPT SALEM, OREGON

(1) OWNER:

Name Burnt River School Dist. Address Unity School 30J Unity, OR

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Cable [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

(5) CASING INSTALLED:

8" Diam. from 0 ft. to 34 ft. Threaded [] Welded [X]

(6) PERFORATIONS:

Perforated? [] Yes [X] No [] Type of perforator used Size of perforations in. by in.

(7) SCREENS:

Well screen installed? [] Yes [X] No [] Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [X] No [] If yes, by whom? Bailer test 12 gal./min. with 330 ft. drawdown after 1 hrs.

(9) CONSTRUCTION:

Well seal—Material used Cement Well sealed from land surface to 34 ft. Diameter of well bore to bottom of seal 12 in. Diameter of well bore below seal 8 in. Number of sacks of cement used in well seal 8 sacks How was cement grout placed? Pressure Grouted Was a drive shoe used? [X] Yes [] No [] Plugs Size: location ft. Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Baker Driller's well number SE 1/4 NW 1/4 Section 16 T. 13 R. 37 W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 525 ft. Static level 30 ft. below land surface. Date 9/15/79 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8" Depth drilled 560 ft. Depth of completed well 600 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Small Gravel & Clay, Blue Clay, Brown Clay, Blue Clay, Hard Brown Clay, Blue Clay, Sandy Blue Clay, Sticky Blue Clay, Hard Brown Clay.

Work started 9/15/ 19 79 Completed 9/17/ 19 79 Date well drilling machine moved off of well 9/17/ 19 79

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Date 9-24-79 Drilling Machine Operator's License No. 65

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name Page Bros. Well Drilling (Person, firm or corporation) (Type or print) Address Rt. 2 Box 371 Vale, Oregon 97918 [Signed] (Water Well Contractor) Contractor's License No. 564 Date 9-24, 1979