NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date

Bake

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

			(as/	1 41 E	- <u></u>		1
State	Well	No.	<u>~</u>	. <u>//.</u>	<u></u>	<i>></i>	

State Permit No.

of well completion.				
(1) OWNER:	(10) LOCATION OF WELL:			
Name US FOREST SERVICE	County SAKER Driller's well n	umber		
Address BAKER ORE	SW 14 SW14 Section 25 T. 65		7E.	W.M.
	Bearing and distance from section or subdivis			7712121
(2) TYPE OF WORK (check):	Dearing and distance from section of subdivis	ion come	:L	
New Well Deepening Reconditioning Abandon	-			
If abandonment, describe material and procedure in Item 12.	(11) 11/4 (117)			
	(11) WATER LEVEL: Completed w	7ell.		44
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found			Cont st.
Rotary Driven Domestic Municipal Domestic Municipal	Static level 22 ft. below land	surface.	Date	9/29/
Bored Irrigation Test Well Other	Artesian pressure lbs. per squa	re inch.	Date	,
) CASING INSTALLED: Threaded Welded	440			7
CASING INSTALLED: Threaded Welded Welded To the Diam from Ta the to the transfer of the Cage Table 1.	(12) WELL LOG: Diameter of well	below car	sing	0
5 " Diam from tt to 80 ft Gage SAN 3.	Depth drilled 80 ft. Depth of comp	leted wel	1	80 st.
Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size			
Diani. 10iii	and show thickness and nature of each stratu with at least one entry for each change of forms			
) PERFORATIONS: Perforated? Yes 🗆 No.	position of Static Water Level and indicate prin	ncipal wa	ter-beari	ng strata.
Type of perforator used	MATERIAL	From	То	SWL
Size of perforations Van. by 6 in.	TOP SOU	0	2	
HO perforations from 60 ft. to 80 ft.	BROWN CLAV &			
perforations fromft. toft.	BOULDERS	2	18	
perforations fromft. toft.	GRAY KASAIT	15	60	
perforations from	BROWN BROKEN	7.0		
(7) SCREENS: Well screen installed? Yes No	BASALT	60	80	321
Manufacturer's Name				
Type Model No				
Diam Slot size Set from ft. to ft.				
Diam Slot size Set from ft. to ft.				
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		ļ		<u> </u>
A		 		
a pump test made? Yes \(\simega \) No If yes, by whom?				
vield: /2 gal./min. with /8 ft. drawdown after // hrs.	001231980			
,	WATER RESCURCES DEPT	+		
" " "	SALEM, OREGON	 		
er test gal./min. with ft. drawdown after hrs.		+		
esian flow g.p.m.		+		
mperature of water 5 Depth artesian flow encountered	- 120 m		0/	20.00
imperature of water 37Depth artesian now encountered	Work started 9/29 19 Complete	ed	7 <u>K</u>	10 1980
(9) CONSTRUCTION:	Date well drilling machine moved off of well			3019 8 C
Well seal—Material used	Drilling Machine Operator's Certification:	:	•	
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported			
Diameter of well bore to bottom of seal	best knowledge and belief.			/
Diameter of well bore below seal in.	[Signed] James 65	Date	9/3	Q196C
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	110	77	.,
How was cement grout placed?)	Drilling Machine Operator's License No.		<u> </u>	•••••
Funt	Water Well Contractor's Certification:			
		liation	od 464	manant i-
	This well was drilled under my jurisd true to the best of my knowledge and be		TO MIR	report 18
Was a drive shoe used? Yes 🗆 No Plugs Size: location ft.	Name 65 A MILLIN) م	20	
Did any strata contain unusable water? Yes No	(Perjon, firm or corporation)	1 9	7De 9 D	int)
Type of water? depth of strata	Address JJJSOX JJJ		ر الرس و	4.USE
Method of sealing strata off	[Signed]	<i>-</i>		
Was well gravel packed? Yes No Size of gravel:	(Water Well Cont	ractor)		,
Gravel placed fromft. toft.	Contractor's License No. 524 Date		1/32	7. 19.FZ
-				