## WATER WELL REPORT STATE OF OREGON

RECEIVED 15/48E-2066

NOV 5 1981
State Permit No.
WATER RESOURCES DEPT

SALLM. OREGON

(1) OWNER:	(10) LOCATION OF WELL:		
Name KENNETH ALEXANDER	County BAKER Driller's well number		
Address HEIIS CANGON INN.	NW 4 NW 4 Section 20 T. 75	R. 48E W.M.	
City Pive CREEK, HALFWAY State BEE	Tax Lot # Lot Blk	Subdivision	
(2) TYPE OF WORK (check):	Address at well location: PIDE CREEK		
New Well			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	ell.	
	Depth at which water was first found 29	ft.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 13 ft. below la	nd surface. Date 29 0+	
Rotary Air 😿 Driven 🗆 Domestic 🕱 Industrial 🗆 Municipal 🗆  Rotary Mud 🗇 Dug 🖂 Irrigation 🖂 Test Well 🖂 Other 🖂	Artesian pressure lbs. per	square inch. Date	
Bored	(12) WELL LOG: Diameter of well below of	asing 6	
) CASING INSTALLED: Steel Reastic	Depth drilled 40 ft. Depth of c	ompleted well 40 ft.	
CASING INSTALLED: Steel Replactic Threaded Welded Replaced Threaded Replaced Replace	Formation: Describe color, texture, grain size and stru- thickness and nature of each stratum and aquifer penet for each change of formation. Report each change in p	rated, with at least one entry	
" Diam. from	and indicate principal water-bearing strata.		
LINER INSTALLED:	MATERIAL	From To SWL	
	BROWN CLAY & Bouldon	0 24	
(6) PERFORATIONS: Perforated?   Yes  No		24 29	
(6) PERFORATIONS: Perforated? ☐ Yes ★ No Type of perforator used		29 40 13	
Size of perforations in. by in.			
perforations from			
perforations from			
perforations from			
(7) SCREENS: Well screen installed? ☐ Yes ▼ No			
Manufacturer's Name			
Type			
Diam. Slot Size Set from ft. to ft.			
Diam. Slot Size Set from ft. to ft.  Drawdown is amount water level is lowered		<del></del>	
(8) WELL TESTS: below static level		<del></del>	
'as a pump test made?   Yes Mo If yes, by whom?		<del></del>	
'eld: gal./min. with ft. drawdown after hrs.		<del></del>	
<i>II</i> " " "		<del></del>	
Air test ( gal./min. with drill stem at 35 ft. / hrs.		<del></del>	
Bailer test gal./min. with ft. drawdown after hrs.			
rtesian flow g.p.m.		13 Ft.	
mperature of water 55° Depth artesian flow encountered ft.	Work started 29 Oct 19 8/ Complete	1 29 Oct 1981	
(9) CONSTRUCTION: Special standards: Yes □ No.		Def 1981	
Well seal—Material used ComesT	Drilling Machine Operator's Certification:	<u> </u>	
Well sealed from land surface to	This well was constructed under my direct su	nomision Matarials used	
Diameter of well bore to bottom of seal	and information reported above are true to my be		
Diameter of well bore below seal	[Signed] TOM Tandweer	Date 29 Oct 1981	
Number of sacks of cement used in well seal9	(Drilling Machine Operator) Drilling Machine Operator's License No.	40	
How was cement grout placed? Dressure 9204 fed		<del></del>	
	Water Well Contractor's Certification:	- 1411	
Was pump installed? Type HP Depth ft.	This well was drilled under my jurisdiction the best of my knowledge and belief.	and this report is true to	
· · · · · · · · · · · · · · · · ·	Name BLUE Mt. WELL DEILLIN	<i>G</i>	
Was a drive shoe used? 🗹 Yes 🗆 No Plugs Size: location ft.  Did any strata contain unusable water? 🗆 Yes 🕱 No	Address et Box 78 Pickes	(Type or print)	
Type of Water? depth of strata		R, UKEUPU	
Method of sealing strata off	[Signed] Tone Dudwar		
Was well gravel packed? ☐ Yes MNo Size of gravel:	(Water Well Contractor Contractor's License No. 578Date	not -01	
Gravel placed from ft. to ft.	Contractor's License NoDate	, 19.5./	