

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the
WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT
STATE OF OREGON
(Please type or print)
Do not fill above this line

BAKE 404
BAKE 404
BAKE 404

State Well No. 85/39E-190d
State Permit No.

(1) OWNER:
Name Darold David
Address Baker, Oregon

JUN 19 1978

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):
Rotary Driven Domestic Industrial Municipal
Cable Jetted Irrigation Test Well Other
Dug Bored

(CASING INSTALLED: Threaded Welded
....." Diam. from ft. to ft. Gage

PERFORATIONS: Perforated? Yes No.
Type of perforator used Mill slots
Size of perforations 1/8 in. by 3 in.
1200 perforations from 100 ft. to 100 ft.

(7) SCREENS: Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: 50 gal./min. with ft. drawdown after hrs.
Compressor " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water 50 Depth artesian flow encountered ft.

(9) CONSTRUCTION:
Well seal—Material used Cement
Well sealed from land surface to 25 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 10 sacks
How was cement grout placed? Pumped
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:
County Baker Driller's well number
SE 1/4 NE 1/4 Section 19 T. 85 R. 39E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.
Depth at which water was first found 100 ft.
Static level 50 ft. below land surface. Date 5-31
Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing
Depth drilled 160 ft. Depth of completed well 160 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

| MATERIAL | From | To | SWL |
|---------------------|------|-----|-----|
| Dirt | 0 | 2 | |
| Boulder-medium | 2 | 12 | |
| Clay, tan | 15 | 40 | |
| Sand & Gravel | 40 | 50 | |
| Sand | 50 | 100 | |
| Clay tan | 100 | 120 | |
| Sandy Clay | 120 | 125 | |
| Muds tone Hard Grey | 125 | 160 | |

Work started 5-26 1978 Completed 5-31 1978
Date well drilling machine moved off of well 5-31 1978

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Bond Jobe Date 6-17, 1978
(Drilling Machine Operator)
Drilling Machine Operator's License No. 892

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Wabe Drilling, Inc
(Person, firm or corporation) (Type or print)
Address Prarie City, Oregon
[Signed] Bond Jobe
(Water Well Contractor)
Contractor's License No. 552 Date 6-17, 1978