## WATER WELL REPORT STATE OF OREGON

## RECEIVED

APR 1 91985

WATER RESOURCES DEPT SALEM, OREGON



State Permit No. .....

(1) OWNER:	(10) LOCATION OF WELL:	
Name Walt ZIMMCAMAN	County BA 15 e 13 Driller's wel	l number
Address RT /	SU- 4 Nu-4 Section 29 T. S	
	Tax Lot # Lot Blk	<del></del>
City Bale State() 12 C		Subdivision
(2) TYPE OF WORK (check):	Address at well location:	
New Well   Deepening □ Reconditioning □ Abandon □	(11) WATER LEVEL: Completed w	vell.
If abandonment, describe material and procedure in Item 12.	1	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 35 Static level 33 ft. below!	ft
Rotary Air Driven 🗆 Domestic 🗆 Industrial 🗆 Municipal 🗆	Artesian pressure lbs. per square inch. Date	
PyMud Dug   Irrigation DY Test Well   Other		
Bored   Thermal: Withdrawal   Reinjection	(12) WELL LOG: Diameter of well below	
CASING INSTALLED: Steel of Plastic D		completed well 90 ft
Threaded 🖰 Welded 💢	Formation: Describe color, texture, grain size and str thickness and nature of each stratum and aquifer pene	acture of materials; and show
6" Diam. from 7 ft. to	for each change of formation. Report each change in	position of Static Water Leve
" Diam. from ft. to ft. Gauge	and indicate principal water-bearing strata.	
LINER INSTALLED:	MATERIAL	From To SWL
	TOP SOIL	0 /
	34011-00	1/2
(6) PERFORATIONS: Perforated? O Yes D No	CAARCE CORMEN	12 15
Type of perforator used S/OTI v J P v	BRAVEL MED	12 13
Size of perforations // in. by in.	Clare 42//	1 2 1 2 3
	JAY YELLOW	20 257
perforations from ft. to ft.	C/AY BANS & CORACE!	25 70
perforations from	SAND MED 122-13	70 74 33
(7) SCREENS: Well screen installed?   Yes   Yo	CAAY Yellow SANdy	74 90
· ·	GRAVCI SMAIL - 222B	90 92 33
Manufacturer's Name	Clay gellin	92 100
Type		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
a pump test made?   Yes X No If yes, by whom?		<del>  </del>
		<del></del>
ld: gal/min. with ft. drawdown after hrs.		<b>  </b>
Air test 30 gal./min. with drill stem at 90 ft. / hrs.		
		<u> </u>
sian flow g.p.m.  .nperature of water \( \) Depth artesian flow encountered ft.	An I m	
		$\frac{19\%}{2}$
(9) CONSTRUCTION: Special standards: Yes \( \text{No } \)	Date well drilling machine moved off of well	2 ( 195
Well seal—Material used $CCMCN\overline{L}$	Drilling Machine Operator's Certification:	
Well sealed from land surface to	This well was constructed under my direct s	upervision. Materials use
Diameter of well bore to bottom of seal	and information reported above are true to my b	est knowledge and belief.
Diameter of well bore below sealin.	[Signed] Talkay Lavan (Drilling Machine Operator)	Date - 2/, 1985
Number of sacks of cement used in well seal	1	
How was cement grout placed?G. N.Q. U.T		
- I	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction	and this report is true to
Was pump installed?	the best of my knowledge and belief.	
Was a drive shoe used? Yes □ No Plugs Size: location ft.	Name /4 /) G/M/1/5 (Person, firm or corporation)	<u></u>
Did any strata contain unusable water?  Yes No	(Person, firm or corporation)  Address SU MPTC 13 STAGE 134/5	(Type or print)
Type of Water? depth of strata	Address V.C. M. J. 1. S. L. 1. J. 1.	.4.1.1.V.1.).
Method of sealing strata off	[Signed] Telegraphy (Water Well Contract	•••••
Was well gravel packed?  Yes No Size of gravel:	Contractor's License No. 7 Date	Z./,198

within 30 days from the date of well com