WATER WELL REPORT STATE OF OREGON

RECEIVED MAR 1 9 1986

State Well No. $75/486-9cb$	State Well No.	75	48€	9cb
-----------------------------	----------------	----	-----	-----

State Permit No.

SALEM SESOURCES DI	
(1) OWNER:	(10) LOCATION OF WELL:
Name/dAHOPower	County B A 14 P 17 Driller's well number
Address	Nn 4,9 W 4 Section 9 T. 7 R. 48 W.M
CityOx Bon State OR	Tax Lot # Lot Blk Subdivision
(2) TYPE OF WORK (check):	Address at well location:
New Well A Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found Static level 7 ft. below land surface. Date 2-2. 4-4
Rotary Air 🔥 Driven 🗆 Domestic 😿 Industrial 🗆 Municipal 🗆	Static level 7 ft. below land surface. Date 2-2 4-4 Artesian pressure lbs. per square inch. Date
R Y Mud Dug Irrigation Test Well Other	(12) WELL LOG: Diameter of well below casing
) CASING INSTALLED: Steel Plastic Welded Welded	Depth drilled 70 ft. Depth of completed well 70 ft. Formation: Describe color, texture, grain size and structure of materials; and show
"Diam from 7 2 ft to 6 2 ft Gauge 1257	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
	GRAVEL MED +SAND 0 60
(6) PERFORATIONS: Perforated? □ Yes (No Type of perforator used	Boulders + SAND M-B 60 70 6
Size of perforations in. by in.	
perforations from ft. to ft.	
perforations fromft. toft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Yes No Manufacturer's Name	
Type Model No.	
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
a pump test made? Yes No If yes, by whom?	
ld: gal/min with ft. drawdown after hrs.	
Air test 60 gal./min. with drill stem at 60 ft. 2 hrs.	
Bailer test gal./min. with ft. drawdown after hrs.	
ssian flow g.p.m.	
nperature of water 5 H Depth artesian flow encountered ft.	Work started 2 - 1 4 19 8 Completed 2 - 2 4 1981
(9) CONSTRUCTION: Special standards: Yes - No X	Date well drilling machine moved off of well 2-24 194
Well seal—Material used C. C. M.C.N.	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of seal in.	and information reported above are true to my best knowledge and helief.
Diameter of well bore below seal	[Signed] 25 July Date 7 192 1
Number of sacks of cement used in well seal sacks sacks	Drilling Machine Operator's License No.
How was cement grout placed? $G.R.a.c.T$	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to
Was pump installed?	the best of my knowledge and belief.
Was a drive shoe used? A Yes □ No Plugs Size: location ft.	Name (S. D. C. M. A. 1. S D. B // A. 1. 9 (Type or print) (Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Yes ANo	Address SU. M. T.C. T. STA 9 = BA14 C/T. 017 C
Type of Water? depth of strata	n_{λ}
Method of sealing strata off	[Signed] (Water Well Contractor)
Was well gravel packed? ☐ Yes No Size of gravel:	Contractor's License No. 7.1. Date 2 2 4 , 1990
Gravel placed from ft. to ft.	