

MAY 26 2000

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765)

bake  
50735

WATER RESOURCES DEPT.  
SALEM, OREGON

WELL I.D.# L. 26544  
START CARD # 117010

Instructions for completing this report are on the last page of this form.

(1) OWNER: Well Number 1  
Name Doug J + Elsie NEW MOM  
Address RT. Box 59A,  
City Haines State OR Zip 97933

(2) TYPE OF WORK  
 New Well  Deepening  Alteration (repair/condition)  Abandonment

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  Auger  
 Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well 280 ft.  
Explosives used  Yes  No Type Amount

HOLE SEAL table with columns: Diameter, From, To, Material, From, To, Sacks or pounds. Row 1: 18, 0, 101, Neat Cement, 0, 101, 189 SK

How was seal placed: Method  A  B  C  D  E  
 Other  
Backfill placed from ft. to ft. Material  
Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Rows for Casing (16, 10) and Liner (8).

Final location of shoe(s) 411 - 755

(7) PERFORATIONS/SCREENS table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner. Row 1: 400, 755, 1/8, 360, 8", 8", 8", 8"

(8) WELL TESTS: Minimum testing time is 1 hour  
 Pump  Bailor  Air  Flowing Artesian  
Yield gal/min 300 Drawdown 1 Drill stem at Time 1 hr.

Temperature of water 51 Depth Artesian Flow Found  
Was a water analysis done?  Yes By whom  
Did any strata contain water not suitable for intended use?  TGS little  
 Salty  Muddy  Odor  Colored  Other  
Depth of strata:

(9) LOCATION OF WELL by legal description:  
County Baker Latitude Longitude  
Township 75 N or S Range 38E or W. WM.  
Section 27 NE 1/4 SE 1/4  
Tax Lot 300 Lot Block Subdivision  
Street Address of Well (or nearest address) off Foot Hill Rd

(10) STATIC WATER LEVEL:  
50 ft. below land surface. Date 2-15-00  
Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES:  
Depth at which water was first found 44'

Water Bearing Zones table with columns: From, To, Estimated Flow Rate, SWL. Row 1: 44, 46, 300, 35. Row 2: 198, 221, 200, 30.

(12) WELL LOG:  
Ground Elevation

Well Log table with columns: Material, From, To, SWL. Rows include: Top Soil, BR Clay, Boulders + BR Clay, Boulders BR Clay, Boulders, Boulders + BR Clay, Cemented Gravel, BR Clay w/ Trace Pk, BR Clay + Boulders, Pk Clay + Gravel, Cemented Gravel, BR Clay, BR Clay + Gravel, Cemented Gravel, BR Clay, Brown Clay Break Pk, Brown Clay + Gravel + Sand.

Date started 1-5-00 Completed

(unbonded) Water Well Constructor Certification:  
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed Jody Lapenta WWC Number 1669 Date 5-25-00

(bonded) Water Well Constructor Certification:  
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed Jody Lapenta WWC Number 1669 Date 5-25-00

STATE OF OREGON WATER SUPPLY WELL REPORT

MAY 26 2000

WELL I.D. # L. 26544 START CARD # 1170 10

Instructions for completing this report are on the last page of this form.

bake 50735

WATER RESOURCES DEPT. SALEM, OREGON

(1) OWNER: Well Number 1 Name Doug J. Elsie Newman Address P.O. Box 59A City Haines State OR Zip 97833

(2) TYPE OF WORK [X] New Well [ ] Deepening [ ] Alteration (repair/recondition) [ ] Abandonment

(3) DRILL METHOD: [ ] Rotary Air [ ] Rotary Mud [X] Cable [ ] Auger [ ] Other

(4) PROPOSED USE: [ ] Domestic [ ] Community [ ] Industrial [X] Irrigation [ ] Thermal [ ] Injection [ ] Livestock [ ] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval [ ] Yes [X] No Depth of Completed Well 780 ft. Explosives used [ ] Yes [ ] No Type Amount

Table with columns: HOLE Diameter, SEAL From, To, Material, From, To, Sacks or pounds. Row 1: 18, 0, 10, 1/2" Nat Cement, 101, 189 SK.

How was seal placed: Method [ ] A [X] B [ ] C [ ] D [ ] E Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Casing: 16" 0 60, 10" 0 411. Liner: 8" 393 755.

Final location of shoe(s) 411-755

(7) PERFORATIONS/SCREENS: Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner. Row 1: 400, 755, 1/8", 360, 8", Casing [ ], Liner [X].

(8) WELL TESTS: Minimum testing time is 1 hour. [ ] Pump [X] Bailor [ ] Air [ ] Flowing Artesian. Yield gal/min 300, Drawdown 1, Drill stem at, Time 1 hr.

Temperature of water 51 Depth Artesian Flow Found Was a water analysis done? [ ] Yes By whom Did any strata contain water not suitable for intended use? [X] Too little [ ] Salty [ ] Muddy [ ] Odor [ ] Colored [ ] Other Depth of strata:

(9) LOCATION OF WELL by legal description: County Baker Latitude Longitude Township 2 S N or S Range 38 E or W. WM. Section 27 NE 1/4 SE 1/4 Tax Lot 300 Lot Block Subdivision Street Address of Well (or nearest address) 285 South Hill Rd.

(10) STATIC WATER LEVEL: 50 ft. below land surface. Date 2-19-00 Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Depth at which water was first found 43

Table with columns: From, To, Estimated Flow Rate, SWL. Row 1: 235, 248, 300, 50. Row 2: 405, 415, 300, 50. Row 3: 635, 639, 300, 50.

(12) WELL LOG: Ground Elevation

Table with columns: Material, From, To, SWL. Rows include: BR Clay (221-225), GRAY Clay (225-227), BR. Clay (227-235), Broken Rock (235-248 50), BR. Clay (248-274), BR. Clay w/ Sand (274-274), BR. Clay w/ Gravel (274-279), Brown Clay (279-301), Fine Sand (301-305), BR. Clay + Gravel (305-385), BR. Clay (385-408), Red Clay + Shale (408-415 50), BR. Clay (415-440), White Quartz Rock (440-450), BR. Sandy Clay + Gravel (450-541), Broken Rock (541-546), Hard Red Clay w/ Gravel (546-579), Blue Clay (579-635), DRK Sandier Rock (635-639 50), Blue + Gray Clay (639-668).

Date started 2-16 Completed 4-25-00

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed [Signature] WWC Number 1669 Date 5-25-00

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed [Signature] WWC Number 1669 Date 5-25-00

RECEIVED

3053

MAY 26 2000

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765)

bake 50735

WATER RESOURCES DEPT. SALEM, OREGON

WELL I.D. # L 26544 START CARD # 117010

Instructions for completing this report are on the last page of this form.

(1) OWNER: Well Number 1 Name Doug & Elsie Nowam Address 20 Box 59 A City Haines State OR Zip 97833

(2) TYPE OF WORK: [X] New Well [ ] Deepening [ ] Alteration (repair/recondition) [ ] Abandonment

(3) DRILL METHOD: [ ] Rotary Air [ ] Rotary Mud [X] Cable [ ] Auger [ ] Other

(4) PROPOSED USE: [ ] Domestic [ ] Community [ ] Industrial [X] Irrigation [ ] Thermal [ ] Injection [ ] Livestock [ ] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval [ ] Yes [ ] No Depth of Completed Well 780. Explosives used [ ] Yes [X] No Type Amount

Table with columns: HOLE Diameter, From, To, Material, SEAL From, To, Sacks or pounds. Row 1: 18, 0, 101, Neat Cement, 101, 189 SK

How was seal placed: Method [ ] A [X] B [ ] C [ ] D [ ] E Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Rows for Casing (16", 10") and Liner (8").

Final location of shoe(s) 411 + 755

(7) PERFORATIONS/SCREENS: [X] Perforations Method touch. [ ] Screens Type Material. Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner.

(8) WELL TESTS: Minimum testing time is 1 hour. [ ] Pump [X] Bailor [ ] Air [ ] Flowing Artesian. Yield gal/min 300 Drawdown 1' Drill stem at Time 1 hr.

Temperature of water 51 Depth Artesian Flow Found Was a water analysis done? [ ] Yes By whom Did any strata contain water not suitable for intended use? [X] Too little [ ] Salty [ ] Muddy [ ] Odor [ ] Colored [ ] Other Depth of strata:

(9) LOCATION OF WELL by legal description: County Baker Latitude Longitude Township 75 N or S Range 38E E or W. WM. Section 27 NE 1/4 SE 1/4 Tax Lot 300 Lot Block Subdivision Street Address of Well (or nearest address) 05E 7007 Hill Rd.

(10) STATIC WATER LEVEL: 50 ft. below land surface. Date 2-15-00 Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Depth at which water was first found 43'

Table with columns: From, To, Estimated Flow Rate, SWL. Rows: 668-673 (100, 50), 731-741 (200, 50)

(12) WELL LOG: Ground Elevation

Table with columns: Material, From, To, SWL. Rows: Wood Broken Rock (668-670), Broken Rock (670-673, 50), Blue Gray Clay (673-684), Wood (684-685), Blue + Green Clay (685-694), Gray Clay (694-704), Blue Shale (704-724), Dark BR Clay (724-731), Loose Shale (731-741, 50), Blue Clay (741-748), Gray Clay (748-749), BR Shale (749-755), BR Clay (755-780)

Date started 2-15-00 Completed 2-25-00

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed [Signature] WWC Number 1669 Date 5-25-00

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed [Signature] WWC Number 1669 Date 5-25-00