STATE OF OREGON WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

WELL I.D. # L 75771

START CARD # 172617

instructions for completing this report are on the last page of this form.	
(1) LAND OWNER Well Number	(9) LOCATION OF WELL (legal description)
Name Vivgil Borger	County Baker
Address 4494, Shot House &d	Tax Lot
City HHioves State or Zip 97833	Township N or S Range For W WM
(2) TYPE OF WORK New Well	Section SE1/41/4
Deepening Alteration (repair/recondition) Abandonment Conversion	Lato' or (degrees or decimal)
	Long " or (degrees or decimal)
(3) DRILL METHOD	Street Address of Well (or nearest address) 44941 School hour
☐ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud ☐ Other	Rd HATINES OV
- Outer	
(4) PROPOSED USE	(10) STATIC WATER LEVEL 12 2 ft. below land surface. Date 4-14-05
Domestic Community Industrial Irrigation	
☐ Thermal ☐ Injection ☐ Livestock ☐ Other	
(5) BORE HOLE CONSTRUCTION Special Construction: ☐ Yes ☐ No	Artesian pressure lb. per square inch Date
Depth of Completed Well ft. Explosives used: Yes PNo Type Amount	(11) WATER BEARING ZONES
	Depth at which water was first found
BORE HOLE SEAL	From To Estimated Flow Rate SWL
Diameter From To Material From To Sacks or Pounds	460 590 600 128
8 429 6 39 10/17	
14" 0 400 Exsisting well	
How was seal placed: Method A B C D E	(12) WELL LOG Ground Elevation
Other Backfill placed from ft. to Material	Material From To SWL
Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel	Brown Chry & Grave 425 450
Glaver placed from it. to it. Size of glaver	BUBUNCLAY, 1450 460
(6) CASING/LINER	Brown Clay & Grave 4160 5010
Diameter From To Gauge Steel Plastic Welded Threaded Casing: 392 339 2.5	Fred Brown Chaya Grace 570 639 122
Casing. 372 379 2.5	
	DECEMPA
	MEURIVED
Liner:	400 0 - 400
Drive Shoe used Inside Outside None	APR 2 7 2005
Final location of shoe(s) 639 Ring BiT 8'	MATER OFFICE OF
Time rocation of snoc(s)	WATER RESOURCES DEPT SALEM, OREGON
(7) PERFORATIONS/SCREENS Method 7717 Pev 1.	THE CHESTON
La remotations	
Screens Type Material	Date Started 4-101-05 Completed 4- 9-05
From To Slot Number Diameter Tele/pipe Casing Liner Size size	(unbonded) Water Well Constructor Certification
	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	173/
	WWC Number Date 4-25-05
(8) WELL TESTS: Minimum testing time is 1 hour ☐ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian	Signed Wheld
Yield gal/min Drawdown Drill stem at Time	(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or
300	abandonment work performed on this well during the construction dates reported
	above. All work performed during this time is in compliance with Oregon water
Temperature of water Depth Artesian Flow Found	supply well construction standards. This report is true to the best of my knowledge and belief.
Was a water analysis done? Tyes By whom	
Did any strata contain water not suitable for intended use?	WWC Number 4/15 Date 4-25-05
Salty Muddy Odor Colored Other	Signed Robert Witoff
Depth of strata:	signed feature // Swith