STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L	83114
START CARD #	184944

(1) LAND OWNER Owner Well I.D.	(A) A COLUMN OF WITH A LIL AND A							
•	(9) LOCATION OF WELL (legal description)							
First Name Last Name	County Baker Twp 14.00 S N/S Range 45.00 E E/W WM							
Company OREGON DEPARTMENT OF PARKS AND RECREATION	Sec 32 SE 1/4 of the SE 1/4 Tax Lot NONE							
Address 725 SUMMER ST NE SUITE C	Tax Map Number Lot							
City SALEM State OR Zip 97301	Lat or DMS or DD							
(2) TYPE OF WORK New Well Deepening Conversion	Long Oi DIVIS OF DD							
Alteration (repair/recondition) Abandonment	Street address of well Nearest address							
	MIDDLE OF FAREWELL BEND STATE PARK							
(3) DRILL METHOD Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)							
(4) PROPOSED USE Domestic Irrigation Community	Existing Well / Predeepening							
Industrial/ Commercial Livestock Dewatering	Completed Well 10-30-2006 80							
	Flowing Artesian? Dry Hole?							
Thermal Injection Other	WATER BEARING ZONES Depth water was first found 31							
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy								
Depth of Completed Well 500.00 ft.	10-12-2006 31 37 2 31							
BORE HOLE SEAL sacks/	10-13-2006 60 100 1 80							
Dia From To Material From To Amt lbs	10-17-2006							
12 0 53 Bentonite 0 10 7 S 10 53 100 Cement 10 53 218 S	10-17-2006 248 290 .1 80 10-17-2006 355 390 .1 80							
8 100 500 Centent 10 33 216 3								
	(11) WELL LOG Ground Elevation							
How was seal placed: Method A B C D E	Material From To							
Other POURED DRY	SOIL 0 3							
Backfill placed from ft. to ft. Material	TAN CLAY, SAND 3 31							
Filter pack fromft. toft. MaterialSize	BLUE CLAY, SAND 31 65							
Explosives used: Yes Type Amount	TAN CLAY, SAND 65 81							
	HARD TAN CLAY, SAND 81 88							
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	BLUE CLAY, SAND 88 140 BLUE CLAY, SAND, GRAVEL 140 160							
	BLUE CLAY, SAND, GRAVEL 140 160 BLUE CLAY, SAND 160 248							
●	BLUE CLAY, SAND, GRAVEL 248 290							
6 170 500 0.25	BLUE CLAY, SAND 290 315							
	TAN CLAY, SAND 315 333							
	BLUE CLAY, SAND 333 355							
	BLUE CLAY, SAND, GRAVEL 355 380							
Shoe Inside Outside Other Location of shoe(s)	BLUE CLAY, SAND 380 432							
Temp casing \bigvee Yes Dia 12 From 0 To 51	BLUE CLAY, SAND, GRAVEL 432 450							
(7) PERFORATIONS/SCREENS	BLUE CLAY, SAND 450 500							
Perforations Method 8"-AIR KNIFE 6"-FACTORY								
Screens Type Material								
Perf/ Casing/ Screen Screen Liner Dia From To width length slots pipe size	Date Started 09-13-2006 Completed 10-30-2006							
Perf Casing 8 60 105 .125 1 1,800	(unbonded) Water Well Constructor Certification							
Perf Casing 8 140 160 .125 1 900	I certify that the work I performed on the construction, deepening, alteration, or							
Perf Liner 6 240 280 .125 4 480 Perf Liner 6 340 380 .125 4 480	abandonment of this well is in compliance with Oregon water supply we							
Perf Liner 6 400 420 .125 4 240	construction standards. Materials used and information reported above are true to the best of my knowledge and belief.							
	1							
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date Date							
Pump Bailer • Air Flowing Artesian	Signed							
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	<u> </u>							
2 165 1	(bonded) Water Well Constructor Certification							
	I accept responsibility for the construction, deepening, alteration, or abandonme							
T 0F L 1 1 V - P	work performed on this well during the construction dates reported above. All wo performed during this time is in compliance with Oregon water supply we							
Temperature 64 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.							
Water quality concerns? Yes (describe below) From To Description Amount Units								
Description Amount Ones	License Number 1775 Date 11-06-2006 Electronically Filed							
	Signed JASON ACQUISTAPACE (E-filed)							
	Contact Info (optional)							
	Contact Into (optional)							

WELL I.D. # L 83114
START CARD # 184944

				NST	RUCTIO							(10) STATI	C WATE	R LEVEL				
	ORE I					SE	EAL			sacks			ring Zones					
Dia	Fron	n	То	1N	Material	Fre	om	То	Amt				_					
		-									+ 1	SWL Date	From	To		SWL(psi)		
											11	10-17-2006	435	450	.1			80
]						F	
											4							
											+ 1							
											+ $+$							
	FILT	ED D	ACV	J						-	-						<u> </u>	
]	From	EK F		//aterial	Si	ze											H	
																	\vdash	
															-		_	
											- '	/4.4\\						
<u></u>	A CITATA	¬/т т	NIED								-	(11) WELL	LOG					
(6) C	ASHNO	J/LI.	NEK										Material			From		To
Casir	ng Liner	D	ia -	+	From T	o Gaug	e Stl	Plstc	Wld	Thrd							_	
\bigcirc																	_	
Ŏ	Ŏ							Ŏ									-	
\bigcirc																	-	
Q				Щ			<u> </u>	Q	Ш	Щ								
Q	\mathcal{A}			<u> </u>			1 12	\square	Щ									
\bowtie	\rightarrow			<u> </u>			1 12	\Rightarrow	Н	Н							_	
\bowtie	\rightarrow						$+ \bowtie$	\bowtie	H	\vdash							-	
\bowtie	\rightarrow			\vdash			$+ \bowtie$	\forall	H	H							\dashv	
									ш								\dashv	
											_							
<u></u>				a 10 0=														
				S/SCI	REENS												-	
	Casing/			_	m.	Scrn/slot	Slot		of	Tele/							_	
Screen Perf	Liner Liner	Dia 6		From 480	To 500	width .125	length 4		ots p	oipe siz	ze							
CII	Linei	- 0		+00	300	.123	_		240		$\exists \bot$							
											71							
											41						\dashv	
						-		+			$\dashv I$						-	
						+		-			$\dashv \vdash$							
											$\dashv \vdash$							
																	_	
											-							
(8) W	ELL.	TES	TS: N	/linim	um testi	ing time	is 1 ho	ıır										
Yield	l gal/miı	1	Drawd	lown	Drill st	em/Pump d	epth	Dura	tion (<u>hr)</u>		Comments	/Remarks					
Wa	ter Qu	ality	Conc	erns														
Fro		То			Descript	tion	Aı	mount	Un	its								