STATE OF OREGON

BAKE 52261

WELL I.D. LABEL# L $_{109107}$

WATER SUPPLY WELL REPORT				STA	ART CARD	# 2083	99	
(as required by ORS 537.765 & OAR 690-205-0210)		5/8/2	2013	ORIG	INAL LOG	#		
I) LAND OWNER Owner Well I.D								
First Name TOM Last Name KERNS			(9) LOCAT	ION OF V	VELL (lega	l descri	ption)	
Company		_					_	E E/W W
Address 13974 LAUNCHPAD LANE	022	_	Sec 18 S					
ity HAINES State OR Zip 97		=						
TYPE OF WORK New Well Deepening	Conversion		Tax Map Number	'	" or			DMS or DD
Alteration (complete 2a & 10) Aband	onment(comple	ete 5a)	Long	,	or			DMS or DD
PRE-ALTERATION Dia + From To Gauge Stl Plstc W.	ld Thrd		Str	eet address of	f well	Nearest a	ddress	_
Casing:	ī		13974 LAUNC					
Material From To Amt sacks/lbs								
Seal:								
DRILL METHOD			(10) STATIO	C WATER				
Rotary Air Rotary Mud Cable Auger Ca	able Mud		Existing W	ell / Pre-Alter		ate S	WL(psi) +	SWL(ft)
Reverse Rotary Other			Completed		4/10/20	13	$\longrightarrow \vdash$	107
PROPOSED USE Domestic X Irrigation C	ommunity		Completed		ng Artesian?		y Hole?	107
Industrial/ Commercial Livestock Dewatering	Ommunity		WATER REAR			_		195.00
			WATER BEARI		1		s first found	
ThermalInjectionOther			SWL Date	From	То	Est Flow	SWL(psi)	+ SWL(ft)
BORE HOLE CONSTRUCTION Special Standard	dard (Attac	ch copy)	4/10/2013	185	642	700		107
Depth of Completed Well 657.00 ft.								
BORE HOLE SEAL		sacks/						
Dia From To Material From	To Amt	lbs						
14 0 28 Bentonite 0	28 23	S						
10 337 657								
10 337 037			(11) WELL I	LOG	Ground Eleva	tion		
How was seal placed: Method A B C	Пр Ге			Material			From	To
X Other POURED BENTONITE			Top Soil				0	3
Backfill placed from ft. to ft. Material			Brown Clay				3	14
Filter pack from ft. to ft. Material			Brown Clay & C				14	175
Explosives used: Yes Type Amount			Gravels & Sand		ay seams		175	642
			Dark Brown Cla	ay			642	657
a) ABANDONMENT USING UNHYDRATED BE Proposed Amount Actual Amount	NIONIIE							+
								+
CASING/LINER Casing Liner Dia + From To Gauge S	tl Plstc Wld	TT11						
Casing Liner Dia + From To Gauge S \bullet 10 \times 2 337 .250 \bullet								
		HI						
S		H						+
	8 8 H	\Box						+
								+
Shoe Inside Outside Other Location of s	shoe(s) 237							
Temp casing X Yes Dia 14 From 0								
PERFORATIONS/SCREENS								
Perforations Method Air/Torch								
Screens Type Material _			Date Started3	3/19/2013	Co	mplete	4/10/2013	
Perf/ Casing/ Screen Scrn/slot Slot	t # of T	Γele/					•	
Screen Liner Dia From To width length		oe size	(unbonded) Wa					
Perf Casing 10 205 310 .125 1	3150							ing, alteration, o
Perf Casing 8 327 655 .125 12	420							ater supply we above are true t
			the best of my k			moma	ion reported	above are true t
		-	License Numbe	•		Date		
WELL TESTS: Minimum testing time is 1 hour		'				_		
9	E1		Signed					
	Flowing Artesi	an	(I - 1 - 1) XV. (-	W. II C	4. 0. 4:6:			
* * * * * * * * * * * * * * * * * * * *	Duration (hr)	_	(bonded) Water					
700 300	4	\dashv	I accept respons					n, or abandonme d above. All wo
								a above. All wo ater supply w
Temperature 54 °F Lab analysis Yes By		_						ledge and belief.
	ınt		License Number		•	Date 5/7	-	<u>-</u>
Water quality concerns? Yes (describe below) TDS amou	Amount Un	its	License Numbe.	1040		Date <u>5//</u>	/2015	
			Signed JEFF	STOFFEL (E	E-filed)			
			Contact Info (or	,				
			- \~1	· /——				

BAKE 52261

WELL I.D. LABEL# L 109107 START CARD # 208399 ORIGINAL LOG #

continuation page	5/8/2013	ORIGINAL LOG		
(2a) PRE-ALTERATION	Water Qualit			
Dia + From To Gauge Stl Plstc Wld Thrd	From To		Amount	Units
Material From To Amt sacks/lbs				
(5) BORE HOLE CONSTRUCTION		WATER LEVEL		
DODE HOLE CEAL	SWL Date	From To Est	Flow SWL(psi) +	SWL(ft)
Dia From To Material From To Amt	sacks/ lbs			
			- - - - - - - - - - 	
			- - -	
FILTER PACK From To Material Size	(11) WELL I	.OG		
From To Material Size		Material	From	То
				-
6) CASING/LINER				
Casing Liner Dia + From To Gauge Stl Plstc Wld T	hrd			
88 8 8 8 8	H			
7) PERFORATIONS/SCREENS				
•	Tele/ ipe size			
Screen Liner Dia From To width length slots p	ipe size			
	-			
	Comments/F	Remarks		
	Other Shoe-8" 6			
(8) WELL TESTS: Minimum testing time is 1 hour				
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)			
] []			
	-			