				_	Page 1 of 2
STATE OF OREGON	BAKE	52716	WELL I.D. LABEL#	L 138188	
WATER SUPPLY WELL REPORT			START CARD #	1046715	
(as required by ORS 537.765 & OAR 690-205-0210)	8/18/2	2020	ORIGINAL LOG #		
(1) LAND OWNER Owner Well I.D.		-		L H	
First Name STUART Last Name HILLS		(9) LOCAT	ION OF WELL (legal o	description)	
Company			Twp <u>9.00 S N</u>		
Address 42278 WASHINGTON GLUCH RD					
City BAKER CITY State OR Zip 97814 (2) TYPE OF WORK X New Well Deepening Convert		Sec <u>11</u> <u>3</u>	SW 1/4 of the NW	1/4 Tax Lot <u>500</u>	J
(2) TYPE OF WORK New Well Deepening Conve	ersion	Tax Map Numbe	er" or	Lot	
Alteration (complete 2a & 10) Abandonment(cor	mplete 5a)	Lat	or		DMS or DD
(2a) PRE-ALTERATION	1	Long°	'' or		_ DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd		~	\sim	earest address	
Casing:		42278 WASHIN	NGTON GLUCH RD		
Material From To Amt sacks/lbs					
Seal:	[
(3) DRILL METHOD		(10) STATIC	C WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud		Existing We	ell / Pre-Alteration	e SWL(psi) +	SWL(ft)
Reverse Rotary Other		Completed		15 🗙	34.7
(4) PROPOSED USE Domestic X Irrigation Community		compieted	Flowing Artesian?	Dry Hole?	34.7
Industrial/ Commercial Livestock Dewatering				-	
			NG ZONES Depth w		
Thermal Injection Other	-	SWL Date	From To Es	t Flow SWL(psi)	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (A	ttach copy)	4/24/2020	412 512	120 15	×
Depth of Completed Well 447.00 ft.	1.57	4/24/2020	412 512	120 13	
BORE HOLE SEAL	sacks/				
Dia From To Material From To Ar					
23 0 38 Bentonite 1 3	3 S				
14.75 38 415 Calculated	3				
	47 S	(11) WELL I			
	+/		Ground Elevation	on	
	Е		Material	From	То
Other POURED DRY		SOIL		0	2
Backfill placed from ft. to ft. Material		BROWN CLAY		2	15
Filter pack from ft. to ft. Material Size			SAND, GRAVEL	15	33
Explosives used: Yes Type Amount			, GRAVEL, SAND, COBBLE		55
			SAND, GRAVEL	<u> </u>	73
(5a) ABANDONMENT USING UNHYDRATED BENTONIT			SAND, GRAVEL	87	87 98
Proposed Amount Actual Amount		GREEN CLAY,		98	107
(6) CASING/LINER			, SAND, COBBLES	107	112
Casing Liner Dia + From To Gauge Stl Plstc V		GREEN CLAY,		112	119
$ \bigcirc \bigcirc 10 \boxtimes 2 400 0.25 \bigcirc \bigcirc 10 \boxtimes 10 : 10$			BROKEN ROCK, SAND	119	127
$\bullet \qquad 16 \qquad 1 \qquad 38 \qquad 0.25 \qquad \bullet \qquad 1$	$\overline{\mathbf{X}}$	GREEN CLAY,	, SAND	127	144
	_	BROWN CLAY	Y, SAND, GRAVEL	144	161
			, SAND, BROKEN ROCK	161	172
		BROWN CLAY		172	178
Shoe Inside Outside Other Location of shoe(s)		GREEN CLAY,	-	178	182
Temp casing Yes Dia From + To			Y, SAND, GRAVEL	182	194
(7) PERFORATIONS/SCREENS		GREEN CLAY,		194	241
Perforations Method		SAND, GRAVE	EL, GREEN CLAY	241	273
Screens Type Material		Date Started3	3/18/2020 Com	pleted <u>8/7/2020</u>	
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/			-	
Screen Liner Dia From To width length slots	pipe size	· /	ater Well Constructor Certif		1
			he work I performed on the c of this well is in compliance		
			indards. Materials used and in		
			knowledge and belief.	normation reported a	above are true to
		•	•	ate	
		Electise i tuillee			
(8) WELL TESTS: Minimum testing time is 1 hour		Signed			
Pump Dailer Air Flowing Ar	rtesian	<i>e</i>			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr	r)	(bonded) Water	r Well Constructor Certifica	tion	
120 0 0 1			sibility for the construction, c		
370 66 300 1		work performed	on this well during the constr	uction dates reported	above. All work
			ng this time is in complian		
Temperature <u>59</u> °F Lab analysis Yes By			ndards. This report is true to the	ne best of my knowle	age and belief.
Water quality concerns? Yes (describe below) TDS amount <u>126</u> From To Description Amount	ppm	License Number	r <u>1775</u> D	ate 8/18/2020	
From To Description Amount	Units	Signed			
	——		N ACQUISTAPACE (E-filed		
		Contact Info (op	otional)		

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

WATER SUPPLY WELL REPORT -

continuation page

8/18/2020 (2a) PRE-ALTERATION Dia + From То Gauge Stl Plstc Wld Thrd Material From Amt sacks/lbs То (5) BORE HOLE CONSTRUCTION BORE HOLE SEAL sacks/ Dia From То Material From То Amt lbs 23 Bentonite 0 23 S Calculated 20 Cement w/5% bent 23 400 185 S Calculated 170 Calculated Calculated FILTER PACK Size Material From То (6) CASING/LINER Casing Liner Stl Plstc Wld Thrd Dia + From То Gauge (7) PERFORATIONS/SCREENS Perf/ Casing/ Screen Scrn/slot Slot # of Tele/ Screen Liner Dia То width slots From length pipe size (8) WELL TESTS: Minimum testing time is 1 hour Yield gal/min Drill stem/Pump depth Duration (hr) Drawdown

BAKE 52716

WELL I.D. LABEL# L 138188 START CARD # 1046715 ORIGINAL LOG

Water Quality Concerns

The second	zuunity co	neerns		
From	То	Description	Amount	Units

(10) STATIC WATER LEVEL

SWL Date	From	То	Est Flow	SWL(psi)	+	SWL(ft)
					-	
					_	

(11) WELL LOG

Material	From	То
GREEN CLAY, SAND	273	281
GREEN CLAY, SAND, BROKEN ROCK	281	311
BROWN CLAY, SAND	311	325
SAND, GRAVEL, BROWN CLAY	325	337
SAND, GRAVEL, BROKEN ROCK, TAN CLAY	337	361
BLACK CLAY, SAND, BROKEN ROCK	361	374
SAND, BROKEN ROCK, GRAY CLAY	374	384
BLACK BASALT, HARD	384	412
BROKEN BASALT, BLACK	412	443
FRACTURED BASALT, BLACK	443	512

Comments/Remarks

HOLE CAVED IN TO 447FT. CUSTOMER DECIDED TO LEAVE THE BOTTOM AS IS FOR NOW.